PB81-196651

Historical Visibility Over the Eastern U.S. Daily Extinction Coefficient Contour Maps 1953-1957. Appendix B

Washington Univ.
St. Louis, MO

Prepared for

Environmental Sciences Research Lab.
Research Triangle Park, NC

May 80

U.S. Department of Commerce
National Technical Information Service
NTIS

PB81-196651

EPA-600/3-80-043c
May 1980

HISTORICAL VISIBILITY OVER THE EASTERN U.S.
Appendix B
Daily Extinction Coefficient Contour Maps
1953-1957

by

David E. Patterson, Janet M. Holloway amd Rudolf B. Husar
Center for Air Pollution Impact and Trend Analysis (CAPITA)
Washington University
St. Louis, MO 63130

Grant No. R803896

Project Officer

William E. Wilson, Jr.
Atmospheric Chemistry and Physics Division
Environmental Sciences Research Laboratory
Research Triangle Park, NC 27711

NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

ENVIRONMENTAL SCIENCES RESEARCH LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
RESEARCH TRIANGLE PARK, NC 27711

TECHNICAL REPORT DATA
(Please read Instructions on the reverse before completing)

1. REPORT NO.	2.	3. RECIPIENT'S ACCESSION NO.
EPA-600/3-80-043c		PB81 196651

4. TITLE AND SUBTITLE
HISTORICAL VISIBILITY OVER THE EASTERN U.S.
Appendix B. Daily Extinction Coefficient Contour Maps 1953-1957

5. REPORT DATE
May 1980

6. PERFORMING ORGANIZATION CODE

7. AUTHOR(S)
David E. Patterson, Janet M. Holloway and Rudolf Husar

8. PERFORMING ORGANIZATION REPORT NO.

9. PERFORMING ORGANIZATION NAME AND ADDRESS
Washington University
CAPITA, Box 1185
Lindell and Skinker Blvds.
St. Louis, Missouri 63130

10. PROGRAM ELEMENT NO.
1AA603A AA-149 (FY-79)

11. CONTRACT/GRANT NO.
Grant No. R803896

12. SPONSORING AGENCY NAME AND ADDRESS
Environmental Sciences Research Laboratory--RTP, NC
Office of Research and Development
U.S. Environmental Protection Agency
Research Triangle Park, N.C. 27711

13. TYPE OF REPORT AND PERIOD COVERED
Final 1/78 -1/79

14. SPONSORING AGENCY CODE
EPA/600/09

15. SUPPLEMENTARY NOTES
Reference: EPA-600/3-80-043a

16. ABSTRACT

The changes and causes of reduced visibility in the Eastern U.S. during the past three decades were examined. Contour maps of local midday extinction coefficients (inversely related to visibility) are presented for the years 1953-1957. Daily mean extinction coefficient maps illustrate the formation and movement of air masses with reduced visibility; they are supplemented by tables and stripcharts of regional meteorological parameters.

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
Air pollution *Visibility *Haze *Absorptivity *Trends *Nomographs *Meteorological data *Seasonal variations *Air masses	Regional haziness Long range transport Eastern U.S.	13B 04B 12A

18. DISTRIBUTION STATEMENT	19. SECURITY CLASS *(This Report)*	21. NO. OF PAGES
RELEASE TO PUBLIC	UNCLASSIFIED	352
	20. SECURITY CLASS *(This page)* UNCLASSIFIED	22. PRICE

EPA Form 2220-1 (9-73)

DISCLAIMER

This report has been reviewed by the Environmental Sciences Research Laboratory, U.S. Environmental Protection Agency, and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the U.S. Environmental Protection Agency, nor does mention of trade names or commercial products constitute endorsement of recommendation for use.

ABSTRACT

The changes and causes of reduced visibility in the Eastern U.S. during the past three decades were examined. Contour maps of local midday extinction coefficients (inversely related to visibility) are presented for the years 1953-1957. Daily mean extinction coefficient maps illustrate the formation and movement of air masses with reduced visibility; they are supplemented by tables and stripcharts of regional meteorological parameters.

This report was submitted in partial fulfillment of EPA Grant No. R803896 by the Center for Air Pollution Impact and Trend Analysis (CAPITA) under the sponsorship of the U.S. Environmental Protection Agency. This report covers a period from January 1, 1978 to June 30, 1979, and work was completed as of July 31, 1979.

Appendix B
Daily and Quarterly Extinction Coefficient Contour Maps
1953-1957

NOTE:

Appendices A-F are continuations of a published report entitled HISTORICAL VISIBILITY OVER THE EASTERN U.S. Daily and Quarterly Extinction Coefficient Contour Maps, EPA-600/3-80-043a. This report contains background information and documentation of the data volume for the study and presents daily contour maps of light extinction coefficients for the Eastern U.S. in 1978; these are supplemented by tables and stripcharts of regional meteorological parameters. Plots of quarterly average extinction coefficients from 1948-1978 are also included.

This report is available from the

National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Road
Springfield, VA 22161



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.82	84	-0.80	-0.80
2	11	0.09	76	1.70	-0.27
3	18	0.50	80	0.92	-1.07
4	14	0.09	82	-1.00	-4.01
5	26	2.16	56	11.70	3.60
6	10	3.40	60	7.60	0.21
7	15	2.00	50	14.00	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.00	71	1.00	-0.00
2	11	0.01	79	0.00	-0.70
3	18	11.10	80	0.03	0.21
4	14	0.74	71	-0.00	-7.00
5	26	4.20	72	12.90	7.00
6	10	5.10	82	9.10	0.05
7	15	1.70	40	11.01	-1.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	7.00	80	0.00	0.77
2	11	7.00	80	0.00	0.00
3	18	6.00	70	-0.15	-0.50
4	14	6.00	74	-0.00	-7.00
5	26	6.00	60	0.00	1.01
6	10	6.00	50	0.00	-0.01
7	15	1.00	50	10.00	-4.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.26	51	0.77	-0.92
2	11	2.00	56	0.95	-7.42
3	18	3.23	72	-3.39	-7.80
4	14	5.33	78	-1.23	-5.07
5	26	2.87	53	5.68	-3.82
6	10	2.23	58	2.55	-5.10
7	15	1.80	39	13.04	0.39



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	51	-2.00	-11.00
2	11	4.10	58	-0.75	-8.02
3	18	5.20	71	-5.30	-9.30
4	14	2.00	60	-6.01	-9.02
5	26	2.00	40	9.04	-0.07
6	10	2.47	59	6.44	-1.22
7	15	1.80	30	15.03	0.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.05	59	-1.65	-8.80
2	11	2.03	40	-2.07	-12.06
3	18	8.43	71	-8.29	-12.30
4	14	2.89	71	-10.72	-13.16
5	26	2.00	43	13.22	0.53
6	10	3.40	74	9.38	4.80
7	15	2.31	50	15.39	5.85

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.50	80	-3.00	-10.10
2	11	2.09	61	-2.00	-8.43
3	18	7.41	76	-4.34	-7.84
4	14	8.61	74	-7.57	-11.40
5	26	2.54	61	10.17	8.16
6	10	5.87	70	15.00	8.00
7	15	2.40	62	16.00	8.09



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.67	80	-4.77	-12.00
2	11	7.00	82	-2.27	-4.00
3	18	10.25	83	0.50	-0.24
4	14	6.24	79	-0.01	-5.00
5	26	5.00	84	16.10	12.26
6	10	3.87	84	14.02	12.21
7	15	2.04	80	16.00	8.70



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.01	80	-0.77	-0.77
2	11	4.70	80	0.00	-1.00
3	18	8.94	81	0.92	-0.90
4	14	5.00	78	-0.71	-4.00
5	26	7.16	80	10.70	11.07
6	10	7.25	81	8.71	5.46
7	14	2.09	44	10.00	-1.11



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.47	80	-0.55	-2.94
2	11	8.91	80	2.21	0.80
3	18	12.02	59	1.35	0.84
4	14	6.55	76	0.89	-3.49
5	26	6.13	80	10.10	6.51
6	10	7.69	82	5.27	9.38
7	15	2.98	44	10.79	0.55



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.83	94	1.00	0.80
2	11	15.83	96	2.81	1.51
3	18	4.79	78	-1.17	-4.65
4	14	2.17	87	-2.81	-8.05
5	25	3.56	72	9.41	4.33
6	10	2.72	78	4.55	-0.55
7	15	1.93	48	14.00	1.40



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	62	-0.99	-7.33
2	11	1.57	53	0.10	-8.53
3	18	2.53	62	1.50	-5.08
4	14	2.78	64	3.80	-2.57
5	26	1.63	41	8.92	-3.84
6	10	1.62	46	7.10	-3.94
7	15	1.84	94	17.40	1.55

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	4.61	87	8.95	-0.00
2	11	2.95	52	5.05	-3.83
3	18	2.70	58	7.40	-0.30
4	14	4.00	78	0.83	-0.94
5	26	1.77	88	14.41	0.17
6	10	2.25	73	15.52	-0.00
7	18	1.75	65	10.00	7.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.00	84	8.96	-0.77
2	11	6.31	60	8.12	0.65
3	18	4.63	73	8.23	3.30
4	14	11.14	80	-2.00	-3.00
5	26	2.39	48	17.81	8.47
6	10	2.94	60	16.40	0.00
7	18	1.70	61	20.10	0.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	10.70	88	8.00	1.11
2	11	8.55	64	8.00	2.00
3	18	2.34	73	13.51	8.00
4	14	10.00	78	-11.41	-4.44
5	26	2.87	88	10.62	10.70
6	10	2.01	58	10.10	8.87
7	18	1.61	67	12.47	8.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.35	64	9.21	3.22
2	11	3.19	68	5.95	0.69
3	18	2.21	78	-4.22	-8.94
4	14	2.72	58	-12.85	-13.74
5	26	2.09	58	20.91	12.25
6	10	2.67	73	11.33	0.53
7	18	5.24	71	0.03	-4.12



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	48	-5.43	-14.88
2	11	2.96	52	-0.65	-9.50
3	18	12.09	93	-0.92	-1.81
4	14	2.51	71	-4.20	-8.60
5	26	2.24	64	16.46	9.63
6	10	4.15	78	14.93	10.77
7	18	1.00	61	8.40	-1.51



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	4.81	82	8.09	3.88
2	11	4.50	65	4.54	2.17
3	18	2.03	78	2.03	-1.51
4	14	1.92	73	-5.75	-8.00
5	26	3.41	78	17.81	13.56
6	10	1.49	58	10.96	2.94
7	18	1.41	43	14.07	0.58

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	0.00	00	0.00	0.00
2	11	6.01	00	0.00	0.00
3	10	0.00	00	0.00	0.00
4	15	0.00	00	0.00	0.00
5	00	0.00	00	17.00	0.00
6	00	0.00	00	00.00	0.00
7	10	0.00	00	00.00	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	0.00	00	0.00	0.00
2	11	7.00	00	0.00	0.00
3	10	0.00	00	0.00	0.00
4	15	0.00	00	0.00	0.00
5	00	0.00	00	0.00	0.00
6	00	0.00	00	0.00	0.00
7	10	0.00	00	0.00	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	0.00	00	0.00	0.00
2	11	0.00	00	0.00	0.00
3	10	0.00	00	0.00	0.00
4	15	0.00	00	0.00	0.00
5	00	0.00	00	0.00	0.00
6	00	0.00	00	0.00	0.00
7	10	0.00	00	0.00	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.43	87	0.99	-6.98
2	11	7.62	79	3.38	-0.89
3	10	11.05	89	2.15	-0.51
4	15	5.71	84	-1.92	-4.79
5	26	2.65	58	10.38	1.91
6	10	5.37	87	12.80	8.49
7	15	5.00	00	10.01	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.20	87	3.33	-2.10
2	11	7.38	75	6.20	2.11
3	10	12.53	00	5.26	3.17
4	15	5.15	78	-0.51	-4.01
5	26	2.00	68	10.11	11.83
6	10	2.86	78	15.16	10.77
7	15	3.83	00	9.16	-0.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.07	96	0.88	0.00
2	11	0.31	67	12.52	10.50
3	10	0.51	69	-0.12	-2.49
4	15	1.03	78	-1.20	-5.03
5	25	1.80	61	14.78	7.17
6	10	3.48	77	4.52	0.60
7	15	1.55	99	14.21	-0.51

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.00	57	2.00	-8.21
2	11	7.16	66	-1.11	-7.11
3	18	3.24	70	-3.54	-8.20
4	14	1.06	80	-1.50	-8.64
5	26	2.12	41	8.00	-4.09
6	10	1.81	58	4.10	-4.38
7	16	1.85	52	10.50	0.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	48	-4.10	-14.88
2	11	1.72	48	-2.87	-12.42
3	18	2.38	63	-0.59	-8.80
4	14	8.02	81	9.26	-4.10
5	26	1.84	37	12.10	-2.60
6	10	1.88	53	13.40	4.22
7	16	1.57	50	20.81	6.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	54	-8.88	-11.77
2	11	3.06	63	1.26	-4.00
3	18	5.63	72	5.21	0.84
4	14	1.86	60	-2.41	-7.46
5	26	1.86	57	16.23	7.45
6	10	2.41	73	15.39	11.05
7	16	2.18	58	17.86	7.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	7.47	94	5.55	4.84
2	11	3.83	75	3.18	-0.60
3	18	3.58	67	-3.08	-8.40
4	14	2.91	64	-2.89	-7.12
5	26	2.55	67	14.90	8.62
6	10	1.58	65	7.77	1.27
7	16	1.70	44	15.01	0.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	48	0.55	-9.84
2	11	4.68	62	-0.40	-8.91
3	18	2.83	67	-4.53	-9.74
4	14	4.22	64	-0.87	-8.10
5	26	1.76	39	12.47	-1.64
6	10	1.48	39	9.62	-3.88
7	16	1.89	35	10.47	-0.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	44	-2.22	-13.32
2	11	3.08	63	0.30	-8.36
3	18	4.38	62	4.47	-2.43
4	14	3.04	73	2.41	-2.10
5	26	2.33	38	14.44	-0.01
6	10	2.15	38	13.43	-1.08
7	16	1.90	54	17.25	8.29

CAPITA

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.87	83	8.88	-0.88
2	11	2.62	80	8.89	1.46
3	18	3.98	74	8.10	1.88
4	14	1.84	87	-2.98	-4.40
5	26	1.95	58	17.89	9.46
6	10	2.92	87	15.48	7.27
7	15	2.21	58	18.66	7.84



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.24	42	-6.77	-14.81
2	11	2.25	51	-5.30	-18.88
3	18	1.82	52	-8.29	-19.02
4	14	3.90	61	-6.59	-8.77
5	26	1.70	61	17.62	7.11
6	10	1.93	62	11.77	4.80
7	15	1.75	47	18.38	8.81



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.24	90	-8.10	-100.00
2	11	4.59	51	-6.14	-18.88
3	18	4.81	61	1.88	-5.02
4	14	2.91	60	-1.70	-8.98
5	26	2.06	61	11.55	4.10
6	10	1.99	53	15.10	9.44
7	15	1.70	48	17.49	1.28



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	10.49	80	-4.88	-7.77
2	11	5.63	66	0.75	-4.84
3	18	4.42	88	-1.89	-8.97
4	14	2.54	82	2.38	-4.38
5	26	4.15	67	13.35	7.08
6	10	5.78	88	12.18	8.05
7	15	2.24	44	18.43	4.73



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.35	79	-3.11	-8.22
2	11	2.70	52	-0.55	-9.39
3	18	3.37	80	2.68	-4.37
4	14	4.41	65	5.19	-1.70
5	26	2.27	52	12.73	2.71
6	10	2.58	48	11.21	0.11
7	15	2.15	43	18.88	5.25



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.88	68	-0.55	-8.21
2	11	3.13	48	3.43	5.50
3	18	3.98	58	7.03	-1.72
4	14	4.29	80	2.85	-0.59
5	26	2.30	40	12.90	-0.53
6	10	2.05	41	14.43	1.18
7	15	2.14	40	19.95	7.70

CAPITA



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.08	81	4.99	-1.00
2	11	2.65	80	6.40	0.55
3	18	2.41	73	3.38	-1.04
4	14	2.03	67	2.21	-9.98
5	26	2.87	58	16.16	7.20
6	10	3.88	81	9.62	8.44
7	15	1.69	60	15.21	4.25



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	10.00	86	7.99	6.77
2	11	6.70	78	6.61	2.87
3	18	2.11	64	4.99	-2.08
4	14	1.87	62	1.10	-6.55
5	26	2.88	78	16.62	12.00
6	10	1.91	55	10.62	1.81
7	15	1.98	46	15.09	2.44

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	7.46	87	1.44	-0.88
2	11	2.16	63	8.60	-2.72
3	18	2.22	63	1.84	-4.50
4	14	2.90	66	0.51	-9.90
5	26	1.74	42	18.39	0.84
6	10	1.44	37	12.44	-1.88
7	15	1.77	86	17.50	1.86



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.31	81	1.44	-5.55
2	11	2.76	53	2.47	-6.56
3	18	2.88	55	2.88	-5.55
4	14	3.59	69	1.94	-3.78
5	26	1.75	39	15.74	-0.10
6	10	1.62	37	15.18	0.83
7	15	2.49	63	17.51	9.82



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	47	-1.44	-11.88
2	11	1.58	48	0.65	-9.49
3	18	3.68	67	3.05	-2.88
4	14	5.16	82	-1.03	-3.72
5	26	1.76	39	16.02	1.71
6	10	2.01	51	15.27	4.93
7	15	4.75	84	14.38	11.44



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	43	-0.44	-11.77
2	11	3.49	54	0.50	-8.02
3	18	11.43	99	3.60	2.88
4	14	3.22	81	-1.88	-4.71
5	26	2.94	64	14.05	8.82
6	10	3.91	65	15.21	12.49
7	15	2.86	70	9.43	9.99

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.70	84	-2.00	-4.00
2	11	0.61	80	1.96	-0.20
3	18	4.80	84	0.40	-1.91
4	14	1.57	71	-1.92	-8.22
5	26	2.07	74	10.81	11.03
6	10	2.38	73	5.80	1.33
7	15	1.86	59	0.84	0.46



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.00	72	-0.39	-4.00
2	11	4.53	72	2.01	-2.82
3	18	1.80	83	-0.09	-8.29
4	14	1.57	80	2.17	-4.00
5	26	2.10	48	11.02	0.66
6	10	1.80	50	8.80	-3.05
7	15	1.90	48	0.92	-1.22



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	59	2.77	-9.43
2	11	2.16	48	5.05	-4.10
3	18	1.90	57	5.78	-2.08
4	14	1.80	60	-0.80	-8.04
5	26	1.92	48	14.37	2.06
6	10	3.82	57	8.80	1.10
7	15	3.30	62	10.80	0.03



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.67	80	8.21	1.77
2	11	14.13	95	2.92	2.92
3	18	1.78	81	-1.51	-8.42
4	14	1.68	81	-3.18	-8.44
5	26	2.08	74	10.33	5.65
6	10	1.45	55	7.10	-1.08
7	15	1.55	55	15.10	-0.90



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	46	-0.77	-11.33
2	11	2.84	50	0.25	-9.08
3	18	7.13	70	-3.68	-8.68
4	14	1.57	61	-11.02	-19.90
5	26	1.64	40	13.20	0.12
6	10	1.42	48	12.88	1.83
7	15	3.72	30	13.25	-0.81



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	48	0.33	-8.10
2	11	1.82	53	-1.31	-9.94
3	18	2.23	57	-5.64	-12.74
4	14	1.83	60	-3.40	-9.00
5	26	1.70	46	11.40	0.25
6	10	1.91	48	3.10	-7.55
7	15	1.65	54	11.09	-4.00

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	88	-1.39	-10.00
2	11	1.61	65	-0.45	-8.50
3	18	2.55	53	5.12	-4.00
4	14	1.00	58	3.39	-4.87
5	26	1.02	36	10.18	-4.00
6	10	1.58	36	10.32	-4.00
7	15	2.94	40	14.40	2.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.08	48	8.44	-7.65
2	11	4.03	48	7.87	-2.81
3	18	3.53	63	6.84	-0.00
4	14	6.57	69	-0.69	-3.20
5	26	2.11	48	10.26	3.00
6	10	2.27	58	11.55	3.11
7	15	4.66	70	10.50	0.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.08	84	8.10	-0.82
2	11	3.58	68	10.24	3.43
3	18	6.87	91	10.38	9.59
4	14	11.04	90	-0.02	-7.21
5	26	3.73	74	10.05	14.07
6	10	5.18	88	18.10	14.08
7	15	4.89	47	8.89	-2.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.01	88	12.21	10.88
2	11	3.59	74	11.20	6.61
3	18	2.08	61	-4.87	-10.52
4	14	1.54	58	-9.84	-15.39
5	26	2.58	74	10.50	14.20
6	10	1.44	58	6.43	-1.88
7	15	1.06	41	4.07	-0.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	49	1.39	-10.21
2	11	1.57	44	0.70	-10.50
3	18	1.57	47	-1.55	-11.55
4	14	1.54	59	0.11	-7.21
5	26	1.83	55	12.04	2.07
6	10	1.49	47	4.18	-8.55
7	15	1.04	34	7.44	-0.03

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	44	-0.77	-11.00
2	11	1.59	43	3.00	-7.62
3	18	1.61	48	7.18	-3.08
4	14	1.76	67	4.00	-4.37
5	26	1.75	44	13.41	8.21
6	10	1.77	58	9.68	-5.05
7	15	2.02	51	8.47	-2.70

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.80	46	7.00	-0.00
2	11	2.65	43	10.10	-2.11
3	18	3.45	50	7.40	-2.81
4	14	1.82	72	1.84	-9.01
5	26	3.31	60	19.07	5.01
6	10	3.53	80	7.52	3.71
7	18	5.09	80	6.60	4.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	42	8.00	-0.21
2	11	1.65	44	5.75	-5.70
3	18	5.94	73	3.62	-0.73
4	14	8.10	76	1.40	-2.89
5	26	3.16	84	16.00	8.64
6	10	3.71	85	10.00	8.27
7	18	9.09	76	10.00	6.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.60	60	9.00	1.00
2	11	3.06	68	7.10	0.00
3	18	1.59	50	8.78	-3.20
4	19	2.00	60	8.50	-2.40
5	26	1.86	55	17.20	7.43
6	10	1.80	55	11.44	2.80
7	18	1.80	60	14.61	3.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	74	5.21	0.33
2	11	1.68	61	6.78	-0.65
3	18	1.87	54	4.93	-4.31
4	14	1.54	57	1.94	-4.91
5	26	1.59	35	18.79	2.77
6	10	1.38	39	18.33	2.33
7	15	1.54	39	19.77	4.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	49	1.44	-9.10
2	11	1.73	50	-0.10	-9.79
3	18	1.75	52	3.63	-5.39
4	14	4.81	65	-1.40	-5.55
5	26	1.60	30	15.80	-2.30
6	10	1.40	35	12.60	-2.44
7	15	2.06	67	17.20	7.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	90	-9.00	-14.44
2	11	1.55	42	-2.32	-13.16
3	18	1.89	49	-1.33	-10.00
4	14	0.14	73	-8.34	-10.39
5	26	1.60	43	16.46	3.50
6	10	1.85	60	10.44	2.61
7	15	2.90	56	20.07	10.33

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	82	-0.10	-10.00
2	11	2.06	43	-3.02	-10.00
3	18	5.09	71	-1.34	-9.91
4	14	0.00	00	-0.00	-0.14
5	26	3.25	76	11.61	8.00
6	10	4.00	78	15.00	11.40
7	19	2.01	00	10.10	11.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	90	1.44	-0.00
2	11	9.52	84	2.90	-0.70
3	18	11.10	92	4.00	0.11
4	14	0.00	77	-5.04	-7.13
5	26	7.70	00	11.61	0.20
6	10	2.70	01	10.54	15.40
7	19	0.01	00	10.02	10.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.00	00	10.00	0.01
2	11	0.01	04	7.02	0.00
3	18	0.10	70	-1.30	-0.33
4	14	1.03	01	-1.70	-0.40
5	26	2.30	72	10.70	14.00
6	10	2.00	07	12.05	0.71
7	19	1.00	00	11.10	-0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.20	52	1.00	-0.00
2	11	2.00	47	1.01	-9.23
3	18	1.01	50	-0.77	-0.11
4	14	1.50	07	-0.00	-0.00
5	26	1.05	35	15.20	-0.36
6	10	1.07	39	12.03	-1.30
7	19	1.02	20	15.55	-0.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.22	96	2.77	-11.32
2	11	5.79	79	1.00	-3.53
3	18	5.21	00	-0.12	-0.00
4	14	1.00	57	-7.00	-10.10
5	26	1.70	30	20.10	4.40
6	10	1.40	51	10.10	0.77
7	19	1.50	42	10.00	4.90

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	87	-2.77	-15.55
2	11	1.66	47	-1.36	-11.51
3	18	0.30	04	-3.65	-9.71
4	14	2.33	04	-9.15	0.20
5	26	1.71	30	17.00	2.00
6	10	2.11	40	10.32	2.27
7	19	2.07	02	17.32	0.01

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	42	-8.49	-18.03
2	11	1.00	52	-2.52	-10.00
3	18	8.53	71	-2.52	-7.00
4	14	1.00	68	8.10	-4.24
5	26	1.89	80	14.78	-0.28
6	10	1.81	48	10.27	-1.48
7	15	8.10	90	15.14	8.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	80	-1.00	-14.10
2	11	2.94	54	0.06	-7.87
3	18	2.61	62	2.00	-4.41
4	14	2.82	62	7.41	0.00
5	26	1.81	86	12.00	-1.00
6	10	1.00	43	10.00	-1.00
7	15	9.00	71	15.00	7.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	81	-0.77	-100.00
2	11	2.04	48	-0.05	-10.27
3	18	4.67	80	7.74	-0.09
4	14	4.00	70	7.41	0.40
5	26	2.30	48	16.00	4.26
6	10	2.30	48	14.00	8.03
7	15	4.00	70	16.26	12.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	97	-0.00	-12.21
2	11	1.75	45	5.60	-5.50
3	18	5.29	58	11.90	3.80
4	14	8.02	81	7.81	4.59
5	26	4.64	78	14.61	10.44
6	10	3.49	75	15.94	11.49
7	15	4.08	77	19.32	14.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	82	9.55	2.65
2	11	5.01	77	10.75	6.46
3	18	6.97	78	13.69	9.53
4	14	3.13	70	7.14	1.50
5	26	5.77	83	17.49	14.22
6	10	3.24	80	15.99	12.44
7	15	2.00	68	21.21	13.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.99	94	8.44	5.77
2	11	5.80	81	13.32	10.04
3	18	4.67	78	7.38	3.94
4	14	9.93	68	7.87	1.68
5	26	1.87	65	21.44	14.61
6	10	1.93	65	20.32	13.49
7	15	2.51	68	21.09	14.55

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.42	77	0.00	2.00
2	11	4.45	85	11.00	4.23
3	18	8.99	60	7.40	5.15
4	14	8.08	82	4.00	1.00
5	26	1.94	53	24.35	19.30
6	10	2.23	72	21.43	15.71
7	15	2.00	60	22.14	0.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.90	80	4.00	0.43
2	11	10.10	90	0.00	7.07
3	18	2.45	73	0.51	4.51
4	14	2.12	60	3.10	-4.30
5	26	2.04	60	22.55	16.21
6	10	1.57	50	19.77	8.55
7	15	2.44	57	17.00	2.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.97	70	0.00	0.90
2	11	2.00	63	0.02	1.90
3	18	2.17	58	5.01	-2.00
4	14	1.57	40	7.00	-0.01
5	26	1.55	42	20.04	8.61
6	10	1.40	50	15.21	1.05
7	15	1.87	62	18.00	0.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.49	50	0.10	-1.00
2	11	2.91	55	7.02	-0.75
3	18	2.71	43	13.70	1.20
4	14	1.83	51	13.00	2.00
5	26	1.75	31	21.02	2.00
6	10	2.08	43	18.49	4.77
7	15	4.00	60	20.00	13.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	32	8.77	-7.32
2	11	2.44	52	9.00	-0.40
3	18	4.03	72	12.52	7.37
4	14	1.86	42	0.90	-4.75
5	26	3.04	60	19.26	11.76
6	10	2.09	72	19.71	14.55
7	15	1.96	40	21.40	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.02	70	4.60	0.22
2	11	3.90	63	8.03	1.56
3	18	1.81	54	8.81	-1.94
4	14	1.71	42	7.00	-4.05
5	25	1.60	43	22.40	8.75
6	10	1.33	33	18.10	1.18
7	15	1.70	42	22.14	7.20

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.27	80	4.21	0.00
2	11	1.82	61	8.71	-0.55
3	18	2.15	49	9.19	-1.10
4	14	1.74	51	11.00	2.00
5	26	1.66	33	20.65	3.20
6	10	1.45	39	19.30	2.30
7	15	1.70	40	24.21	11.39



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	46	8.10	-2.00
2	11	1.85	45	12.21	0.25
3	18	2.30	38	20.79	4.75
4	14	2.80	60	12.41	4.20
5	26	3.06	62	17.77	9.65
6	10	1.71	56	18.27	7.82
7	15	4.00	42	22.25	8.81



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.04	87	14.10	-0.90
2	11	1.00	48	14.66	9.50
3	18	2.72	88	13.95	8.02
4	14	3.03	64	9.26	-0.43
5	26	3.20	72	18.05	13.50
6	10	1.99	58	20.05	13.27
7	15	2.90	41	21.25	7.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	48	18.21	8.39
2	11	2.04	58	17.46	9.03
3	18	1.03	52	13.42	3.40
4	14	3.09	40	5.19	-5.71
5	26	3.33	75	20.05	16.17
6	10	1.58	68	17.66	10.88
7	15	1.60	51	20.40	1.74



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.20	70	19.66	9.77
2	11	4.69	84	12.01	9.28
3	18	2.34	54	8.23	-0.70
4	14	2.80	57	0.04	-7.85
5	26	1.57	50	22.00	10.31
6	10	2.03	48	17.21	5.93
7	15	1.57	27	21.44	1.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.69	83	11.10	8.33
2	11	3.15	71	11.05	5.05
3	18	3.08	65	2.31	-3.40
4	14	1.54	54	3.25	-5.31
5	26	2.81	40	16.27	3.71
6	10	1.77	51	8.60	-1.88
7	15	1.59	31	20.25	2.50

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.11	80	11.04	8.05
2	11	8.10	80	6.05	4.03
3	18	5.34	85	5.28	-5.23
4	14	1.88	81	7.87	-2.53
5	26	1.70	40	12.41	-1.17
6	10	1.81	48	8.98	-1.33
7	15	1.86	54	21.68	10.65



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.09	79	8.88	9.21
2	11	4.63	80	6.86	3.58
3	18	2.30	58	8.48	-0.27
4	14	1.69	41	10.82	-2.21
5	26	1.72	38	14.80	0.40
6	10	2.47	51	12.60	2.27
7	15	1.87	62	20.62	8.40



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.79	79	8.21	3.77
2	11	2.74	68	8.17	2.31
3	18	1.83	54	7.65	-1.35
4	14	1.94	34	11.94	-8.88
5	26	1.78	38	10.30	3.46
6	10	1.57	38	15.88	-0.10
7	15	1.88	42	21.79	7.81



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	8.49	75	8.44	3.88
2	11	2.62	62	9.69	2.21
3	18	1.88	59	5.85	-1.07
4	14	1.74	41	11.22	-2.10
5	26	1.65	38	15.40	-0.98
6	10	1.44	32	15.55	-1.33
7	15	1.87	51	23.55	12.18



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	7.02	83	7.88	8.55
2	11	1.75	66	7.21	1.26
3	18	2.58	67	5.38	-0.38
4	14	3.30	75	7.93	3.37
5	26	1.66	38	10.67	0.08
6	10	2.25	47	17.18	5.21
7	15	2.38	59	23.29	13.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.10	62	9.33	8.33
2	11	2.19	57	11.25	3.07
3	18	5.38	68	8.78	5.08
4	14	4.98	75	7.09	2.53
5	26	1.81	38	22.60	7.10
6	10	3.32	74	19.48	14.83
7	15	1.82	45	22.88	8.7[illegible]

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.48	66	13.95	5.94
2	11	5.38	69	11.68	6.10
3	18	8.47	66	8.02	5.70
4	14	1.85	96	9.20	1.51
5	26	1.06	47	25.16	12.64
6	10	1.48	57	20.62	11.10
7	18	1.70	69	23.81	11.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.42	89	9.81	8.44
2	11	9.04	83	11.78	8.68
3	18	2.51	66	9.98	2.40
4	14	6.48	79	7.68	2.98
5	26	2.13	50	21.62	8.81
6	10	2.98	65	12.77	5.48
7	18	1.84	84	21.98	10.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.26	98	14.44	0.98
2	11	2.08	98	14.89	-0.15
3	18	2.80	81	10.58	3.17
4	14	2.80	81	8.84	-0.88
5	26	2.28	53	20.29	8.81
6	10	2.48	67	18.71	7.08
7	18	2.06	86	17.88	7.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.08	82	15.56	2.98
2	11	3.14	58	12.26	2.62
3	18	1.65	51	8.73	-1.29
4	14	1.57	48	8.58	-4.59
5	26	2.13	43	23.37	9.76
6	10	1.58	38	17.21	2.00
7	18	1.71	48	20.55	8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.01	79	10.98	5.77
2	11	1.57	43	11.68	-0.90
3	18	1.82	46	9.00	-2.09
4	14	1.57	48	8.24	-2.41
5	26	1.62	28	21.12	1.76
6	10	1.48	32	15.71	1.11
7	18	9.41	79	19.87	15.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.24	96	11.93	-1.89
2	11	2.16	94	10.95	1.81
3	18	3.12	80	9.10	1.09
4	14	1.80	47	10.51	-0.43
5	26	9.41	68	18.65	12.48
6	10	5.99	87	15.27	13.05
7	18	1.95	63	18.92	10.47

CAPITA



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.10	69	7.32	4.77
2	11	5.21	63	6.43	5.65
3	18	2.38	49	10.92	0.59
4	14	4.40	69	7.57	1.70
5	26	2.56	62	22.00	14.01
6	10	2.11	64	15.71	8.94
7	15	2.67	57	21.00	11.08



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	52	13.39	3.77
2	11	1.92	61	13.17	3.27
3	18	2.95	58	12.40	3.08
4	14	4.44	70	8.00	6.11
5	26	1.83	50	22.13	10.00
6	10	2.44	53	21.77	11.27
7	15	1.77	45	20.87	12.90



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.63	50	16.77	1.00
2	11	2.00	55	15.76	0.64
3	18	4.87	58	20.18	11.01
4	14	4.04	69	5.60	2.00
5	26	1.05	66	24.01	15.05
6	10	1.02	62	25.71	17.00
7	15	2.17	44	26.62	11.10



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.81	69	10.32	4.59
2	11	5.39	78	11.08	7.97
3	18	1.08	67	8.01	2.08
4	14	1.60	59	5.29	-2.69
5	26	2.19	59	24.85	16.04
6	10	1.37	59	19.83	5.49
7	15	1.81	44	19.00	7.10

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	67	11.10	2.44
2	11	1.70	43	13.38	0.85
3	18	1.73	49	10.11	-0.12
4	14	2.00	58	4.71	-3.01
5	26	1.84	38	24.07	7.90
6	10	1.52	41	21.05	8.99
7	15	2.26	59	21.81	12.66



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	39	12.00	-0.00
2	11	3.23	56	9.64	3.40
3	18	3.72	72	6.23	1.07
4	14	1.60	47	5.55	-5.03
5	26	4.22	80	20.00	16.34
6	10	3.20	72	16.49	11.10
7	15	1.94	52	14.00	4.81

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.79	88	8.44	4.10
2	11	4.02	85	6.30	3.07
3	18	1.89	50	8.41	-3.80
4	14	2.58	48	8.59	-2.03
5	26	2.41	58	16.46	8.06
6	10	1.48	48	11.49	0.81
7	15	1.53	56	17.58	1.55

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.14	78	1.88	-2.88
2	11	1.67	48	8.00	-5.40
3	18	1.78	35	11.29	-4.00
4	14	2.07	52	11.94	1.74
5	26	1.61	24	16.10	0.23
6	10	1.33	33	18.05	0.05
7	15	2.55	52	20.47	8.07



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	81	10.89	-6.77
2	11	1.70	24	19.78	-6.88
3	18	3.40	67	8.71	2.48
4	14	3.50	67	2.08	-3.78
5	26	1.70	42	18.99	5.08
6	10	1.84	65	15.27	8.55
7	15	1.74	56	21.10	4.82



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.71	53	8.69	-0.95
2	11	5.87	82	7.82	4.74
3	18	2.22	54	8.75	-2.71
4	14	3.72	41	9.94	-0.78
5	26	1.71	43	18.11	4.80
6	10	1.38	35	11.99	-3.05
7	15	2.18	29	18.81	-0.18

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.77	52	8.09	-0.77
2	11	1.62	41	10.90	-2.06
3	18	4.22	58	4.00	-4.19
4	14	1.58	47	-0.59	-10.83
5	26	1.55	29	20.37	1.15
6	10	1.34	33	19.27	2.05
7	15	2.25	52	22.88	11.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.44	48	8.43	-4.44
2	11	6.01	68	5.04	-0.81
3	18	5.85	58	2.40	-5.73
4	14	2.81	47	1.74	-8.04
5	26	2.05	64	21.76	14.33
6	10	5.00	83	12.88	9.99
7	15	2.15	47	14.65	9.28

CAPITA



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.57	48	7.00	-3.00
2	11	2.08	58	6.30	-2.01
3	18	4.73	64	2.61	-3.63
4	14	2.00	40	9.00	-0.54
5	20	2.10	54	16.70	8.04
6	10	1.42	40	9.33	-3.77
7	16	1.70	32	18.01	-2.01



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.51	60	5.00	-2.22
2	11	4.20	58	6.46	-2.62
3	18	2.23	52	5.11	-4.50
4	14	1.57	26	11.40	-0.50
5	20	1.69	34	12.70	-2.06
6	10	1.52	44	8.33	-2.62
7	16	1.64	90	10.20	-1.55



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.50	47	7.44	-3.22
2	11	1.57	48	6.70	-3.17
3	18	1.80	33	13.29	-2.80
4	14	1.85	26	10.07	-0.99
5	20	1.63	31	16.00	-1.13
6	10	1.50	33	15.49	-0.72
7	16	1.57	81	29.50	4.00



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	31	15.59	-1.00
2	11	1.93	33	16.96	0.35
3	18	2.20	42	19.87	8.35
4	14	1.70	20	21.82	2.53
5	20	1.64	30	22.30	9.33
6	10	1.42	38	22.77	7.80
7	15	1.70	52	25.00	14.44



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	40	18.43	4.21
2	11	1.57	30	19.59	1.16
3	18	2.74	23	20.88	-1.88
4	14	1.71	29	21.34	0.59
5	20	1.77	41	25.91	11.57
6	10	1.81	58	24.21	14.77
7	15	2.34	74	22.32	17.03

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	24	17.21	-3.44
2	11	1.09	38	17.06	0.90
3	18	3.29	65	13.02	8.04
4	14	3.10	69	12.21	8.10
5	20	1.81	38	20.21	10.10
6	10	1.50	55	25.18	14.80
7	15	2.45	53	25.90	19.10

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	84	19.10	8.22
2	11	2.05	58	20.14	11.25
3	18	1.78	55	18.26	8.88
4	14	4.17	79	8.08	1.18
5	26	1.87	53	26.57	15.55
6	10	1.73	72	20.48	15.18
7	15	2.38	88	29.70	7.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.88	62	9.84	8.82
2	11	3.44	67	19.80	12.82
3	18	5.59	62	5.84	3.81
4	14	1.84	64	7.88	-1.54
5	26	2.30	58	23.62	14.31
6	10	1.71	50	15.49	4.58
7	15	1.77	86	21.16	4.85



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.05	88	10.38	8.88
2	11	2.18	64	10.46	3.63
3	18	1.75	61	7.12	-0.24
4	14	1.88	41	18.29	8.27
5	26	1.80	41	18.08	5.27
6	10	1.85	48	13.88	2.88
7	15	1.78	38	24.88	8.48



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.29	51	10.21	0.55
2	11	2.29	51	9.79	-0.40
3	18	2.54	58	11.41	3.73
4	14	2.07	50	15.59	4.85
5	26	1.63	38	22.00	6.98
6	10	1.44	41	22.82	8.88
7	15	3.27	63	29.88	15.33



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	43	12.10	-0.11
2	11	1.83	36	13.88	-0.85
3	18	2.82	58	14.99	7.08
4	14	3.88	51	10.31	8.88
5	26	1.86	45	26.08	12.64
6	10	2.35	44	25.82	10.77
7	15	6.18	38	24.26	8.98



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	45	13.44	1.88
2	11	1.62	41	16.68	3.17
3	18	2.89	72	16.69	11.53
4	14	3.04	84	9.52	8.82
5	26	2.96	73	23.39	17.04
6	10	2.44	63	23.18	15.71
7	15	8.19	29	28.98	8.09

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.91	66	9.66	9.66
2	11	6.96	70	12.51	8.17
3	18	2.08	51	20.48	9.40
4	14	2.29	74	8.60	9.70
5	26	2.42	60	28.62	16.80
6	10	3.08	46	27.05	12.99
7	18	3.80	38	26.72	7.81



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.70	61	8.21	9.10
2	11	5.01	83	9.54	8.45
3	18	4.55	65	15.97	8.53
4	14	4.90	60	8.62	8.96
5	26	2.72	64	26.48	18.87
6	10	2.01	46	28.52	12.77
7	18	2.82	38	24.71	6.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.80	48	12.60	1.77
2	11	3.06	64	12.48	8.45
3	18	2.42	51	18.87	5.79
4	14	2.00	62	11.94	8.66
5	26	2.16	64	26.68	16.30
6	10	1.75	53	28.10	14.82
7	18	2.70	51	21.81	8.80



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.22	38	21.44	9.22
2	11	6.76	42	21.91	7.72
3	18	3.49	52	19.79	8.72
4	14	1.04	48	15.20	9.41
5	26	2.31	62	28.06	18.09
6	10	2.05	73	24.21	18.77
7	18	2.48	50	17.77	8.09



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	7.03	72	18.77	11.10
2	11	6.40	75	19.54	15.04
3	18	5.90	74	18.50	11.96
4	14	1.74	46	17.13	9.80
5	26	1.91	62	27.23	19.01
6	10	1.81	70	21.88	17.82
7	18	1.58	40	18.40	8.58

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	41	22.10	7.89
2	11	3.45	60	21.88	13.78
3	18	3.51	58	18.17	9.71
4	14	1.70	38	20.38	8.07
5	26	2.43	72	24.50	18.77
6	10	2.01	70	17.99	12.10
7	18	1.58	38	22.59	8.28

CAPITA

Reproduced from best available copy.



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.00	55	18.00	8.00
2	11	4.00	60	18.44	19.43
3	18	5.15	65	18.90	10.24
4	14	1.81	58	22.00	8.00
5	26	1.94	67	22.03	16.12
6	10	1.80	60	18.00	10.44
7	18	1.84	58	20.14	8.43



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.11	71	18.32	19.00
2	11	4.00	62	18.64	11.71
3	18	2.13	51	19.93	9.22
4	14	1.83	55	23.20	8.06
5	26	1.86	48	24.54	12.40
6	10	1.90	55	20.71	11.27
7	18	1.98	48	20.12	11.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.94	58	24.10	14.00
2	11	3.91	52	22.81	11.46
3	18	2.25	57	25.98	10.05
4	14	2.03	42	23.78	8.83
5	26	1.86	45	24.80	11.00
6	10	1.73	43	24.85	10.88
7	18	1.88	48	20.49	14.02



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	39	27.80	11.32
2	11	2.61	36	28.02	11.15
3	18	1.88	38	26.72	10.98
4	14	2.19	80	19.12	10.87
5	26	1.76	39	27.58	12.02
6	10	1.85	39	27.27	12.05
7	18	2.93	44	25.48	10.93



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.04	44	23.80	10.99
2	11	3.19	29	29.74	9.74
3	18	2.02	47	22.92	10.98
4	14	2.27	48	14.59	2.81
5	26	2.06	38	29.80	12.06
6	10	1.77	52	25.80	14.38
7	18	1.80	81	24.84	15.03



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.99	57	21.55	11.80
2	11	3.00	43	28.30	12.57
3	18	3.10	87	20.45	19.91
4	14	1.58	82	8.74	-0.23
5	26	2.24	35	30.40	13.13
6	10	1.89	52	26.49	15.71
7	18	3.07	78	20.89	14.05

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.00	60	18.44	12.00
2	11	3.50	69	21.10	15.04
3	18	2.96	69	8.06	2.77
4	14	1.83	40	8.10	-3.88
5	26	2.06	41	24.00	15.01
6	10	3.00	84	24.44	18.80
7	18	2.72	78	14.67	10.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.41	77	14.82	10.43
2	11	4.82	70	18.53	12.87
3	18	4.11	71	10.92	5.84
4	14	1.87	42	12.21	-0.96
5	26	2.92	46	20.90	15.67
6	10	4.06	70	22.38	18.43
7	18	3.59	79	18.07	10.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.00	84	11.00	11.10
2	11	6.01	69	17.47	14.80
3	18	2.79	58	17.51	8.91
4	14	1.94	60	18.78	8.86
5	26	2.11	47	20.44	16.40
6	10	2.92	70	22.32	18.43
7	18	3.43	80	18.81	16.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.29	58	20.21	11.10
2	11	3.24	62	20.50	13.02
3	18	6.67	75	17.85	15.14
4	14	2.70	55	18.97	7.21
5	26	2.73	58	20.28	17.70
6	10	2.79	65	25.18	17.71
7	18	2.39	71	22.86	18.59



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.38	92	12.95	11.21
2	11	5.39	80	19.94	15.51
3	18	8.89	88	18.89	14.37
4	14	2.81	88	18.50	7.69
5	25	2.00	55	20.60	18.62
6	10	1.61	87	25.93	19.18
7	18	1.82	62	24.58	18.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.42	67	19.32	12.55
2	11	1.98	58	21.81	12.72
3	18	1.37	58	20.18	10.89
4	14	1.80	42	17.57	4.20
5	25	1.61	61	29.17	17.84
6	10	2.19	78	22.77	18.10
7	18	2.67	60	24.00	16.23

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.98	48	21.77	10.68
2	11	2.88	60	20.05	12.31
3	18	2.38	41	20.92	8.97
4	14	1.94	41	21.88	7.65
5	26	2.42	65	25.69	18.97
6	10	2.88	75	21.18	17.21
7	18	1.90	48	28.38	19.43

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.99	69	21.99	19.00
2	11	3.15	45	24.74	12.20
3	18	1.74	42	25.02	11.10
4	14	2.53	62	19.20	10.00
5	26	2.20	58	28.61	17.43
6	10	1.50	55	28.60	18.00
7	18	1.04	44	29.02	14.76

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.61	69	19.00	10.43
2	11	3.47	62	23.88	19.12
3	18	1.80	58	23.29	13.88
4	14	1.54	57	19.89	8.81
5	26	1.87	60	28.28	18.62
6	10	1.44	55	29.85	18.94
7	18	1.02	61	31.07	18.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.49	69	17.48	11.44
2	11	3.52	67	22.11	15.55
3	18	4.71	79	18.10	12.31
4	14	1.71	57	17.79	8.28
5	26	1.90	54	30.63	20.14
6	10	1.38	58	29.88	20.71
7	18	1.02	49	31.35	17.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	48	17.80	8.10
2	11	1.68	49	17.26	6.51
3	18	1.70	53	17.31	7.58
4	14	1.76	51	18.38	8.64
5	26	1.83	51	31.80	19.67
6	10	2.35	62	28.71	20.80
7	18	1.82	50	31.97	18.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	23	21.32	0.77
2	11	1.72	24	20.80	4.18
3	18	3.14	68	18.39	11.04
4	14	4.29	69	21.58	15.07
5	26	1.83	51	29.80	18.39
6	10	1.81	57	31.10	21.80
7	18	1.70	48	31.42	17.77

CAPITA



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	57	20.00	9.22
2	11	2.07	56	18.70	8.03
3	18	3.09	58	20.07	10.20
4	14	1.88	52	20.10	14.24
5	26	2.26	51	31.15	19.50
6	10	1.58	48	32.38	19.10
7	18	1.61	48	31.24	18.53



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	47	18.48	8.59
2	11	0.34	52	15.04	11.40
3	18	2.18	45	26.72	13.28
4	14	1.57	47	22.17	9.88
5	26	2.08	48	32.88	19.31
6	10	1.79	51	31.55	19.88
7	18	1.58	48	32.18	18.37

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.24	50	19.21	4.88
2	11	1.00	54	16.48	8.74
3	18	1.84	51	17.21	8.87
4	14	1.69	61	18.08	11.10
5	26	1.60	50	20.88	13.17
6	10	1.44	42	26.35	15.98
7	18	1.84	48	31.21	18.18



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	50	18.77	8.21
2	11	1.50	48	16.34	3.78
3	18	1.75	38	19.81	5.02
4	14	2.07	64	21.22	13.78
5	26	1.08	38	26.38	10.78
6	10	1.52	41	27.18	12.88
7	18	1.57	47	30.51	18.08



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	41	18.55	2.88
2	11	1.72	34	17.41	1.66
3	18	1.91	39	25.78	10.92
4	14	3.11	60	26.58	17.69
5	26	1.96	42	27.02	12.77
6	10	1.78	48	30.77	17.71
7	18	1.83	41	31.88	18.24



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.27	48	15.88	4.39
2	11	3.85	64	12.32	9.64
3	18	2.44	52	30.21	19.25
4	14	2.87	48	25.78	9.71
5	26	2.98	51	29.18	17.55
6	10	1.89	48	31.60	18.88
7	18	1.88	41	31.24	15.89

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	50	18.69	9.21
2	11	1.02	59	16.05	7.87
3	18	2.53	41	27.18	11.32
4	14	1.59	48	23.88	10.69
5	26	2.61	50	26.60	18.07
6	10	1.53	45	32.11	15.77
7	18	1.68	48	31.07	17.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.29	86	22.88	2.59
2	11	1.68	58	20.16	5.40
3	18	1.76	48	20.26	8.48
4	14	1.58	67	23.28	11.18
5	26	2.57	60	28.83	15.78
6	10	1.61	48	30.98	15.58
7	18	1.71	61	32.77	17.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	87	21.77	8.88
2	11	1.68	6	22.77	8.48
3	18	1.72	51	25.92	9.48
4	14	1.09	58	24.91	19.88
5	26	1.55	62	26.28	11.53
6	10	1.08	57	28.82	10.98
7	18	1.54	84	32.48	18.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.18	87	18.59	8.88
2	11	1.58	38	22.62	3.73
3	18	1.92	55	26.87	8.88
4	14	1.71	67	26.58	13.16
5	26	1.81	48	27.88	12.08
6	10	1.79	55	28.77	11.71
7	18	1.81	58	32.58	15.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.58	84	17.77	10.48
2	11	3.21	62	23.62	12.57
3	18	2.50	47	28.82	15.88
4	14	1.58	58	24.87	14.32
5	26	2.08	48	28.88	15.62
6	10	1.85	59	29.56	16.27
7	18	2.20	61	31.28	15.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.19	81	23.65	15.88
2	11	2.87	66	28.33	15.65
3	18	1.98	48	29.76	17.21
4	14	1.78	78	14.68	9.08
5	26	2.88	57	29.66	18.35
6	10	2.33	48	29.83	17.05
7	18	1.87	48	30.57	17.08

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.02	47	20.89	10.77
2	11	2.38	46	20.64	17.96
3	18	2.94	60	21.72	15.40
4	14	1.87	61	15.70	8.01
5	20	2.03	63	20.20	21.08
6	10	1.94	61	29.21	20.99
7	18	1.57	47	30.61	17.96



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.15	70	22.10	18.10
2	11	2.72	71	21.61	15.96
3	18	2.06	61	21.18	13.17
4	14	2.47	71	18.56	19.72
5	20	2.38	71	27.88	21.57
6	10	1.48	59	30.99	20.32
7	18	1.56	41	31.80	18.24



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.24	44	29.88	10.55
2	11	2.07	48	25.04	13.07
3	18	2.43	60	28.38	19.82
4	14	2.78	62	22.85	14.20
5	20	2.48	68	28.38	21.25
6	10	1.88	51	33.22	21.55
7	18	1.63	48	32.77	18.44



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.01	64	24.49	17.92
2	11	2.72	58	28.22	18.08
3	18	1.88	55	28.81	18.50
4	14	1.82	67	23.88	18.97
5	20	1.70	68	30.29	21.21
6	10	1.48	52	33.94	22.71
7	18	1.60	48	33.97	18.62

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	52	22.44	9.21
2	11	1.00	40	23.02	8.48
3	18	2.87	65	25.02	15.92
4	14	1.71	60	27.08	18.38
5	20	1.70	52	30.38	19.35
6	10	1.85	54	32.22	21.55
7	18	1.58	48	33.90	20.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	40	19.32	4.99
2	11	1.51	32	21.36	4.03
3	18	2.18	59	24.31	13.99
4	14	2.54	65	28.58	21.02
5	20	1.00	54	28.52	18.20
6	10	1.69	53	30.27	19.71
7	18	1.61	42	33.75	18.67

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	38	20.43	5.88
2	11	2.24	56	19.33	9.89
3	18	2.95	56	20.54	10.23
4	14	2.12	60	21.02	10.61
5	26	2.08	63	20.07	10.62
6	10	1.81	48	32.55	18.10
7	18	1.88	38	35.09	18.07



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	61	18.46	9.10
2	11	4.66	62	18.20	12.07
3	18	1.93	58	24.25	15.24
4	14	1.88	63	30.11	18.08
5	26	2.10	58	20.66	10.46
6	10	1.83	50	32.46	20.21
7	18	1.81	38	34.27	17.40

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	48	19.88	8.10
2	11	1.73	58	19.58	10.24
3	18	2.98	55	22.92	15.35
4	14	1.94	58	28.84	18.72
5	26	2.06	66	26.01	17.08
6	10	2.21	68	27.39	18.71
7	18	1.90	38	35.52	17.48

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.27	39	24.33	8.98
2	11	1.68	42	24.08	10.28
3	18	3.09	48	24.99	13.23
4	14	3.56	60	25.27	18.72
5	26	2.16	61	25.20	16.94
6	10	1.91	51	30.39	18.99
7	18	1.72	37	35.10	17.38



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.31	43	25.33	11.21
2	11	1.97	48	27.16	12.52
3	18	2.99	57	28.02	18.42
4	14	1.54	62	25.27	14.32
5	26	2.62	61	26.72	18.38
6	10	3.04	73	27.10	21.38
7	18	1.69	43	34.08	18.81



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.69	58	24.10	14.32
2	11	2.42	55	24.74	14.44
3	18	4.78	68	22.80	15.65
4	14	1.57	47	29.08	18.38
5	26	2.60	64	28.71	20.82
6	10	1.65	49	32.11	20.05
7	18	1.83	43	33.78	18.44

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.10	51	25.92	14.21
2	11	5.12	60	24.90	15.96
3	18	4.29	61	24.70	16.80
4	14	1.54	43	33.06	18.01
5	26	2.16	57	28.71	18.00
6	10	2.18	45	31.39	17.94
7	18	1.58	46	33.00	18.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.94	48	28.39	18.92
2	11	5.28	48	28.89	17.31
3	18	3.11	45	33.42	19.84
4	14	1.88	52	28.78	17.79
5	26	2.64	52	30.16	18.48
6	10	2.21	40	33.94	18.32
7	18	1.71	48	34.94	18.20



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.71	42	33.88	19.21
2	11	4.30	45	33.13	19.54
3	18	2.78	43	35.65	20.45
4	14	2.73	57	29.88	19.47
5	26	3.07	64	30.31	19.65
6	10	1.95	43	34.72	20.21
7	18	1.57	38	34.72	18.48



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.11	58	27.98	19.43
2	11	4.45	49	33.63	21.05
3	18	1.80	48	29.18	14.50
4	14	1.60	50	24.98	12.97
5	26	2.46	58	31.17	21.64
6	10	2.05	45	34.89	21.21
7	18	1.53	38	35.52	17.48

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.82	52	27.98	18.84
2	11	2.26	46	29.12	15.04
3	18	1.75	34	29.74	12.09
4	14	1.88	48	28.07	12.46
5	26	1.06	55	30.62	20.46
6	10	1.48	47	31.05	18.05
7	18	1.85	38	34.23	18.50

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.19	53	27.33	9.88
2	11	1.55	35	28.25	9.64
3	18	1.09	37	28.41	10.78
4	14	2.20	46	28.07	14.07
5	26	1.80	48	31.13	18.05
6	10	1.52	41	33.22	17.88
7	18	1.85	41	34.10	17.77

CAPITA



REGION	STWS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	27	25.00	3.44
2	11	1.73	33	24.36	6.06
3	18	1.80	44	28.70	14.87
4	14	1.65	62	24.40	18.54
5	26	1.61	50	20.80	18.20
6	10	1.53	48	31.44	18.77
7	18	1.67	80	34.51	17.88



REGION	STWS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	38	28.32	10.00
2	11	2.26	47	28.50	18.06
3	18	2.48	62	28.14	19.31
4	14	1.84	48	21.84	8.50
5	26	1.86	58	29.14	20.12
6	10	1.48	48	31.89	19.38
7	18	1.81	46	32.86	18.01



REGION	STWS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.74	57	30.22	20.44
2	11	2.84	54	30.75	19.04
3	18	1.79	51	28.38	14.90
4	14	1.77	41	25.09	10.47
5	26	1.94	63	28.61	21.44
6	10	1.81	60	29.44	20.32
7	18	1.77	48	33.02	18.71

REGION	STWS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	31	28.77	10.44
2	11	1.71	36	28.10	12.62
3	18	2.32	48	28.70	18.10
4	14	1.80	61	25.93	17.21
5	26	1.98	63	28.80	21.70
6	10	2.47	66	29.38	21.98
7	18	1.87	48	33.43	18.88

REGION	STWS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	36	30.39	12.96
2	11	3.14	58	29.68	20.19
3	18	1.82	57	29.19	19.71
4	14	1.57	55	25.27	15.31
5	26	1.66	58	30.50	21.70
6	10	1.52	64	29.32	21.66
7	18	1.84	47	33.05	18.88



REGION	STWS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	48	27.33	14.55
2	11	3.42	56	28.03	18.10
3	18	2.24	53	29.98	19.25
4	14	1.70	53	30.91	19.70
5	26	1.63	57	31.06	21.53
6	10	1.52	60	30.72	21.77
7	18	2.08	65	29.33	21.03

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.58	48	29.10	16.48
2	11	2.08	47	29.76	16.06
3	18	2.23	48	32.77	20.55
4	16	1.61	56	30.06	18.87
5	25	1.82	50	32.28	20.51
6	10	1.77	51	32.96	21.46
7	18	1.76	54	30.60	21.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.92	47	28.88	16.88
2	11	1.89	53	29.89	18.78
3	18	2.72	58	31.20	20.78
4	16	1.58	68	29.60	20.19
5	25	1.68	58	32.69	20.38
6	10	1.65	48	33.55	21.05
7	18	1.68	48	32.98	18.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.06	82	25.00	17.84
2	11	2.28	57	30.18	20.56
3	18	2.08	55	28.08	20.18
4	16	1.56	48	25.58	12.81
5	25	1.82	50	33.08	20.95
6	10	1.88	48	33.88	21.05
7	18	1.85	48	33.82	20.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	29	27.10	7.48
2	11	1.53	38	25.76	9.78
3	18	1.78	48	31.58	11.48
4	16	1.88	48	27.88	15.28
5	25	2.01	51	32.57	20.81
6	10	1.77	57	32.05	22.43
7	18	1.81	47	33.57	20.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.18	92	25.48	7.77
2	11	1.76	38	24.58	8.48
3	18	1.68	48	27.98	15.11
4	16	1.57	55	27.78	17.41
5	25	1.75	57	30.48	20.57
6	10	1.88	58	31.35	21.55
7	18	1.72	48	33.25	20.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	41	27.59	12.88
2	11	2.08	48	27.72	16.16
3	18	1.82	58	29.97	20.92
4	16	1.63	68	29.90	17.15
5	25	2.09	57	31.55	21.81
6	10	1.48	58	31.55	21.77
7	18	1.68	48	33.71	20.08

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	58	25.77	15.98
2	11	3.05	73	26.15	20.00
3	18	1.82	62	25.87	17.71
4	14	1.54	44	24.28	11.10
5	25	1.71	55	32.44	22.15
6	10	1.50	50	33.89	22.05
7	18	1.57	45	33.88	20.09



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	35	28.10	12.10
2	11	1.53	35	27.82	10.50
3	18	1.58	41	27.30	12.71
4	14	1.68	47	24.32	12.33
5	25	1.75	64	31.85	21.26
6	10	1.74	59	29.83	20.88
7	18	1.87	50	32.48	18.98



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	48	28.95	14.86
2	11	2.65	56	25.14	15.58
3	18	1.57	47	23.57	11.72
4	14	1.63	58	20.23	10.87
5	25	2.04	62	30.42	22.30
6	10	2.08	68	28.55	21.21
7	18	1.59	48	32.80	19.47



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	43	29.55	9.77
2	11	1.53	42	22.11	8.58
3	18	1.56	44	21.93	8.94
4	14	1.57	44	23.38	10.19
5	25	1.71	51	30.46	19.12
6	10	1.82	50	28.55	17.16
7	18	1.53	43	33.37	18.64



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	38	22.99	7.88
2	11	1.59	40	22.72	8.68
3	18	1.64	41	23.57	9.44
4	14	1.57	38	28.50	11.28
5	25	2.04	53	27.61	16.79
6	10	1.34	39	26.93	11.94
7	18	1.73	53	30.41	19.05

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	37	25.77	9.99
2	11	1.67	40	26.00	11.26
3	18	1.68	35	26.35	9.74
4	14	1.78	53	25.43	14.40
5	25	2.39	51	27.15	15.68
6	10	1.61	38	28.05	12.44
7	18	1.68	45	30.72	18.78

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	47	25.88	19.81
2	11	2.23	48	28.51	12.87
3	18	1.99	55	27.49	10.82
4	14	1.71	60	24.48	18.90
5	25	1.85	46	27.60	14.61
6	10	1.71	39	28.32	12.94
7	18	2.79	62	27.32	14.84

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.43	65	18.88	14.44
2	11	2.83	52	24.54	19.53
3	18	2.28	38	28.37	12.08
4	14	1.65	58	25.88	18.22
5	25	1.71	47	28.08	15.46
6	10	1.80	41	28.63	19.55
7	18	2.98	70	24.76	18.40

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	66	22.88	15.88
2	11	3.02	46	27.87	15.28
3	18	2.50	58	29.53	19.83
4	14	1.80	56	28.70	18.82
5	25	2.34	55	27.88	17.81
6	10	2.09	42	28.43	19.77
7	18	2.08	59	28.48	17.48



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.08	59	25.43	18.85
2	11	2.77	37	30.85	14.79
3	18	2.53	37	30.38	14.22
4	14	1.88	47	28.98	18.38
5	25	2.08	54	29.48	19.08
6	10	2.33	58	28.55	18.32
7	18	1.97	53	29.69	19.05



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	58	30.77	16.99
2	11	2.96	35	32.62	15.04
3	18	2.99	39	31.32	15.39
4	14	2.07	49	28.38	18.22
5	25	2.06	48	31.24	18.84
6	10	2.04	72	27.18	21.44
7	18	1.81	58	28.95	18.71



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	55	33.55	19.88
2	11	3.03	36	33.58	16.05
3	18	4.29	68	26.78	19.34
4	14	2.13	54	27.81	18.82
5	25	2.38	48	31.70	18.08
6	10	2.57	70	28.10	21.94
7	18	1.87	58	29.72	20.41

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	47	31.39	18.44
2	11	3.40	42	33.49	18.12
3	18	3.80	66	28.83	19.80
4	14	1.71	44	29.99	18.54
5	26	2.24	60	32.04	19.81
6	10	2.08	70	27.71	21.55
7	16	1.84	67	30.19	20.61



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.87	57	28.10	18.77
2	11	4.01	63	28.63	20.56
3	18	2.84	52	30.24	19.57
4	14	1.74	47	31.18	18.28
5	26	1.88	64	31.68	21.10
6	10	2.12	60	30.18	21.71
7	16	2.04	60	30.41	20.86



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.50	69	25.88	18.88
2	11	6.40	67	29.09	18.33
3	18	2.53	52	30.87	19.48
4	14	1.74	60	28.78	19.88
5	26	2.62	63	31.67	20.70
6	10	2.84	62	29.55	21.27
7	16	1.82	68	30.41	21.86



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.42	65	28.88	18.55
2	11	2.80	46	31.31	18.17
3	18	2.82	54	30.12	19.31
4	14	2.90	65	28.31	17.88
5	26	1.98	53	32.04	20.68
6	10	1.95	72	27.71	22.05
7	16	1.84	52	33.02	21.45



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.99	70	22.99	18.55
2	11	4.01	55	29.43	19.13
3	18	4.51	71	25.73	19.50
4	14	1.40	39	27.17	11.74
5	26	2.15	69	29.17	22.38
6	10	3.26	81	28.86	22.99
7	16	1.55	50	33.12	21.07



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.90	83	21.98	18.88
2	11	3.88	70	24.18	17.57
3	18	1.58	42	27.12	12.95
4	14	1.84	45	25.88	12.81
5	26	1.91	63	28.78	20.89
6	10	2.03	55	29.49	19.44
7	16	1.77	52	32.28	20.58

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	51	24.99	13.77
2	11	1.63	47	22.57	10.60
3	18	1.57	45	23.08	10.30
4	14	1.73	47	29.00	18.34
5	25	1.79	51	29.79	17.57
6	10	1.58	48	30.10	17.66
7	18	1.79	66	31.81	20.06

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	41	22.00	8.00
2	11	1.58	39	24.19	9.19
3	18	1.69	43	28.60	14.60
4	14	1.70	53	30.09	19.00
5	25	1.90	52	28.37	18.12
6	10	1.71	43	31.10	18.94
7	18	1.64	63	31.90	20.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.42	48	28.77	14.89
2	11	2.06	46	28.50	15.06
3	18	1.84	44	31.17	17.48
4	14	1.57	57	28.59	18.80
5	25	2.19	53	28.95	17.84
6	10	2.01	43	31.10	17.06
7	18	1.77	52	32.04	20.51



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.08	69	25.09	19.55
2	11	3.01	51	29.94	18.53
3	18	2.08	52	30.52	19.25
4	14	1.77	52	30.11	18.78
5	25	1.95	58	30.06	20.10
6	10	1.99	41	31.88	16.88
7	18	1.81	44	32.77	18.57



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	38	28.10	10.77
2	11	1.64	40	27.77	12.87
3	18	1.68	46	30.52	17.37
4	14	1.85	52	30.91	19.38
5	25	1.88	52	31.33	19.92
6	10	2.28	51	31.77	19.88
7	18	1.94	41	32.88	17.56



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	48	27.21	12.99
2	11	3.11	58	26.81	17.87
3	18	2.69	54	30.98	20.3[illegible]
4	14	1.70	50	28.25	18.3[illegible]
5	25	1.91	52	32.35	20.61
6	10	1.77	58	32.83	20.88
7	18	1.88	45	32.15	18.57

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	90	20.00	14.83
2	11	2.20	84	20.49	18.00
3	18	2.51	54	29.59	19.07
4	14	1.73	48	30.75	18.00
5	25	1.86	62	33.04	21.26
6	10	1.85	50	33.39	21.80
7	18	2.03	40	31.00	18.60

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.42	40	27.21	11.00
2	11	1.80	33	28.49	10.00
3	18	2.47	40	29.71	17.43
4	14	1.80	61	31.10	18.00
5	25	1.81	48	33.20	20.70
6	10	1.87	52	33.50	21.00
7	18	1.79	40	32.32	18.64



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	80	22.95	8.04
2	11	1.63	38	25.20	10.00
3	18	2.94	58	31.11	21.10
4	14	1.87	65	30.18	19.10
5	25	1.86	50	32.80	20.70
6	10	1.89	55	32.81	22.92
7	18	1.88	40	32.40	18.82

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	90	19.77	8.44
2	11	3.01	75	18.70	13.70
3	18	3.19	72	28.78	20.98
4	14	1.79	84	27.33	18.52
5	25	1.83	53	32.04	21.40
6	10	1.85	52	32.77	21.80
7	18	2.24	50	32.38	20.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	90	22.55	8.00
2	11	2.10	42	23.63	8.50
3	18	3.20	68	23.38	20.70
4	14	2.09	74	24.80	18.40
5	25	2.58	60	30.50	20.53
6	10	1.67	50	33.50	21.71
7	18	1.87	50	32.30	20.06



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.53	40	23.77	11.82
2	11	5.01	71	22.11	18.15
3	18	2.94	70	28.78	22.71
4	14	1.54	68	29.80	18.82
5	25	2.25	60	30.35	21.01
6	10	1.40	55	32.81	22.55
7	18	1.57	40	33.40	20.13

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.61	70	18.98	16.77
2	11	2.11	70	29.07	16.06
3	18	2.16	72	21.01	15.76
4	14	1.84	82	24.05	17.17
5	25	1.78	68	31.88	22.26
6	10	1.62	54	31.77	21.16
7	18	1.61	51	31.70	18.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	58	24.10	8.89
2	11	1.92	44	26.45	12.31
3	18	2.31	55	25.08	15.27
4	14	1.77	61	24.95	16.20
5	25	2.58	61	28.22	20.50
6	10	1.91	53	30.38	19.49
7	18	1.61	44	33.90	18.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.58	43	24.33	10.00
2	11	2.16	48	25.20	13.32
3	18	3.01	56	28.04	18.35
4	14	1.80	58	31.08	19.21
5	25	2.52	64	28.12	21.28
6	10	2.36	48	31.77	19.48
7	18	1.81	57	35.21	18.12

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.32	48	24.95	12.99
2	11	4.36	62	24.60	16.86
3	18	1.78	62	22.28	14.85
4	14	1.57	51	24.00	13.21
5	25	1.96	62	30.06	21.57
6	10	1.77	57	28.55	18.77
7	18	1.69	57	34.18	17.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.42	71	24.21	10.44
2	11	4.23	60	23.27	10.64
3	18	3.20	64	23.08	15.55
4	14	1.65	51	28.30	15.23
5	25	2.33	62	27.01	18.57
6	10	1.43	47	28.77	14.27
7	18	1.56	42	32.18	17.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.48	74	23.32	18.21
2	11	3.17	69	23.22	17.01
3	18	2.72	49	26.38	14.84
4	14	1.84	47	28.17	15.79
5	25	1.85	51	29.15	17.78
6	9	1.09	48	28.63	15.79
7	18	1.58	40	33.82	17.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.97	64	25.00	18.00
2	11	2.31	52	26.41	16.54
3	18	2.63	46	27.65	15.61
4	14	2.65	61	29.00	16.51
5	25	2.05	51	29.00	18.37
6	10	1.82	39	30.94	15.43
7	18	1.59	40	34.40	18.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.83	48	27.43	16.50
2	11	3.34	48	28.03	16.06
3	18	3.21	57	27.21	17.55
4	14	1.73	40	27.83	12.81
5	25	1.84	53	30.40	19.40
6	10	1.69	45	31.11	17.27
7	18	1.60	55	30.00	19.75

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.20	54	28.00	18.55
2	11	3.20	60	28.07	18.00
3	18	2.39	44	29.03	15.40
4	14	1.88	37	30.67	14.24
5	25	2.40	50	29.50	19.24
6	10	2.05	41	32.38	17.88
7	18	1.59	44	32.50	18.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.94	63	28.00	19.99
2	11	4.36	65	26.30	18.32
3	18	2.50	43	29.65	15.78
4	14	1.78	41	27.29	12.85
5	25	2.36	50	31.15	18.63
6	10	2.46	40	32.81	17.10
7	18	1.82	40	33.85	18.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.97	58	28.10	18.44
2	11	2.64	48	28.12	15.86
3	18	1.61	42	26.28	12.18
4	14	1.80	48	24.91	11.78
5	25	2.11	44	32.93	18.30
6	10	2.27	38	33.22	18.71
7	18	1.68	45	32.91	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	40	25.77	11.93
2	11	1.56	44	25.80	12.41
3	18	1.74	52	24.40	13.83
4	14	1.65	48	24.50	13.05
5	25	2.08	49	31.75	19.41
6	10	2.21	44	32.68	18.27
7	18	1.87	49	31.50	19.16

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.98	59	22.85	11.77
2	11	2.07	58	22.57	13.68
3	18	1.57	41	25.05	9.25
4	16	1.98	42	25.76	11.82
5	25	2.92	70	26.78	20.48
6	10	2.13	58	26.96	19.27
7	18	1.88	62	28.87	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	48	21.88	9.10
2	11	1.53	38	22.62	7.87
3	18	1.57	50	29.57	8.78
4	16	1.57	41	26.38	12.13
5	25	1.82	57	27.88	18.35
6	10	2.32	56	27.99	17.21
7	18	1.62	69	28.63	20.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	48	23.68	9.81
2	11	1.58	57	23.27	7.72
3	18	1.73	40	25.88	8.43
4	16	1.80	43	26.71	11.76
5	25	2.08	61	28.58	17.77
6	10	1.85	46	28.68	16.58
7	18	1.68	61	27.88	18.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	48	20.77	8.77
2	11	1.55	40	22.72	8.78
3	18	1.71	39	25.98	10.39
4	16	1.97	38	26.58	11.28
5	25	2.47	55	27.18	18.06
6	10	1.85	48	27.68	16.32
7	18	1.78	54	27.97	18.59



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	48	22.52	10.44
2	11	1.85	42	24.58	10.85
3	18	1.69	37	27.68	11.69
4	16	1.65	38	27.48	11.78
5	25	2.38	52	27.61	18.10
6	10	2.07	48	29.32	18.05
7	18	1.88	51	28.05	18.75

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	58	24.68	9.88
2	11	2.13	62	26.40	12.62
3	18	2.13	57	28.38	12.28
4	16	1.77	55	28.48	11.38
5	25	2.15	53	28.77	18.12
6	10	3.78	58	28.88	18.77
7	18	2.07	47	29.18	18.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.46	98	28.99	18.10
2	11	2.73	46	27.21	14.09
3	18	2.56	58	28.81	15.02
4	14	2.04	84	28.40	18.04
5	25	2.21	68	27.20	18.46
6	10	2.66	56	28.99	16.35
7	18	1.66	89	28.58	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.78	81	28.99	18.96
2	11	2.27	48	28.28	14.18
3	18	2.51	57	29.74	15.32
4	14	1.98	48	28.69	16.89
5	25	2.18	48	28.19	16.23
6	10	2.43	48	30.18	14.77
7	18	1.68	88	29.59	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.49	71	28.38	18.77
2	11	3.32	42	30.26	15.46
3	18	2.84	56	31.82	18.77
4	14	1.88	38	30.78	14.87
5	25	2.61	46	30.38	16.62
6	10	2.37	38	31.88	13.86
7	18	1.89	67	29.60	18.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.71	97	27.39	17.77
2	11	4.29	46	29.18	15.75
3	18	2.58	28	33.17	12.27
4	14	1.91	38	32.42	10.28
5	25	2.27	46	30.69	16.42
6	10	2.17	38	31.38	14.08
7	18	2.06	67	29.85	18.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.77	87	29.10	18.49
2	11	4.07	42	32.32	17.22
3	18	2.58	27	33.61	12.00
4	14	1.88	37	31.14	14.32
5	25	2.23	48	30.87	17.08
6	10	2.11	38	32.22	15.33
7	18	1.46	96	28.47	18.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.88	96	33.11	15.85
2	11	3.56	33	33.84	14.88
3	18	2.85	27	33.78	12.00
4	14	1.88	48	30.63	16.99
5	25	2.91	62	30.90	18.58
6	10	1.83	41	32.50	16.18
7	18	2.38	96	28.88	18.28

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.76	42	33.95	18.66
2	11	3.48	28	34.09	12.72
3	18	2.82	28	34.20	12.03
4	14	1.63	48	29.85	17.59
5	25	2.21	48	31.60	18.48
6	10	1.77	48	32.39	17.94
7	18	1.71	58	29.89	20.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.98	39	33.77	14.99
2	11	3.48	30	34.05	14.74
3	18	1.92	37	35.70	16.56
4	14	1.54	48	31.84	18.48
5	25	2.31	43	32.57	17.46
6	10	1.52	39	33.05	16.99
7	18	1.61	61	29.39	20.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	38	32.44	15.00
2	11	2.08	36	34.18	17.11
3	18	1.95	40	34.52	18.48
4	14	1.54	48	32.62	18.62
5	25	2.57	46	32.77	17.78
6	10	2.03	50	34.77	18.55
7	18	2.00	62	29.89	20.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	59	30.43	19.77
2	11	2.38	41	33.48	17.13
3	18	1.91	35	35.91	17.30
4	14	1.54	48	30.99	17.05
5	25	2.31	52	31.73	18.72
6	10	2.73	31	35.50	15.21
7	18	1.75	55	30.10	19.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.09	45	33.68	13.09
2	11	2.48	36	36.26	18.68
3	18	2.08	33	34.75	18.81
4	14	1.67	43	30.51	15.86
5	25	2.08	54	32.86	21.28
6	10	2.27	39	34.11	17.08
7	18	2.09	55	30.13	19.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	48	28.21	15.21
2	11	3.14	43	34.49	19.64
3	18	3.19	37	33.24	16.68
4	14	1.00	63	17.41	9.98
5	25	2.47	54	32.40	21.48
6	10	2.57	42	33.94	18.94
7	18	2.68	67	27.94	20.44

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.99	89	29.89	21.21
2	11	2.11	50	32.32	20.16
3	18	2.42	56	25.87	15.88
4	14	1.56	43	18.69	5.85
5	25	1.75	60	31.10	21.69
6	10	2.01	56	29.77	19.71
7	18	1.81	87	28.77	18.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.46	87	20.99	20.46
2	11	2.58	78	24.18	18.98
3	18	1.57	58	22.58	7.52
4	14	1.57	87	22.81	8.85
5	25	1.78	68	28.68	21.43
6	10	2.51	55	25.80	12.77
7	18	1.99	99	26.69	11.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.81	72	24.10	18.77
2	11	4.12	68	21.41	14.84
3	18	1.57	58	24.18	8.54
4	14	1.57	98	22.28	7.08
5	25	2.35	76	24.48	18.10
6	10	1.96	58	28.10	18.21
7	18	1.83	98	28.82	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.57	75	24.10	19.10
2	11	2.30	58	29.32	13.32
3	18	1.59	41	21.01	6.87
4	14	1.79	59	29.75	6.58
5	25	1.72	60	26.87	15.15
6	10	1.48	38	27.80	10.55
7	18	1.55	91	30.49	11.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.18	57	22.55	8.89
2	11	1.61	38	22.37	7.36
3	18	1.61	36	22.85	8.47
4	14	1.58	58	25.98	9.52
5	25	1.58	43	27.29	13.48
6	10	1.38	30	27.71	8.68
7	18	1.88	31	31.21	11.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	88	20.10	5.92
2	11	1.68	37	22.01	6.68
3	18	1.89	40	22.95	9.08
4	14	1.64	59	27.02	11.42
5	25	1.65	46	26.46	13.48
6	10	1.58	33	28.68	10.82
7	18	1.52	55	30.97	15.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.10	87	19.88	6.66
2	11	1.62	98	23.02	7.02
3	18	1.77	98	20.58	8.90
4	14	1.57	41	26.98	10.15
5	25	1.83	58	25.88	16.18
6	10	1.86	57	28.96	12.46
7	18	1.98	86	30.86	19.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.92	46	29.21	10.92
2	11	1.85	98	25.18	8.29
3	18	2.55	48	26.94	14.81
4	14	1.80	43	25.15	10.51
5	25	1.76	46	27.38	14.68
6	10	1.83	36	30.68	14.21
7	18	1.86	37	30.80	16.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.68	58	21.98	11.98
2	11	2.06	58	22.72	15.06
3	18	1.88	58	17.88	8.28
4	14	1.54	48	18.17	6.88
5	25	1.68	46	29.86	18.78
6	10	1.58	38	30.10	14.27
7	18	1.84	88	30.24	19.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.19	57	21.33	11.77
2	11	1.57	53	15.19	5.25
3	18	1.57	43	14.37	1.87
4	14	1.57	38	20.90	9.87
5	25	1.62	48	25.30	10.20
6	10	1.41	29	29.99	8.99
7	18	1.78	56	30.26	12.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	61	18.10	2.77
2	11	1.51	43	17.31	4.79
3	18	2.08	53	18.04	5.82
4	14	1.78	48	22.28	8.48
5	25	1.78	48	25.63	11.17
6	10	1.52	28	28.21	6.83
7	18	2.10	55	32.48	12.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.28	48	17.77	8.55
2	11	2.56	49	21.00	9.89
3	18	1.80	41	22.49	8.45
4	14	1.54	31	23.17	6.63
5	25	1.77	45	29.09	15.48
6	10	1.85	37	29.83	15.18
7	18	1.81	28	32.74	11.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.30	80	20.99	12.46
2	11	2.17	67	22.61	9.08
3	18	1.58	58	22.06	8.87
4	14	1.80	37	25.09	4.47
5	25	2.43	48	28.09	15.61
6	10	1.70	31	30.89	11.06
7	18	1.87	31	32.49	12.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.61	68	17.52	8.99
2	11	1.62	48	18.17	8.91
3	18	1.81	58	22.77	7.85
4	14	1.88	34	27.97	8.96
5	25	1.75	47	28.58	15.46
6	10	1.57	25	32.19	9.21
7	18	1.70	30	31.91	14.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.22	88	17.98	7.88
2	11	2.08	46	20.29	7.42
3	18	2.37	36	28.33	10.78
4	14	1.96	43	30.27	7.01
5	25	2.72	58	27.17	17.08
6	10	1.88	30	33.88	19.21
7	18	1.76	48	28.76	17.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	58	20.10	11.10
2	11	2.36	59	22.82	10.08
3	18	2.98	67	21.29	10.79
4	14	1.54	39	29.80	8.42
5	25	2.38	62	26.89	18.66
6	10	3.56	70	24.32	17.71
7	18	1.89	45	30.78	16.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.61	69	22.89	15.21
2	11	2.03	67	22.67	16.91
3	15	2.32	57	21.72	12.52
4	14	1.58	42	17.41	4.09
5	25	2.28	69	26.72	20.29
6	10	1.73	58	25.71	16.32
7	18	2.08	58	32.88	15.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.86	90	17.77	16.10
2	11	2.71	68	19.33	13.27
3	18	1.57	47	15.75	5.10
4	14	1.54	42	14.08	1.03
5	25	1.75	58	27.86	18.08
6	10	1.57	41	25.88	10.96
7	18	1.77	58	27.87	11.10

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.22	47	18.00	5.10
2	11	1.50	46	18.05	4.33
3	18	1.57	49	18.22	5.94
4	14	1.65	51	19.55	1.94
5	25	1.70	48	23.57	10.00
6	10	1.35	52	21.30	4.32
7	18	1.56	54	20.30	8.01

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	42	12.00	0.10
2	11	1.55	40	15.50	2.01
3	18	1.69	35	19.71	3.91
4	14	1.83	31	22.97	4.67
5	25	1.72	40	22.00	10.00
6	10	1.38	34	24.55	7.82
7	18	1.50	32	27.84	8.84

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.90	44	18.50	3.00
2	11	1.72	43	19.00	7.11
3	18	1.90	38	24.25	8.32
4	14	1.74	39	23.20	7.85
5	25	2.10	58	23.00	13.07
6	10	2.36	58	23.71	13.27
7	18	1.70	44	20.30	13.05

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.77	47	20.00	9.21
2	11	2.27	58	20.85	12.06
3	18	2.12	54	23.30	13.11
4	14	1.54	45	18.94	4.49
5	25	2.79	71	23.52	17.59
6	10	3.57	83	20.43	17.66
7	18	1.61	49	29.72	18.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.89	55	23.00	14.44
2	11	2.03	56	23.48	14.13
3	18	1.70	45	23.32	10.39
4	14	2.20	41	21.48	8.34
5	25	4.27	76	23.97	19.00
6	10	3.57	75	22.18	17.44
7	18	1.62	39	31.94	15.13



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.10	58	24.10	15.77
2	11	2.43	67	22.97	16.40
3	18	1.95	42	20.87	8.66
4	14	1.54	28	22.33	1.90
5	25	2.79	75	24.21	18.38
6	10	1.39	45	28.71	15.49
7	18	1.57	31	33.00	13.67

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	48	20.00	8.10
2	11	1.59	42	21.20	7.52
3	18	1.72	30	28.34	7.39
4	14	1.57	29	27.00	7.57
5	25	1.97	48	27.17	15.03
6	10	1.52	51	30.60	11.05
7	10	1.98	25	34.99	10.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	48	18.80	8.44
2	11	2.57	41	24.89	10.14
3	18	1.99	27	32.34	10.11
4	14	2.12	34	23.00	5.00
5	25	2.08	47	29.17	15.05
6	10	1.80	31	31.34	11.77
7	10	1.48	20	32.80	10.60

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	60	18.00	10.55
2	11	2.58	48	27.20	14.38
3	18	1.82	31	25.55	8.35
4	14	1.54	29	22.17	-0.91
5	25	2.31	61	28.21	18.15
6	10	1.72	48	30.27	19.49
7	10	1.76	82	31.62	12.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	27	22.55	2.21
2	11	1.55	26	23.02	1.16
3	18	1.78	24	25.33	3.08
4	14	1.77	29	27.25	5.11
5	25	2.08	60	27.24	18.21
6	10	1.69	45	29.96	16.21
7	10	1.58	38	31.00	13.57

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	58	20.10	9.68
2	11	1.78	29	23.53	6.39
3	18	1.98	28	27.98	8.01
4	14	2.44	27	29.04	7.77
5	25	2.35	57	25.70	15.52
6	10	1.75	48	29.94	18.88
7	10	1.58	47	30.18	17.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	58	24.21	8.68
2	11	2.22	32	26.20	8.27
3	18	2.58	44	29.70	15.38
4	14	1.78	43	19.40	5.55
5	25	1.82	55	25.63	15.21
6	10	1.81	45	28.44	15.21
7	10	2.58	68	27.39	18.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.77	90	24.92	9.44
2	11	2.06	63	22.30	12.06
3	18	2.52	65	17.64	9.81
4	14	1.80	92	17.81	-0.10
5	25	1.70	60	25.96	16.80
6	10	1.88	41	28.05	13.38
7	18	1.90	88	22.77	18.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.98	88	19.52	7.55
2	11	2.14	68	13.89	0.83
3	18	2.24	50	15.30	4.00
4	14	1.54	95	17.57	0.51
5	25	2.22	65	26.67	16.48
6	10	2.72	56	24.48	14.05
7	18	1.87	98	21.81	18.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.48	88	10.10	0.10
2	11	7.52	88	10.88	0.88
3	18	1.98	88	11.38	5.55
4	14	1.54	48	10.48	0.00
5	25	2.81	58	24.88	16.61
6	10	1.42	48	19.62	8.43
7	18	1.85	98	22.26	9.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.76	76	7.22	2.44
2	11	1.70	62	9.60	-0.10
3	18	1.86	67	11.32	0.40
4	14	1.60	98	18.30	1.50
5	25	2.02	45	20.60	7.02
6	10	1.38	36	18.80	5.27
7	18	1.53	50	21.10	5.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.28	57	11.96	-2.88
2	11	1.70	42	12.87	0.10
3	18	1.92	48	18.28	2.58
4	14	1.60	98	19.81	9.44
5	25	2.24	61	19.85	9.08
6	10	1.60	33	21.96	6.72
7	18	1.58	96	25.98	8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.48	48	18.96	2.33
2	11	2.81	38	17.31	3.17
3	18	2.58	55	20.21	5.91
4	14	1.79	98	20.27	9.39
5	25	3.20	58	20.08	11.12
6	10	1.77	38	22.68	8.38
7	18	1.88	91	26.87	7.91



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	40	17.10	5.77
2	11	3.51	40	18.00	4.00
3	18	2.63	34	21.63	5.15
4	14	1.63	20	23.30	9.26
5	25	2.12	40	21.00	9.00
6	10	1.69	26	24.49	4.71
7	18	1.83	27	20.70	7.69



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	63	11.44	4.83
2	11	3.92	53	17.92	7.92
3	18	2.77	40	21.70	8.93
4	14	1.50	30	22.21	9.00
5	25	2.10	35	24.64	7.00
6	10	1.60	26	27.60	8.52
7	18	1.61	31	20.00	9.97



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	64	19.77	4.44
2	11	2.12	51	15.05	5.40
3	18	2.27	45	18.32	8.04
4	14	1.85	30	20.00	4.01
5	25	2.10	30	26.37	10.76
6	10	2.11	30	28.80	7.55
7	18	1.74	58	20.22	11.80



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	40	11.53	-1.44
2	11	1.87	35	14.49	-0.40
3	18	2.05	39	18.23	3.94
4	14	1.97	35	22.41	8.30
5	25	2.60	52	23.08	12.39
6	10	2.38	35	28.21	9.72
7	18	1.81	39	27.70	12.42



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	28	18.10	-1.99
2	11	2.80	36	18.07	2.72
3	18	3.25	34	21.84	5.15
4	14	2.02	38	24.51	8.36
5	25	2.65	60	22.29	13.70
6	10	3.02	45	25.71	12.49
7	18	1.86	48	28.97	14.12



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.95	42	19.77	8.55
2	11	3.54	44	21.05	8.12
3	18	2.43	33	24.90	7.00
4	14	1.82	30	24.87	8.80
5	25	2.83	55	24.55	14.60
6	10	3.15	44	25.80	11.71
7	18	1.89	47	26.78	19.91

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	28	20.44	1.56
2	11	2.80	37	21.81	8.86
3	18	2.48	52	22.85	9.59
4	14	2.29	48	25.40	10.78
5	25	3.20	43	26.63	12.41
6	10	2.73	35	26.99	8.96
7	18	1.85	45	27.42	13.90

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	38	20.00	9.77
2	11	2.47	33	22.77	5.55
3	18	2.51	25	25.30	9.04
4	14	1.70	50	22.00	11.94
5	25	3.20	46	26.10	13.10
6	10	3.21	28	27.65	7.48
7	18	1.80	40	27.88	12.42

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	47	18.66	8.66
2	11	2.58	38	23.83	7.82
3	18	2.67	25	25.41	5.71
4	14	1.78	49	24.28	10.96
5	25	3.68	55	24.58	13.07
6	10	2.26	34	27.55	8.77
7	18	2.02	48	28.87	13.76

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.38	48	21.89	10.66
2	11	4.12	45	23.69	10.19
3	18	2.82	31	26.30	7.95
4	14	1.69	46	24.75	12.09
5	25	2.48	52	26.01	15.12
6	10	2.25	38	27.43	10.80
7	18	1.77	48	28.75	14.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.20	55	20.99	11.93
2	11	5.22	47	23.17	11.05
3	18	2.72	35	27.37	10.24
4	14	1.66	43	24.95	11.48
5	25	3.11	41	27.23	12.04
6	10	2.51	31	28.15	9.27
7	18	1.78	54	28.21	15.93



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.19	78	12.99	8.10
2	11	3.08	57	19.28	10.48
3	18	3.48	28	27.18	8.08
4	14	3.02	68	21.08	11.38
5	25	3.29	62	26.17	11.95
6	10	2.52	29	28.68	9.27
7	18	1.98	55	25.58	15.41

CAPITA



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.00	87	18.00	8.00
2	11	2.11	80	17.72	7.20
3	18	2.00	54	25.52	8.42
4	14	1.00	54	18.18	8.90
5	25	2.91	61	21.00	11.16
6	10	3.17	28	27.60	8.45
7	18	2.40	67	24.67	10.87



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.00	70	19.44	7.40
2	11	2.34	46	18.70	7.10
3	18	2.00	47	18.94	8.90
4	14	1.04	50	10.47	2.41
5	25	3.10	80	20.00	8.00
6	10	3.04	26	27.40	7.00
7	18	2.10	70	20.00	16.10

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.87	81	10.00	7.00
2	11	4.00	60	15.04	8.00
3	18	2.00	70	11.90	8.10
4	14	1.01	62	9.00	2.00
5	25	3.36	40	23.05	8.00
6	10	1.62	38	19.00	9.00
7	18	2.01	64	20.51	10.00



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	6.13	75	9.44	4.77
2	11	2.08	71	13.12	7.87
3	18	3.22	69	13.70	8.72
4	14	2.20	87	11.88	5.70
5	25	2.29	46	21.09	8.60
6	10	2.23	41	19.00	6.10
7	18	2.04	70	21.31	14.70

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.82	72	10.89	5.88
2	11	2.45	58	16.41	6.00
3	18	4.60	61	14.98	7.09
4	14	2.00	48	7.77	-9.01
5	25	2.40	43	23.10	9.00
6	10	2.59	43	22.10	8.05
7	18	2.18	70	18.21	10.51



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.10	87	15.99	9.00
2	11	6.30	72	16.05	10.95
3	18	9.45	60	10.87	8.68
4	14	1.74	54	8.92	-0.27
5	25	5.04	69	22.21	16.03
6	10	2.03	87	18.80	12.52
7	18	1.53	48	16.17	4.28

CAPITA



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.00	00	10.00	10.00
2	11	2.00	70	17.00	11.00
3	10	0.71	07	0.00	0.20
4	16	1.00	07	10.00	0.00
5	25	2.00	00	20.10	10.75
6	10	2.00	00	10.71	0.21
7	10	1.00	00	01.00	0.00



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	7.01	00	12.00	11.77
2	11	0.11	00	12.10	0.00
3	10	0.35	00	10.00	1.05
4	16	1.00	00	17.00	0.00
5	25	0.00	00	10.00	0.21
6	10	1.00	00	12.00	1.27
7	10	1.00	00	10.07	0.10



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.00	70	10.00	7.00
2	11	1.00	00	10.00	0.00
3	10	0.11	01	15.10	0.00
4	16	1.00	00	10.00	0.00
5	25	1.00	00	17.00	0.00
6	10	1.00	00	10.00	0.12
7	10	1.00	01	10.00	7.00



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.77	07	12.17	9.00
2	11	2.11	03	17.01	0.70
3	10	2.27	00	10.75	5.00
4	16	1.00	07	0.07	1.00
5	25	1.02	05	21.00	0.10
6	10	2.10	00	10.10	0.01
7	10	0.70	01	17.20	10.02



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.03	75	10.00	0.10
2	11	3.07	100	10.70	5.10
3	10	5.72	01	14.00	0.03
4	16	1.01	03	15.02	0.25
5	25	2.12	00	21.01	0.01
6	10	2.00	35	20.00	0.32
7	10	1.01	07	10.21	10.00

REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.22	00	10.21	0.10
2	11	2.01	00	17.02	0.70
3	10	3.07	00	17.00	0.00
4	16	1.00	07	10.00	0.72
5	25	1.70	70	20.17	7.00
6	10	2.00	00	22.00	0.10
7	10	1.70	00	21.10	0.00

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.80	60	10.00	0.77
2	11	6.13	46	10.00	7.77
3	18	1.79	29	15.01	-2.79
4	14	1.94	28	10.82	-7.98
5	26	2.08	34	26.37	7.06
6	10	2.27	51	23.94	5.00
7	18	4.47	66	20.27	12.01



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	40	8.10	-4.65
2	11	1.55	43	8.50	-2.62
3	18	1.50	42	7.50	-4.05
4	14	1.07	48	7.21	-4.48
5	26	2.26	38	21.40	8.40
6	9	4.14	40	10.20	3.95
7	18	5.26	76	17.10	12.20

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	46	2.11	-0.77
2	11	1.66	47	3.68	-0.06
3	18	1.00	51	3.72	-3.55
4	14	1.60	47	4.62	-0.02
5	26	4.10	72	12.48	7.11
6	10	4.62	43	11.32	-0.00
7	18	3.00	67	16.00	8.70

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	61	2.21	-4.99
2	11	5.98	60	0.99	-6.66
3	18	1.81	44	4.65	-6.63
4	14	3.38	53	2.81	-6.22
5	25	5.01	70	8.46	3.02
6	10	3.53	58	8.88	-4.68
7	18	2.92	55	12.18	2.95



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.00	89	5.66	3.99
2	11	7.01	86	1.71	-0.25
3	13	3.37	62	4.53	-2.52
4	14	4.61	63	3.37	-3.00
5	25	2.28	49	11.44	0.73
6	10	4.02	39	8.02	-4.44
7	18	3.55	70	11.55	5.62



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	52	7.98	-1.33
2	11	2.73	57	6.25	-2.06
3	18	2.62	47	7.28	-4.98
4	14	3.21	59	4.52	-3.48
5	25	3.07	43	14.40	1.62
6	10	3.42	38	10.49	-4.94
7	18	2.68	61	9.71	2.32

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.04	48	10.[illegible]	-0.90
2	11	2.51	50	9.63	-1.[illegible]
3	10	2.10	47	9.07	-2.77
4	14	2.05	[illegible]	9.60	-0.90
5	25	9.70	47	15.[illegible]	1.09
6	10	2.30	81	13.65	-0.90
7	18	1.97	47	12.[illegible]	1.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	[illegible]	8.10	0.44
2	11	2.05	[illegible]	8.18	[illegible]
3	10	8.02	41	13.79	-1.32
4	15	1.94	57	9.79	1.90
5	25	5.41	[illegible]	18.17	[illegible]
6	10	9.57	25	14.02	-0.08
7	18	1.00	[illegible]	18.00	0.70

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.70	[illegible]	0.00	2.10
2	11	5.40	[illegible]	9.33	1.15
3	10	2.70	57	8.90	1.95
4	14	8.07	[illegible]	5.51	-0.47
5	25	5.72	46	16.10	3.00
6	10	5.85	[illegible]	17.27	-5.10
7	18	1.70	[illegible]	18.00	9.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.82	64	8.55	0.21
2	11	4.28	64	9.00	2.62
3	10	2.99	63	8.69	1.37
4	14	3.18	60	8.72	1.00
5	25	4.21	46	17.61	4.57
6	10	4.23	38	17.10	0.38
7	18	2.02	42	18.48	4.05



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.03	49	7.00	-9.55
2	11	6.00	66	7.42	1.46
3	10	4.80	52	12.27	2.55
4	14	2.19	52	14.40	4.92
5	25	4.70	52	17.57	7.12
6	10	8.07	38	17.83	1.02
7	15	2.98	40	19.09	5.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	85	5.90	-2.10
2	11	8.37	85	8.83	1.96
3	10	9.47	40	17.81	3.91
4	14	1.78	48	18.28	5.03
5	25	8.02	53	17.99	7.57
6	10	7.45	51	18.77	1.49
7	18	2.17	37	20.41	5.02

CAPITA



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	8.40	60	10.00	9.20
2	11	8.17	56	13.50	4.00
3	18	8.70	42	16.57	5.30
4	14	1.85	40	17.00	6.43
5	25	9.61	37	21.75	6.00
6	10	7.81	34	20.10	8.30
7	18	2.70	45	20.20	7.00



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.00	40	9.00	-0.00
2	11	4.50	51	14.00	4.70
3	18	2.95	37	19.20	3.94
4	14	2.09	40	17.20	2.25
5	25	4.71	37	22.63	6.07
6	10	5.70	28	20.50	2.11
7	18	2.00	60	20.00	10.00



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.00	44	10.01	2.00
2	11	3.00	41	10.33	4.00
3	18	4.00	30	19.50	4.71
4	14	1.00	40	10.01	0.70
5	25	4.73	32	20.10	4.86
6	10	5.31	27	21.10	1.90
7	18	2.70	62	21.00	11.14



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.21	33	20.43	3.55
2	11	8.40	40	18.07	4.03
3	18	8.97	39	19.59	5.12
4	14	3.07	87	12.49	8.34
5	25	3.98	39	23.12	7.88
6	10	4.00	39	20.82	5.71
7	18	2.15	68	22.07	15.75



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.89	30	19.99	4.55
2	11	12.13	44	17.01	4.44
3	18	8.51	45	20.08	7.34
4	14	3.80	84	5.71	3.05
5	25	4.51	48	23.32	10.52
6	10	2.39	45	23.05	9.94
7	18	4.60	75	18.11	13.05



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.00	30	21.55	8.00
2	11	10.04	42	18.78	5.00
3	18	5.52	84	17.77	10.10
4	14	5.00	81	2.60	-0.47
5	25	4.23	82	21.95	14.00
6	10	2.33	70	19.10	13.90
7	18	1.64	45	12.91	0.83

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.07	81	10.05	0.21
2	11	0.05	75	16.55	11.20
3	18	1.00	59	10.02	1.97
4	14	1.01	60	-0.07	-6.90
5	25	4.30	70	22.95	16.43
6	10	1.01	55	19.00	10.27
7	18	2.95	60	12.00	6.20



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.07	70	10.05	10.77
2	11	0.00	76	10.12	10.60
3	18	4.79	70	0.04	0.10
4	14	2.90	70	0.49	-4.46
5	25	4.55	69	21.01	10.36
6	10	2.41	60	17.02	14.27
7	18	1.90	46	11.00	-0.10

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.00	60	12.77	10.77
2	11	2.27	70	10.70	9.45
3	18	1.70	59	7.04	-0.09
4	14	2.04	64	0.70	-0.00
5	25	2.10	50	20.40	11.10
6	10	1.72	53	11.93	2.71
7	18	1.06	56	10.00	0.02



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.33	58	11.77	2.00
2	11	2.79	57	11.40	3.07
3	18	3.19	71	8.32	1.28
4	14	1.59	82	4.00	-2.65
5	25	2.14	52	17.66	7.26
6	10	2.92	63	15.10	5.82
7	18	1.00	36	18.25	1.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.53	91	14.65	13.33
2	11	7.40	85	8.17	5.75
3	18	3.05	73	1.75	-2.84
4	14	1.57	62	1.15	-5.35
5	25	2.06	50	12.70	2.22
6	10	1.85	55	8.18	-0.94
7	18	1.53	32	18.14	-0.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.91	47	9.10	-1.77
2	11	3.35	55	5.34	-3.37
3	18	2.78	68	0.09	-5.15
4	14	2.17	63	4.24	-2.69
5	25	1.62	44	10.77	-1.24
6	10	1.60	55	5.27	-3.44
7	18	1.58	29	17.39	-0.79

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	40	7.10	-0.01
2	11	5.00	60	8.00	-0.90
3	18	4.00	73	-0.00	-4.20
4	14	1.00	60	0.67	-0.01
5	25	2.10	46	12.04	0.13
6	10	1.90	55	10.77	1.72
7	18	1.00	44	17.00	0.00

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.87	70	0.00	0.00
2	11	2.01	66	3.53	-2.10
3	18	2.22	64	0.24	-3.00
4	14	0.72	60	2.77	-2.01
5	25	1.04	46	11.17	-0.00
6	10	1.75	43	8.10	-5.05
7	18	1.00	61	14.71	4.04



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	62	4.00	-4.77
2	11	2.70	57	9.70	-4.10
3	18	0.10	77	1.00	-2.00
4	14	1.04	61	4.04	-0.77
5	25	1.04	43	12.01	-0.00
6	10	1.01	44	8.00	-2.00
7	18	0.00	60	16.44	7.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	50	2.55	-0.77
2	11	8.87	72	4.43	-0.30
3	18	5.31	82	1.87	-1.04
4	14	1.84	58	4.99	-2.77
5	25	1.80	47	14.95	3.53
6	10	3.20	60	11.21	3.44
7	18	4.20	68	18.24	9.19



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.38	84	9.10	0.77
2	11	3.76	78	4.84	0.80
3	18	4.87	74	2.99	-1.35
4	14	1.99	65	8.90	0.87
5	25	1.84	46	13.70	1.75
6	10	4.00	59	11.32	3.38
7	18	4.00	72	17.35	11.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	51	4.00	-4.44
2	11	2.29	54	8.45	-2.10
3	18	6.57	75	7.77	3.20
4	14	3.43	85	4.04	1.02
5	25	1.90	43	14.77	2.13
6	10	1.00	44	14.32	2.10
7	18	2.57	74	17.40	12.00

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.81	47	8.77	-2.44
2	11	5.84	47	10.80	0.00
3	18	4.70	88	11.04	5.05
4	14	7.71	80	9.88	2.42
5	25	2.36	63	16.43	6.86
6	10	5.81	77	14.77	10.36
7	18	2.71	61	18.21	6.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.76	88	10.10	6.92
2	11	4.00	77	12.01	8.12
3	18	1.60	58	9.28	1.99
4	14	2.58	74	-1.88	-6.08
5	25	6.81	87	18.06	15.75
6	10	1.58	56	17.77	7.77
7	18	1.84	89	16.41	1.11

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.26	48	11.26	-0.89
2	11	1.61	46	10.85	-1.51
3	18	2.18	51	8.45	-1.51
4	14	1.81	72	3.88	-5.08
5	25	1.62	57	18.32	9.48
6	10	3.02	51	17.53	8.27
7	18	6.96	66	17.78	10.66

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	80	8.88	1.48
2	11	3.38	78	11.10	7.37
3	18	2.23	79	7.48	3.94
4	14	1.80	89	0.03	-5.11
5	25	4.71	83	19.88	16.77
6	10	2.58	69	18.13	10.18
7	18	1.73	96	12.25	-3.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.29	86	8.77	0.88
2	11	1.51	48	7.87	-2.37
3	18	1.75	48	8.63	-1.91
4	14	1.73	59	5.35	-2.96
5	25	1.57	37	15.26	0.37
6	10	1.36	53	11.77	-1.68
7	18	1.53	91	14.75	-2.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.31	88	12.65	-9.32
2	11	2.34	40	11.46	-1.66
3	18	1.98	47	9.84	-1.52
4	14	2.73	66	0.43	-8.38
5	25	1.81	49	18.30	8.86
6	10	2.05	49	16.22	2.63
7	18	1.91	58	16.80	7.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.86	96	8.65	2.55
2	11	5.08	71	8.88	3.88
3	18	10.08	91	8.61	5.00
4	14	9.07	71	-3.59	-8.33
5	25	3.08	78	10.70	14.84
6	10	6.28	91	14.77	13.27
7	18	1.70	41	8.84	-8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.92	74	0.88	6.22
2	11	1.75	88	5.80	-1.96
3	18	1.86	70	1.47	-3.45
4	14	2.17	58	9.45	-4.87
5	25	1.68	48	13.88	3.08
6	10	1.52	53	7.85	-1.45
7	18	1.78	88	11.88	-8.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.16	86	7.18	-7.86
2	11	2.81	48	7.82	-2.67
3	18	2.79	59	5.58	-1.81
4	14	1.57	68	0.98	-8.48
5	25	2.58	66	14.37	6.17
6	10	2.92	85	7.71	1.48
7	18	5.88	81	8.48	8.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.43	52	8.77	-0.55
2	11	4.35	88	7.16	1.61
3	18	2.65	84	3.11	-3.08
4	14	1.57	58	2.61	-5.95
5	25	7.08	86	15.70	13.10
6	10	3.51	78	10.18	8.27
7	18	1.98	84	7.25	1.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	52	7.39	-1.55
2	11	2.59	58	6.15	-1.46
3	18	3.74	69	3.94	-1.29
4	14	1.98	68	1.15	-4.32
5	25	5.49	78	14.35	10.61
6	10	5.70	85	8.33	5.96
7	18	2.81	48	11.90	0.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.04	82	3.66	2.55
2	11	8.04	82	4.94	3.78
3	18	10.19	58	0.42	-1.29
4	14	1.71	61	-4.91	-10.76
5	25	1.84	60	11.99	3.82
6	10	7.34	80	2.88	-0.66
7	18	1.54	36	7.88	-8.03

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.26	92	5.39	-0.77
2	11	1.83	94	2.87	-5.56
3	18	2.06	87	-4.84	-9.71
4	14	1.79	84	-2.74	-7.84
5	25	1.61	85	0.24	-2.83
6	10	1.62	94	3.33	-5.05
7	16	1.58	97	11.68	-2.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	91	-0.11	-0.10
2	11	2.62	96	-1.38	-0.38
3	18	2.65	81	-7.28	-11.86
4	14	1.70	90	-7.62	-19.69
5	25	1.73	93	0.68	-2.73
6	10	1.48	97	3.21	-0.99
7	16	1.60	96	11.48	-0.31

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	94	-0.21	-10.30
2	11	2.07	81	-6.35	-14.68
3	18	2.38	81	-6.29	-11.94
4	14	1.60	81	-6.66	-10.62
5	25	1.67	88	3.17	-0.71
6	10	1.79	45	-2.22	-15.16
7	16	2.07	92	8.60	-0.69

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.43	47	-4.59	-16.30
2	11	4.08	52	-4.74	-12.94
3	18	3.08	59	-6.72	-13.69
4	14	1.76	61	-0.71	-7.68
5	26	1.73	86	2.46	-11.39
6	10	2.08	48	-1.61	-15.60
7	16	2.20	60	8.19	0.45

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	49	-7.66	-15.55
2	11	2.43	59	-1.86	-10.14
3	18	2.38	83	1.86	-4.78
4	14	1.89	84	4.52	-1.86
5	25	1.78	95	8.04	-6.70
6	10	2.88	96	4.82	-9.38
7	16	3.37	68	9.02	3.01

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.59	69	4.21	-2.88
2	11	2.62	56	8.00	-2.01
3	18	2.25	64	5.52	-1.01
4	14	2.82	76	4.32	0.68
5	25	1.86	42	13.37	-0.17
6	10	3.17	50	8.10	-2.60
7	16	3.58	77	10.72	6.34

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	10.65	0.00
2	11	3.63	44	9.20	-2.32
3	18	11.63	85	4.71	3.97
4	14	9.18	78	-3.84	-8.02
5	25	8.97	76	15.19	10.88
6	10	7.15	85	11.05	8.49
7	16	2.10	66	14.44	7.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.18	78	0.88	-0.10
2	11	6.75	82	0.20	-5.60
3	18	5.30	78	-0.81	-5.88
4	14	2.02	81	-12.06	-14.98
5	25	3.30	78	17.20	13.18
6	10	5.52	79	10.18	8.71
7	18	2.64	88	2.98	-5.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	46	0.55	-8.88
2	11	3.58	52	-1.16	-9.08
3	18	4.08	62	-8.37	-15.52
4	14	1.60	56	-6.07	-11.24
5	25	2.72	70	11.32	5.78
6	10	2.23	61	-0.50	-7.16
7	18	1.56	43	-1.07	-12.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	38	-5.44	-15.38
2	11	2.00	48	-2.72	-12.01
3	18	1.93	55	-0.93	-9.25
4	14	1.67	51	4.12	-5.54
5	25	2.20	49	8.12	-2.68
6	10	1.69	43	2.15	-9.68
7	18	1.58	34	3.08	-11.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	38	4.21	-9.48
2	11	2.02	48	3.63	-7.87
3	18	1.98	62	1.81	-4.81
4	14	1.58	53	4.67	-4.40
5	24	4.42	67	7.39	1.01
6	10	1.95	41	4.80	-8.05
7	18	1.32	30	8.43	-7.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	51	5.32	-4.10
2	11	3.83	57	3.88	-4.23
3	18	2.03	67	2.28	-3.29
4	14	1.54	57	2.34	-5.51
5	25	1.71	85	10.88	-4.10
6	10	1.58	59	9.27	-4.18
7	18	1.61	32	11.45	-5.10

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	48	-2.11	-19.82
2	11	1.60	52	2.11	-8.76
3	18	2.38	57	5.56	-4.58
4	14	2.19	66	3.10	-4.98
5	25	1.63	38	11.77	-1.90
6	10	2.15	43	9.10	-2.98
7	16	1.78	61	11.45	1.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.89	72	4.98	-0.31
2	11	3.02	67	5.09	-0.90
3	18	3.79	75	2.46	-1.68
4	14	1.70	58	1.50	-5.98
5	25	3.03	68	12.50	6.86
6	10	2.79	69	7.49	5.71
7	16	3.10	68	7.60	1.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.71	70	8.10	-0.93
2	11	5.48	68	5.95	0.70
3	18	5.80	68	5.72	-2.12
4	14	5.28	68	-4.08	-6.51
5	25	6.11	83	14.86	11.08
6	10	6.85	82	9.88	8.49
7	16	5.51	83	11.17	1.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.58	68	6.66	0.77
2	11	5.85	75	3.07	-0.75
3	18	5.04	70	-2.09	-7.68
4	14	2.75	60	-2.47	-8.58
5	25	4.14	82	15.28	12.01
6	10	2.97	76	10.32	5.94
7	16	1.68	94	8.22	-0.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.49	59	-3.66	-13.21
2	11	2.85	55	-1.46	-9.43
3	18	2.06	60	-1.25	-8.14
4	14	1.71	47	4.59	-5.63
5	25	1.70	38	10.90	-2.97
6	10	1.79	48	6.49	-4.21
7	16	1.55	39	11.20	-2.56

CAPITA


REGION 1, QTR 1 1953
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 1, QTR 2 1953
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 1, QTR 3 1953
100 15
50
RH
BEXT
TEMP.
0 0
0
JUL
AUG
SEP


REGION 1, QTR 4 1953
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 2, QTR 1 1953
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 2, QTR 2 1953
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 2, QTR 3 1953
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 2, QTR 4 1953
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 3, QTR 1 1953
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1953
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1953
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1953
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 4, QTR 1 1953
100 15
30
AH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1953
100 15
40
AH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1953
100 15
50
AH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1953
100 15
30
AH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 5, QTR 1 1953
100 15
0
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 5, QTR 2 1953
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 5, QTR 3 1953
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 5, QTR 4 1953
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC









CONFIDENTIAL


REGION 7, QTR 1 1953
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1953
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1953
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1953
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


EUS MEAN, QTR 1 1953
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


EUS MEAN, QTR 2 1953
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


EUS MEAN, QTR 3 1953
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


EUS MEAN, QTR 4 1953
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.02	74	-8.21	-7.77
2	11	2.12	66	4.94	-4.18
3	18	1.89	51	6.75	-2.74
4	15	2.03	60	8.84	-6.03
5	24	1.86	80	14.62	-0.46
6	10	1.84	41	11.55	-1.33
7	16	1.87	47	14.82	-0.78

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	81	-8.44	-12.44
2	11	1.90	50	5.25	-4.43
3	18	1.92	51	9.20	-0.98
4	15	2.06	60	1.00	-8.10
5	25	1.78	43	18.52	9.40
6	10	1.77	51	13.88	3.44
7	16	1.84	41	17.77	2.81



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.20	81	2.10	0.77
2	11	7.87	84	2.82	0.46
3	18	2.40	73	-0.24	-4.80
4	15	2.62	68	-1.26	-7.88
5	25	1.83	54	17.30	7.60
6	10	1.47	51	10.54	0.83
7	16	1.62	41	14.81	0.17



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.58	73	0.10	-4.43
2	11	4.24	70	-0.65	-5.60
3	18	3.81	71	0.93	-3.73
4	15	2.16	56	2.40	-5.96
5	25	2.05	50	13.52	3.20
6	10	2.07	47	11.10	0.22
7	16	1.86	45	17.39	4.09



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	71	-0.33	-4.88
2	11	5.97	72	-0.50	-5.09
3	18	8.86	80	-0.06	-3.11
4	15	3.16	55	3.10	-5.84
5	25	2.58	58	14.63	6.06
6	10	2.74	58	7.88	0.00
7	16	1.62	33	15.06	-1.63



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.68	98	1.99	0.55
2	11	7.35	78	-0.95	-4.28
3	18	4.22	72	-0.36	-4.74
4	15	1.97	59	-0.22	-7.62
5	25	1.99	42	10.61	-2.13
6	10	3.24	53	6.49	-3.38
7	16	1.53	31	16.31	-1.07

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	60	-1.44	-8.44
2	11	2.80	62	-1.48	-7.87
3	18	3.80	60	1.70	-3.89
4	15	1.84	62	0.40	-5.40
5	25	1.75	60	0.81	-4.06
6	10	3.01	40	0.48	-2.49
7	18	1.81	61	10.90	0.82

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	43	-8.88	-17.21
2	11	2.03	52	-6.44	-12.58
3	18	3.32	60	1.00	-9.83
4	15	3.61	60	2.40	-9.21
5	25	2.15	40	12.72	-0.84
6	10	2.80	43	13.94	1.00
7	18	1.81	62	10.47	0.87



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.83	78	-12.10	-19.00
2	11	6.08	77	-0.80	-4.00
3	18	3.95	87	1.62	-9.78
4	15	2.01	98	-0.11	-11.04
5	25	2.01	47	17.06	5.60
6	10	3.67	88	14.58	8.21
7	18	2.87	87	18.88	7.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.37	71	-6.80	-8.08
2	11	2.38	65	-5.50	-7.78
3	18	2.09	64	-5.27	-10.06
4	15	2.68	58	-9.00	-11.11
5	25	3.56	69	16.48	10.70
6	10	7.94	88	7.27	5.49
7	18	5.81	88	3.81	-2.25



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.93	75	-12.77	-14.81
2	11	7.45	73	-8.59	-11.94
3	18	5.15	65	-4.81	-10.45
4	15	2.98	61	-8.37	-11.00
5	25	6.51	85	5.22	2.86
6	10	2.94	68	1.33	-4.10
7	18	1.54	48	5.86	-4.71



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.13	74	-7.32	-11.21
2	11	6.43	69	-6.86	-11.65
3	18	4.07	56	-10.30	-13.60
4	15	1.78	57	-10.45	-13.77
5	25	1.63	43	4.26	-7.07
6	10	1.51	44	-3.55	-12.58
7	18	1.66	57	2.22	-5.51

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	43	-10.95	-100.00
2	11	1.02	84	-7.82	-15.16
3	18	3.01	91	-7.86	-15.55
4	15	8.98	87	-8.47	-11.26
5	25	1.80	95	4.84	-6.87
6	10	1.85	98	-1.10	-10.48
7	18	9.40	78	8.81	0.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	48	-8.21	-14.88
2	11	8.31	84	-4.18	-9.88
3	18	7.80	87	-0.83	-2.80
4	15	5.82	72	-2.88	-8.62
5	25	2.40	81	8.81	1.81
6	10	8.07	88	4.80	2.58
7	18	8.81	78	10.20	8.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.36	82	1.44	-0.10
2	11	6.43	88	2.21	-3.77
3	18	10.51	87	5.81	-1.28
4	15	8.41	78	-5.88	-8.88
5	25	6.38	76	13.78	8.78
6	10	12.78	96	10.96	9.98
7	18	8.81	78	14.88	8.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.12	83	-1.09	-2.48
2	11	6.98	88	1.15	-1.25
3	18	5.20	78	-4.59	-7.01
4	15	2.06	55	-13.60	-11.96
5	25	2.78	68	15.37	2.50
6	10	3.13	75	7.05	2.77
7	18	2.83	61	8.30	1.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	47	-12.49	-17.77
2	11	1.83	52	-11.05	-17.40
3	13	1.92	48	-11.13	-15.79
4	15	1.75	52	-12.21	-18.66
5	25	1.35	48	10.01	-0.35
6	10	2.58	63	1.96	-4.77
7	18	5.90	73	3.81	-0.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	48	-10.68	-100.00
2	11	2.09	51	-6.58	-14.84
3	18	9.69	78	-2.25	-8.35
4	15	1.75	68	-9.21	-11.00
5	25	1.93	56	10.78	2.22
6	10	2.72	53	11.21	1.89
7	18	8.41	78	13.63	7.67

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.99	83	-1.00	-7.00
2	11	8.00	70	0.85	-3.00
3	18	13.15	91	5.36	2.15
4	15	4.48	73	-2.26	-8.38
5	25	9.70	88	17.17	11.92
6	10	2.82	89	15.52	9.71
7	16	2.50	76	18.20	10.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.91	93	1.10	0.21
2	11	10.86	80	6.00	4.48
3	18	7.25	89	7.71	8.04
4	15	9.25	80	-10.76	-8.86
5	25	9.63	80	18.20	15.66
6	10	5.48	87	16.58	14.10
7	16	2.37	82	18.72	8.15



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	80	9.00	-0.11
2	11	2.45	71	0.85	-4.14
3	18	3.29	85	-9.32	-11.33
4	15	2.00	93	-15.29	-10.88
5	25	2.55	77	10.37	16.05
6	10	4.58	87	11.44	9.27
7	16	4.37	76	-0.88	-8.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	53	-11.55	-12.77
2	11	2.52	50	-8.67	-16.17
3	18	1.88	56	-5.79	-12.83
4	15	1.68	58	-7.35	-12.93
5	25	5.66	84	9.64	6.82
6	10	3.09	82	2.05	-0.77
7	16	1.58	58	1.70	-5.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.71	57	-9.99	-14.81
2	11	1.65	51	-5.84	-12.00
3	18	3.00	53	-0.86	-8.73
4	15	2.75	63	-1.39	-6.42
5	25	2.72	89	4.77	-0.46
6	10	4.60	89	3.38	0.33
7	16	4.10	85	8.48	-0.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.30	84	-0.99	-8.77
2	11	3.76	67	1.86	-3.08
3	18	6.37	84	2.87	0.24
4	15	2.12	60	-10.82	-10.88
5	25	5.40	76	7.70	3.39
6	10	2.81	73	8.82	4.05
7	16	2.78	63	15.34	7.30

CAPITA

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.83	87	8.49	-2.10
2	11	5.78	79	2.67	-0.80
3	18	8.57	84	5.09	0.75
4	15	9.84	78	-0.98	-10.32
5	25	3.81	89	12.83	7.03
6	10	4.04	78	11.71	8.05
7	16	2.84	70	18.47	12.80



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.14	87	7.21	1.44
2	11	6.93	72	0.94	6.04
3	18	9.01	91	4.18	2.86
4	15	9.82	72	-10.72	-19.48
5	25	2.78	63	18.37	11.26
6	10	4.05	80	15.18	11.72
7	16	9.84	74	19.60	8.22



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.85	82	0.00	-1.11
2	11	10.47	89	6.66	5.86
3	18	9.20	82	-2.88	-9.33
4	15	8.34	83	-5.10	-10.03
5	25	1.83	61	20.77	12.75
6	10	1.48	84	11.55	4.63
7	16	2.83	61	10.66	2.82



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.71	71	-8.77	-11.52
2	11	2.41	58	-5.70	-12.87
3	18	3.03	68	-2.98	-6.19
4	15	2.49	81	-1.09	-6.27
5	25	1.55	35	10.90	-4.26
6	10	2.15	52	5.33	-3.99
7	16	1.79	58	12.52	4.23



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.98	47	-7.77	-16.47
2	11	3.09	58	-3.27	-10.99
3	18	6.09	80	1.47	-1.69
4	15	2.29	60	1.81	-3.31
5	25	1.98	42	10.39	-2.06
6	10	2.16	48	10.82	0.16
7	16	2.05	71	15.86	10.13



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.11	89	-2.77	-4.30
2	11	3.98	69	0.95	-4.59
3	18	2.79	53	-3.87	-11.59
4	15	1.57	51	-6.03	-11.98
5	25	2.12	48	14.66	3.71
6	10	4.41	55	11.27	1.72
7	16	2.97	64	14.75	7.98

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	81	-8.88	-16.44
2	11	2.52	64	-4.33	-12.52
3	18	2.20	52	-1.28	-10.11
4	15	1.87	48	2.66	-6.82
5	25	1.68	37	10.86	-4.42
6	10	1.87	34	9.77	-5.33
7	18	1.73	63	13.74	4.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	47	-5.52	-13.88
2	11	3.48	55	-1.15	-9.38
3	17	4.48	83	5.12	-1.58
4	15	1.54	63	7.58	-1.77
5	25	1.64	33	13.35	-3.22
6	10	1.48	52	14.71	-1.77
7	18	2.01	55	16.79	7.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.17	78	2.88	-1.11
2	11	3.48	58	6.51	+1.51
3	18	2.71	88	4.31	-1.88
4	15	1.84	61	8.88	-1.88
5	25	1.78	40	17.06	8.02
6	10	1.97	45	14.82	2.22
7	18	1.88	48	18.82	5.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.34	83	2.55	0.11
2	11	3.88	88	3.82	1.26
3	18	2.19	65	1.23	-3.58
4	15	1.65	55	4.84	-3.30
5	25	2.85	47	14.57	2.55
6	10	2.32	59	10.15	0.39
7	18	1.53	33	18.85	1.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.54	81	3.88	0.77
2	11	3.74	66	1.06	-3.98
3	18	4.69	78	1.57	-1.81
4	15	1.54	56	6.18	-0.46
5	25	3.26	49	9.88	-1.91
6	10	2.23	52	9.05	-0.72
7	18	1.8	31	19.25	1.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	61	2.33	-4.33
2	11	2.47	59	10.95	-6.30
3	18	5.07	77	2.08	-1.48
4	15	1.69	60	5.47	-2.07
5	25	1.79	40	10.72	-2.57
6	10	1.95	52	9.68	-0.72
7	18	1.53	31	19.43	1.11

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	80	0.98	-0.55
2	11	6.40	84	0.09	-6.10
3	18	2.01	88	-3.54	-8.97
4	15	1.57	87	0.25	-7.47
5	25	1.71	89	12.61	-1.35
6	10	1.87	48	9.55	-0.54
7	16	2.16	80	16.80	0.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	48	-1.88	-11.77
2	11	1.62	48	-1.21	-10.75
3	18	1.88	53	0.27	-8.23
4	15	1.65	55	3.47	-5.32
5	25	1.75	45	9.68	-2.15
6	10	1.71	50	4.10	-5.39
7	16	1.63	48	8.80	-3.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	61	0.44	-5.89
2	11	8.04	75	-0.55	-4.84
3	18	4.50	60	5.79	-5.76
4	15	1.54	42	10.81	-2.77
5	25	1.95	40	8.95	-4.58
6	10	1.58	41	5.46	-6.80
7	16	1.57	30	14.71	-3.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.21	61	1.48	-4.88
2	11	3.02	58	1.96	-3.53
3	18	1.84	53	4.31	-4.35
4	15	1.60	43	10.32	-2.38
5	25	1.62	36	13.81	-1.57
6	10	2.07	33	15.55	-0.49
7	16	1.58	26	21.59	0.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	52	0.22	-0.65
2	11	3.45	58	4.84	-3.02
3	18	2.19	46	7.71	-3.54
4	15	2.30	45	9.15	-7.92
5	25	1.64	35	20.19	4.04
6	10	2.63	35	19.38	3.60
7	16	2.72	31	23.15	4.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	49	2.88	-8.77
2	11	2.49	58	2.67	-4.84
3	18	2.17	53	-3.32	-11.72
4	15	1.82	49	-5.38	-11.27
5	25	2.22	58	16.86	8.39
6	10	2.53	54	13.49	3.83
7	16	2.01	52	14.98	-2.01

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	40	-14.02	-100.00
2	11	1.72	46	-10.30	-18.00
3	18	1.76	46	-8.28	-14.85
4	19	2.78	45	-3.44	-11.51
5	25	1.72	37	8.62	-5.06
6	10	1.00	40	3.99	-8.80
7	18	1.78	31	11.78	-4.98



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.84	38	-11.77	-100.00
2	11	2.27	44	-8.41	-15.81
3	18	3.41	44	3.48	-8.02
4	19	1.76	40	8.14	-4.50
5	25	1.73	38	8.81	-3.84
6	10	1.74	31	13.10	-3.82
7	18	3.82	54	17.59	8.80



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.29	70	-1.68	-4.77
2	11	2.41	63	5.29	-3.43
3	18	5.84	66	13.68	7.46
4	19	2.40	66	12.08	2.80
5	25	1.72	40	10.81	6.83
6	10	2.13	58	17.77	9.05
7	18	2.28	56	22.11	11.58



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.76	69	[illegible]	[illegible]
2	11	3.73	56	[illegible]	[illegible]
3	18	2.91	69	[illegible]	[illegible]
4	19	1.73	60	[illegible]	[illegible]
5	25	1.73	48	[illegible]	[illegible]
6	10	1.58	54	[illegible]	[illegible]
7	18	1.08	62	[illegible]	[illegible]



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	[illegible]	[illegible]	[illegible]	[illegible]
2	11	[illegible]	[illegible]	[illegible]	[illegible]
3	18	[illegible]	[illegible]	[illegible]	[illegible]
4	19	[illegible]	[illegible]	[illegible]	[illegible]
5	25	[illegible]	[illegible]	[illegible]	[illegible]
6	10	[illegible]	[illegible]	[illegible]	[illegible]
7	18	[illegible]	[illegible]	[illegible]	[illegible]



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.69	60	1.44	0.00
2	11	10.44	52	2.87	1.66
3	18	1.99	53	5.88	-1.75
4	19	1.97	36	10.14	-6.06
5	25	1.66	59	16.32	5.55
6	10	1.57	53	10.18	2.33
7	16	1.57	40	16.31	2.29

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.84	48	7.10	-9.22
2	11	1.94	42	8.00	-6.00
3	18	2.08	42	9.50	-9.23
4	15	1.78	48	11.00	-1.07
5	25	1.62	90	16.15	1.86
6	10	1.94	48	15.18	1.88
7	18	4.19	40	18.19	7.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	48	11.10	-1.95
2	11	1.96	38	10.80	-2.97
3	18	2.59	45	12.95	1.10
4	15	6.10	71	8.09	0.74
5	25	1.78	45	17.50	4.93
6	10	2.17	49	18.21	4.77
7	18	4.39	48	17.40	4.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	48	10.77	-0.98
2	11	2.16	47	11.26	0.15
3	18	5.59	80	11.35	7.98
4	15	5.80	75	4.22	-0.98
5	25	4.18	73	17.44	12.17
6	10	2.72	75	18.05	11.49
7	18	5.07	28	14.09	-9.20



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	77	10.10	4.09
2	11	4.45	70	11.20	7.92
3	18	2.77	68	7.40	1.61
4	15	1.54	60	9.55	-2.51
5	25	3.37	61	10.17	9.66
6	10	3.32	41	14.83	1.32
7	18	4.35	27	15.98	-0.76

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.61	73	9.66	5.10
2	11	2.05	57	8.62	-0.06
3	18	2.13	52	5.82	-3.19
4	15	2.41	59	5.18	-2.48
5	25	1.90	33	17.57	0.00
6	10	1.59	37	15.44	0.66
7	18	2.02	32	20.59	2.43



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.94	43	4.94	-7.10
2	11	1.92	44	5.50	-5.80
3	18	3.94	73	8.04	1.23
4	15	1.67	60	5.40	-2.92
5	25	1.01	38	16.80	0.33
6	10	2.09	44	17.32	4.11
7	18	3.09	53	17.16	0.24

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	48	8.88	-9.08
2	11	4.28	70	8.15	-0.80
3	18	5.87	88	4.93	-0.58
4	15	1.84	62	10.62	0.38
5	25	3.16	72	14.08	0.89
6	10	1.87	61	10.94	3.33
7	18	5.77	22	18.84	-9.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.80	85	4.10	0.10
2	11	2.10	84	7.57	0.85
3	18	5.05	70	5.20	-2.03
4	15	9.10	68	9.10	-2.46
5	25	1.70	35	17.72	1.87
6	10	2.89	53	19.21	2.71
7	18	9.98	28	21.98	0.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.87	88	0.56	0.06
2	11	6.11	89	5.36	2.72
3	18	1.88	55	2.62	-5.81
4	15	1.66	66	6.68	-0.61
5	25	1.70	47	17.68	8.01
6	10	1.80	59	11.38	1.99
7	18	2.88	84	82.68	6.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	63	7.10	0.66
2	11	2.27	48	7.17	-3.12
3	18	5.99	70	5.94	0.09
4	15	1.12	59	2.93	-5.74
5	25	1.02	46	17.57	-5.43
6	10	2.07	51	20.85	-5.78
7	18	6.49	45	18.23	-3.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.75	63	3.66	-3.21
2	11	3.17	69	11.49	6.61
3	18	3.01	72	5.85	-0.89
4	15	1.73	58	2.51	-7.21
5	25	2.08	68	19.55	13.03
6	10	3.03	79	8.85	2.27
7	18	1.96	29	10.62	-6.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.46	71	9.55	3.44
2	11	6.62	78	12.52	8.53
3	18	3.92	63	1.58	-5.21
4	15	2.38	56	2.70	-5.88
5	25	2.63	50	10.17	-0.73
6	10	1.59	46	5.21	-4.88
7	18	1.91	25	15.78	-4.98

CAPITA



REGION	n STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.11	48	8.94	-2.33
2	11	1.75	47	6.56	-4.33
3	18	3.78	58	3.85	-3.80
4	15	3.84	83	-8.40	-10.29
5	25	1.75	36	13.59	-1.48
6	10	1.54	46	12.21	-1.18
7	16	3.37	51	9.99	0.03



REGION	n STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	84	0.44	-0.33
2	11	4.05	83	4.89	2.11
3	18	8.58	69	-6.29	-10.87
4	15	1.55	47	-9.03	-15.47
5	25	2.25	65	12.89	6.17
6	10	2.08	58	2.96	-4.71
7	16	1.96	97	5.31	-0.47



REGION	n STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	44	-1.44	-12.77
2	11	4.03	50	-4.18	-12.88
3	18	4.48	59	-8.04	-12.92
4	15	1.64	45	-5.88	-14.28
5	25	1.60	35	6.24	-0.24
6	10	1.41	42	2.22	-9.80
7	18	3.18	47	5.20	-0.14

REGION	n STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	41	-1.99	-17.93
2	11	1.65	49	-2.56	-11.25
3	18	1.71	58	-5.37	-15.24
4	15	1.69	44	-1.77	-10.64
5	25	1.66	35	7.17	-3.51
6	10	1.45	38	4.55	-5.10
7	16	3.72	71	5.13	0.18



REGION	n STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.72	48	-0.55	-10.66
2	11	1.65	48	1.05	-13.60
3	18	1.85	58	0.55	-8.63
4	15	1.58	29	5.18	-9.48
5	25	2.56	46	7.21	-4.93
6	10	1.53	42	5.00	-6.55
7	16	1.69	48	11.60	-0.31



REGION	n STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.50	46	5.77	-7.30
2	11	1.75	43	6.66	-5.45
3	18	1.78	49	6.13	-3.05
4	15	1.59	41	5.98	-6.58
5	25	1.63	26	13.06	-6.68
6	10	1.60	15	12.82	-2.32
7	16	1.53	34	15.79	-0.48

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.57	46	8.44	-7.00
2	11	3.26	46	5.04	-6.05
3	18	1.84	43	5.02	-6.87
4	15	1.80	45	5.65	-5.62
5	25	1.82	31	16.70	-0.80
6	10	1.93	33	15.80	-0.93
7	18	1.87	80	18.79	1.62



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	47	4.77	-5.77
2	11	2.22	42	9.64	-2.57
3	18	2.33	48	9.74	-0.92
4	15	1.85	44	7.80	-6.40
5	25	2.64	42	17.75	2.70
6	10	1.71	32	17.93	1.22
7	18	1.77	28	22.98	2.70



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.73	60	8.88	-2.10
2	11	2.01	48	6.15	-4.23
3	18	2.40	55	4.28	-4.18
4	15	2.84	48	8.14	-2.03
5	25	1.87	31	20.48	2.53
6	10	2.17	38	19.27	4.71
7	18	1.58	80	26.88	7.04



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	44	1.99	-9.13
2	11	1.68	42	3.69	-7.97
3	18	2.29	54	5.38	-3.57
4	15	4.13	67	5.21	-6.78
5	25	2.74	52	18.61	8.75
6	10	2.21	82	16.71	11.32
7	18	3.61	39	25.76	9.68



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	36	2.22	-11.08
2	11	1.74	33	4.80	-9.03
3	18	2.76	63	3.78	-2.92
4	15	11.52	89	8.44	-2.47
5	25	2.91	68	19.64	10.37
6	10	2.11	58	22.98	13.49
7	18	5.47	28	21.31	0.33



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.08	53	-0.33	-0.21
2	11	4.29	62	3.68	0.75
3	18	6.51	58	8.17	-1.17
4	15	3.19	68	-4.84	-0.89
5	25	6.17	72	19.37	13.50
6	10	5.69	58	19.80	8.61
7	18	8.25	39	9.23	-4.99

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	12.06	66	0.85	-0.22
2	11	7.71	77	4.00	0.35
3	18	4.35	88	-1.83	-7.37
4	15	1.87	80	-4.10	-10.02
5	25	1.88	50	10.12	5.26
6	10	1.58	48	4.88	-5.00
7	16	2.26	80	7.60	-0.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	82	0.22	-8.10
2	11	1.82	83	0.80	-7.77
3	18	1.82	55	0.33	-7.77
4	15	1.54	82	0.02	-8.10
5	25	1.71	34	8.87	-6.35
6	10	1.42	39	5.05	-7.33
7	16	2.03	26	11.88	-8.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	48	1.66	-8.21
2	11	1.54	48	3.28	-7.11
3	18	1.58	43	4.87	-8.80
4	15	0.18	48	8.21	-8.88
5	25	1.62	32	9.80	-6.01
6	10	1.50	29	8.71	-8.48
7	16	1.88	29	12.78	-8.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.68	95	3.66	-7.88
2	11	1.55	78	6.53	-8.18
3	18	2.38	87	8.17	-5.42
4	15	3.65	98	10.97	-3.38
5	25	1.70	38	14.58	-3.39
6	10	2.02	28	12.83	-5.77
7	16	2.38	48	16.70	-3.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	36	2.33	-11.77
2	11	1.75	26	7.31	-11.96
3	18	2.03	33	12.93	-3.42
4	15	5.26	54	9.58	-0.55
5	25	1.56	32	17.91	0.29
6	10	1.32	30	17.80	-0.77
7	16	3.22	51	19.54	7.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.01	91	0.21	-8.10
2	11	2.29	57	11.05	-3.33
3	18	8.72	84	9.18	8.53
4	15	2.80	76	3.84	0.10
5	25	4.22	74	16.88	11.52
6	10	4.01	79	16.21	12.43
7	16	8.35	97	19.30	9.22

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	4.09	89	8.43	6.66
2	11	2.98	84	9.40	2.37
3	18	2.45	71	0.70	-4.10
4	15	1.06	82	1.00	-4.84
5	25	3.54	45	20.20	7.83
6	10	4.58	53	13.55	5.82
7	18	4.40	49	18.80	2.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.88	84	8.88	-0.84
2	11	4.08	57	-0.56	-8.12
3	18	1.59	48	2.00	-8.38
4	15	1.04	58	4.84	-9.82
5	25	2.07	35	13.66	-1.35
6	10	1.87	37	8.99	-5.05
7	18	2.80	48	18.78	8.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	96	2.88	-10.10
2	11	1.51	36	4.84	-9.88
3	18	3.36	58	4.38	-3.82
4	15	2.18	69	5.38	-1.40
5	25	1.88	28	14.85	-3.26
6	10	1.72	32	13.05	-3.49
7	18	2.23	88	80.88	11.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.38	98	7.58	-2.27
2	11	2.91	81	1.57	0.15
3	18	2.73	57	8.58	-1.63
4	15	1.08	55	5.86	-2.09
5	25	2.57	58	18.32	9.81
6	10	0.57	72	15.10	5.38
7	18	4.48	72	20.38	15.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	8.78	98	8.18	-5.32
2	11	2.36	42	9.39	-2.87
3	18	3.27	68	8.28	2.58
4	15	8.91	98	5.18	3.73
5	25	3.48	58	19.52	10.39
6	10	5.78	78	20.27	15.38
7	18	5.78	62	24.12	15.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	8.36	96	3.21	-1.22
2	11	8.52	86	8.78	6.05
3	18	2.43	66	17.28	10.67
4	15	1.29	78	3.22	-2.18
5	25	3.56	52	26.63	13.15
6	10	2.00	63	22.55	13.99
7	18	3.59	35	20.85	9.22

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	47	12.00	1.00
2	11	1.60	47	11.66	0.00
3	10	1.69	56	4.80	-5.42
4	15	1.54	48	5.85	-7.20
5	25	1.80	58	21.50	10.80
6	10	1.85	55	10.71	7.10
7	10	2.10	48	10.07	0.01

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	50	8.77	-11.00
2	11	1.71	36	7.05	-7.81
3	10	1.84	45	9.55	-1.70
4	15	2.00	57	8.70	-1.01
5	25	2.50	60	16.38	9.22
6	10	2.70	60	14.10	7.00
7	10	2.10	61	21.10	8.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	46	7.68	-8.21
2	11	1.66	56	10.06	0.00
3	10	3.14	66	12.60	6.60
4	15	2.55	60	-1.88	-6.87
5	25	1.85	62	17.61	10.10
6	10	1.45	61	16.06	10.10
7	10	1.82	46	29.90	7.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	58	11.77	3.55
2	11	5.65	69	3.83	-2.07
3	10	11.92	88	-0.13	-2.06
4	15	2.78	61	-5.14	-11.33
5	25	1.75	53	22.55	12.19
6	10	1.63	64	20.55	13.27
7	10	2.08	49	21.03	7.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.15	73	-3.21	-7.53
2	11	2.13	66	0.90	-4.06
3	10	2.03	53	0.00	-7.15
4	15	3.35	53	-2.86	-10.30
5	25	1.76	52	24.72	13.97
6	10	3.03	71	15.83	10.66
7	10	2.74	55	14.96	4.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.56	52	1.88	-7.10
2	11	1.86	46	3.73	-6.06
3	10	2.51	56	1.81	-8.07
4	15	1.65	49	-0.03	-9.09
5	25	3.03	69	19.55	12.09
6	10	5.46	77	13.55	9.10
7	16	1.96	46	14.26	2.63

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	54	2.89	-5.43
2	11	1.71	42	3.83	-8.17
3	18	1.97	46	5.30	-5.81
4	15	1.78	39	5.99	-7.62
5	25	1.80	47	15.32	9.86
6	10	1.54	39	11.05	-2.50
7	16	1.91	38	14.89	8.31



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	48	7.98	-3.10
2	11	2.26	38	9.69	-4.18
3	18	2.47	51	9.53	-0.52
4	15	2.05	48	3.40	-5.55
5	25	1.99	46	19.88	7.08
6	10	1.46	38	18.88	9.16
7	16	1.86	38	22.14	4.99



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	37	-4.88	-18.47
2	11	1.51	58	-2.62	-13.68
3	18	1.85	41	-1.17	-11.94
4	15	1.81	43	-0.86	-10.50
5	25	1.71	37	20.99	4.88
6	10	1.71	35	19.44	3.83
7	16	1.88	48	24.85	10.72



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	34	-2.55	-16.52
2	11	1.55	39	0.85	-12.11
3	18	1.84	49	4.22	-5.58
4	15	2.69	44	9.40	-3.07
5	25	1.91	50	16.39	5.13
6	10	1.09	45	21.32	8.38
7	16	2.04	53	25.80	14.43



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	43	5.55	-4.77
2	11	3.11	55	8.83	-0.40
3	18	4.[illegible]	61	14.79	7.00
4	15	2.63	47	19.14	7.44
5	25	2.63	63	19.53	12.10
6	10	1.55	52	25.10	14.55
7	16	1.78	49	26.62	13.53



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.81	77	9.88	5.99
2	11	5.93	81	12.47	9.03
3	18	2.20	72	19.19	14.00
4	15	2.08	42	21.55	8.92
5	25	2.06	57	24.97	15.66
6	10	1.77	69	22.33	16.05
7	16	1.69	48	28.25	14.09

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.65	83	15.80	9.10
2	11	2.06	52	27.60	11.05
3	18	2.84	66	25.05	18.09
4	15	1.98	48	11.94	-0.46
5	25	1.69	68	25.81	18.30
6	10	1.48	58	25.05	17.21
7	18	2.06	46	20.65	12.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.84	78	14.98	10.33
2	11	0.37	65	12.87	6.20
3	18	1.88	55	8.94	-1.87
4	15	1.87	84	8.77	-6.26
5	25	1.71	66	26.66	15.68
6	10	1.77	62	18.27	10.32
7	18	2.07	46	23.82	7.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.84	98	0.88	-7.49
2	11	1.61	33	9.84	-5.90
3	18	1.88	38	11.57	-2.43
4	15	2.05	57	10.16	1.07
5	25	2.05	63	17.80	7.08
6	10	1.54	43	21.52	8.45
7	18	2.20	62	21.66	13.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.29	79	13.94	-9.55
2	11	1.72	38	19.36	-1.66
3	18	3.46	69	16.50	10.11
4	15	2.27	39	16.10	0.05
5	25	1.98	64	19.55	11.15
6	10	2.03	61	21.21	12.98
7	18	1.92	57	25.76	15.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.56	82	12.66	9.55
2	11	3.40	60	14.78	10.55
3	18	3.05	97	15.10	2.53
4	15	1.58	32	12.14	-5.10
5	25	2.21	65	23.72	14.96
6	10	2.31	77	20.16	15.99
7	18	2.30	66	23.93	15.93



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	49	11.32	-1.99
2	11	1.92	47	10.29	-0.55
3	18	1.59	42	11.28	-1.28
4	15	1.62	50	15.81	-1.85
5	25	1.57	40	23.46	8.68
6	10	1.34	29	20.88	0.38
7	18	2.56	31	19.28	19.80

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.44	99	19.21	-0.44
2	11	1.69	36	17.06	1.46
3	18	1.87	54	18.29	1.99
4	15	1.80	48	20.89	5.77
5	25	1.79	44	22.81	8.55
6	10	1.85	48	23.18	8.55
7	18	2.05	66	21.24	15.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.78	84	8.89	1.93
2	11	9.20	47	17.81	5.28
3	18	1.91	59	21.90	11.75
4	15	1.88	47	22.62	10.61
5	25	1.86	68	26.26	16.08
6	10	1.85	57	24.93	15.88
7	18	2.09	66	23.88	18.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.06	52	8.89	-0.88
2	11	2.80	50	14.88	6.88
3	18	3.35	78	20.70	18.19
4	15	3.04	60	13.16	6.82
5	25	2.46	64	26.84	16.65
6	10	1.84	55	26.19	16.88
7	18	1.82	52	25.51	14.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	7.11	98	4.44	3.19
2	11	6.91	86	11.10	9.03
3	18	3.11	72	9.76	5.59
4	15	1.80	38	11.73	-3.66
5	25	4.18	78	23.37	17.26
6	9	3.44	82	15.80	12.43
7	18	2.22	92	18.74	0.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.40	89	11.21	10.21
2	11	2.08	68	8.22	2.27
3	13	1.57	38	13.69	-0.33
4	15	2.59	29	21.47	-0.06
5	25	1.85	47	15.89	3.89
6	13	1.37	35	16.71	1.27
7	18	1.77	25	24.85	3.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.98	41	17.44	3.88
2	11	1.95	40	18.87	4.18
3	18	3.32	42	15.24	2.00
4	15	1.60	30	16.44	-1.93
5	25	1.55	18	24.30	5.68
6	10	1.34	33	24.88	7.44
7	18	1.84	31	26.28	8.88

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	61	14.10	3.44
2	11	2.46	65	18.70	8.64
3	18	2.20	48	19.09	8.72
4	15	2.86	44	12.61	-0.22
5	25	1.57	35	26.32	8.07
6	10	1.31	35	25.21	8.60
7	16	1.62	44	29.37	11.52



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	44	22.60	7.00
2	11	2.01	48	23.12	10.65
3	18	3.10	60	19.31	10.27
4	15	1.78	56	15.00	8.10
5	25	1.60	46	26.06	13.10
6	10	1.34	35	26.48	9.99
7	16	1.68	46	28.21	13.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.92	54	20.00	10.10
2	11	2.38	45	25.55	12.36
3	18	1.91	44	24.78	11.32
4	15	1.80	60	10.82	4.20
5	25	2.02	53	24.05	16.15
6	10	1.42	44	28.21	13.05
7	16	1.50	63	24.82	13.92



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.09	44	25.32	11.09
2	11	1.99	45	24.99	12.01
3	18	2.16	59	16.72	9.54
4	15	2.27	58	9.93	1.93
5	25	1.67	56	25.06	15.26
6	10	1.52	58	25.55	14.44
7	16	2.51	58	23.12	13.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.66	79	15.43	11.66
2	11	4.54	73	15.65	10.75
3	18	3.13	67	12.61	6.29
4	15	2.25	61	15.69	7.58
5	25	1.74	53	25.75	15.26
6	10	1.49	55	25.43	15.92
7	16	1.63	50	25.89	14.50



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	43	11.00	-0.09
2	11	1.72	51	17.47	6.91
3	18	3.45	64	20.39	13.23
4	15	1.80	53	18.73	8.40
5	25	2.02	58	24.55	15.30
6	10	1.58	54	25.77	15.00
7	16	1.57	48	27.00	14.00

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	66	15.21	8.88
2	11	3.63	65	18.87	11.81
3	18	2.41	69	21.04	15.11
4	15	1.80	64	20.69	10.47
5	25	2.10	56	26.70	16.89
6	10	1.53	47	27.85	15.48
7	16	1.66	61	28.69	16.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	87	14.21	-1.22
2	11	1.83	52	15.26	5.40
3	18	2.44	57	24.68	15.27
4	15	2.87	84	18.68	11.20
5	25	1.65	53	26.75	18.24
6	10	1.38	55	28.65	16.95
7	16	1.54	52	28.58	16.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.10	87	7.77	0.88
2	11	3.05	61	12.31	6.13
3	18	2.38	78	15.80	12.40
4	15	1.74	84	13.18	7.44
5	25	2.41	62	27.61	16.48
6	10	1.58	55	27.21	17.55
7	16	1.74	68	28.58	17.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	69	7.77	1.66
2	11	5.56	88	8.59	6.75
3	18	2.57	79	3.53	0.10
4	15	3.21	79	12.66	9.10
5	25	3.27	58	26.32	16.86
6	10	1.92	65	25.05	15.71
7	16	2.06	82	25.09	19.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.26	90	19.44	1.33
2	11	2.05	53	16.86	7.06
3	18	5.12	68	18.72	10.73
4	15	5.83	79	9.98	6.07
5	25	3.83	67	21.70	14.65
6	10	1.63	82	25.10	17.32
7	16	1.92	58	28.62	17.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	97	20.33	9.88
2	11	2.50	49	21.10	7.77
3	18	4.18	67	25.23	16.78
4	15	5.93	82	8.18	4.92
5	25	2.23	61	24.70	16.61
6	10	1.48	68	26.77	18.32
7	16	2.00	83	22.18	16.06

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.60	57	22.77	7.10
2	11	3.30	57	24.03	15.08
3	18	1.82	66	22.06	15.39
4	15	2.07	70	6.62	1.00
5	25	1.90	67	27.55	18.15
6	10	1.50	61	27.43	19.18
7	16	3.54	68	24.84	17.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.87	81	12.36	9.21
2	11	4.56	66	22.81	14.68
3	18	5.58	80	19.25	15.45
4	15	0.56	85	4.36	1.66
5	25	1.96	58	28.72	18.46
6	10	1.70	83	27.32	19.27
7	16	1.83	94	10.62	9.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.64	88	9.99	8.10
2	11	8.08	83	18.53	15.65
3	18	2.40	62	8.97	0.03
4	15	2.48	98	2.88	-6.28
5	25	2.38	67	28.17	18.57
6	10	2.26	88	18.55	15.10
7	16	2.67	42	14.12	0.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.55	80	8.32	5.10
2	11	1.71	54	10.24	1.26
3	18	1.74	48	6.83	-3.80
4	15	1.97	45	8.32	-4.33
5	25	1.64	50	19.12	8.13
6	10	1.38	39	12.34	-0.61
7	16	1.64	38	17.63	2.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.78	78	8.77	4.55
2	11	1.69	39	12.42	-0.95
3	18	1.65	45	8.97	-2.71
4	15	1.58	55	12.92	-2.55
5	25	1.62	40	19.41	5.06
6	10	1.48	35	16.60	1.05
7	16	1.59	38	22.07	6.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.28	73	10.32	5.21
2	11	1.82	43	11.81	-0.70
3	18	1.82	41	12.63	-0.49
4	15	1.73	43	14.10	1.48
5	25	1.60	35	20.99	6.59
6	10	1.38	57	20.21	6.82
7	16	1.56	41	24.85	10.20

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.22	58	13.55	9.55
2	11	2.23	54	14.50	4.64
3	18	2.59	50	10.24	1.51
4	15	1.87	43	10.77	-1.77
5	25	1.87	45	22.80	8.59
6	10	2.88	66	18.18	11.05
7	18	1.79	47	22.84	10.89



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.10	82	10.21	7.21
2	11	5.72	70	11.16	7.17
3	18	2.31	54	9.50	0.21
4	15	1.80	44	11.29	-1.14
5	25	1.73	45	22.59	8.60
6	10	1.35	37	18.05	2.99
7	18	1.57	48	24.10	12.10

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.90	89	12.10	9.21
2	11	1.80	51	13.37	2.72
3	18	1.78	58	9.22	0.73
4	15	1.54	45	12.32	0.48
5	25	1.70	42	20.77	8.92
6	10	1.57	40	18.38	4.21
7	18	2.58	80	23.25	13.81



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.08	85	9.88	7.92
2	11	2.78	68	9.59	3.63
3	18	1.71	50	12.37	1.94
4	15	1.68	38	15.40	0.96
5	25	1.58	35	19.59	3.84
6	10	1.52	38	18.77	2.38
7	18	4.79	71	19.47	12.94



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	53	12.89	2.68
2	11	1.02	68	12.06	3.03
3	18	2.28	55	13.51	4.00
4	15	1.82	40	18.79	2.38
5	25	1.79	41	21.88	7.92
6	10	1.51	40	19.88	5.44
7	13	3.93	73	19.47	13.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	64	11.44	4.55
2	11	1.79	63	13.88	4.24
3	18	1.74	58	14.40	4.13
4	15	1.57	37	19.25	4.10
5	25	1.73	41	23.68	8.00
6	10	1.50	44	20.77	7.49
7	18	2.24	74	18.48	13.38

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.89	96	14.00	2.49
2	11	1.53	90	16.01	9.22
3	18	1.89	95	17.89	5.19
4	15	1.88	96	21.06	9.21
5	25	6.00	79	19.15	13.01
6	10	5.03	71	17.38	11.88
7	18	1.82	97	20.70	11.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.92	98	10.00	9.49
2	11	1.80	95	10.50	2.72
3	18	1.70	98	20.00	5.17
4	15	1.57	98	22.25	8.84
5	25	4.47	75	17.61	12.70
6	10	2.42	78	17.05	11.92
7	18	1.86	97	20.04	11.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.22	97	21.99	9.77
2	11	1.70	96	23.05	9.88
3	18	1.78	91	22.12	9.39
4	15	1.88	98	24.21	8.84
5	25	9.36	73	18.28	13.21
6	10	1.88	88	20.38	10.77
7	18	1.88	98	25.08	12.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.09	89	15.99	9.21
2	11	1.68	28	21.55	5.65
3	18	1.93	38	23.92	7.08
4	15	1.87	45	20.10	7.25
5	25	1.76	48	23.95	12.15
6	10	1.75	41	21.99	10.88
7	18	1.79	51	25.85	13.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.09	39	21.55	9.49
2	11	2.27	50	19.38	8.27
3	18	1.84	49	18.39	5.68
4	15	1.56	48	18.25	5.16
5	24	1.97	49	25.89	13.81
6	10	2.42	54	23.38	12.88
7	18	1.88	55	25.36	15.29

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	41	18.35	9.77
2	11	1.58	41	18.07	8.33
3	18	1.88	48	18.50	9.13
4	15	1.87	48	17.07	8.25
5	25	2.48	58	24.50	16.21
6	10	2.08	58	22.77	13.18
7	18	1.89	57	24.85	15.51

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	54	18.49	7.10
2	11	2.13	40	18.71	5.05
3	18	1.74	47	19.45	2.31
4	15	1.84	33	18.25	-0.77
5	25	2.10	55	23.03	13.86
6	10	1.80	57	20.05	10.49
7	18	1.87	57	25.40	18.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	54	18.21	7.21
2	11	2.00	82	14.43	6.58
3	18	1.81	35	15.27	-0.08
4	15	1.54	28	20.18	1.14
5	25	2.60	68	19.21	12.12
6	10	1.71	48	18.88	5.80
7	18	1.63	45	24.18	11.41



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.02	88	11.00	10.10
2	11	2.70	65	14.54	7.28
3	18	1.84	28	18.00	-0.21
4	15	1.54	39	22.81	7.82
5	25	1.58	41	20.75	8.66
6	10	1.34	38	19.48	1.33
7	18	1.80	47	25.18	12.77



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.99	78	19.99	9.99
2	11	1.75	43	18.42	5.35
3	18	1.98	29	22.34	3.17
4	15	1.69	48	24.82	11.51
5	25	1.62	34	22.95	6.01
6	10	1.38	31	22.32	3.99
7	18	1.69	50	28.94	15.30



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.88	72	14.99	9.08
2	11	1.60	37	20.34	4.74
3	18	1.74	31	23.78	4.99
4	15	1.88	62	21.25	13.29
5	25	1.66	33	24.59	7.15
6	10	1.48	30	25.32	6.33
7	18	1.82	55	25.90	15.79



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.75	57	17.44	8.59
2	11	1.61	34	22.37	5.45
3	18	1.93	38	25.98	9.37
4	15	1.57	48	17.77	8.47
5	25	1.70	32	25.99	8.08
6	10	1.68	35	27.27	10.16
7	18	2.91	60	24.37	15.57

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	65	17.55	10.00
2	11	2.87	53	21.15	10.00
3	18	1.57	52	19.50	2.03
4	15	1.00	41	18.28	5.55
5	25	1.58	50	27.03	12.26
6	10	1.00	63	28.99	19.21
7	18	2.12	66	29.10	18.66

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.19	90	17.44	-0.00
2	11	1.50	31	18.00	1.31
3	18	1.87	47	17.50	8.01
4	15	2.01	68	18.66	10.10
5	25	2.01	47	26.15	13.66
6	10	1.00	48	25.94	16.46
7	16	1.70	66	26.30	17.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.00	24	10.32	-2.10
2	11	2.36	42	16.00	9.73
3	18	3.25	67	19.22	12.50
4	15	2.04	66	20.10	12.47
5	25	2.76	60	25.00	18.21
6	10	1.00	56	28.71	18.62
7	18	1.00	66	28.12	17.31

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	61	18.33	10.55
2	11	3.16	59	23.22	14.28
3	18	3.28	68	24.25	17.27
4	15	2.08	51	19.38	7.09
5	25	2.27	63	26.52	18.66
6	10	1.10	58	25.89	19.05
7	18	2.22	50	28.86	18.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.45	81	23.55	15.55
2	11	2.45	68	24.28	19.02
3	18	1.81	48	20.38	9.50
4	15	1.58	48	18.77	4.99
5	25	1.68	63	27.86	20.10
6	10	1.58	67	25.55	18.71
7	18	1.62	62	27.98	18.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	30	24.44	8.55
2	11	1.53	31	23.07	5.24
3	18	1.57	38	21.20	8.05
4	15	1.00	61	21.25	12.92
5	25	1.63	51	28.91	16.65
6	10	1.40	46	29.16	16.30
7	18	1.61	49	29.89	17.70

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	20	25.77	5.46
2	11	1.61	29	27.26	7.67
3	18	2.00	54	27.81	18.75
4	19	2.14	72	18.25	12.84
5	25	1.50	50	20.57	17.77
6	10	1.38	43	31.88	17.71
7	18	1.44	48	28.76	17.28



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.35	48	28.99	14.32
2	11	2.37	53	27.11	18.70
3	18	2.28	75	18.29	14.47
4	19	1.54	81	15.77	8.14
5	25	1.89	53	20.70	18.78
6	10	1.55	52	20.32	17.32
7	18	1.69	60	28.85	18.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.04	60	19.32	18.00
2	11	1.82	69	20.36	12.87
3	18	2.48	71	15.58	10.38
4	19	2.70	70	13.95	9.10
5	25	1.60	48	30.13	17.95
6	10	1.54	52	27.71	18.88
7	18	2.10	48	28.95	18.41



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	80	21.49	13.10
2	11	2.75	66	21.85	11.81
3	18	5.17	89	19.61	12.49
4	19	1.57	59	14.19	8.19
5	25	1.82	60	27.92	18.97
6	10	1.48	63	24.32	18.82
7	18	1.93	40	24.90	10.03



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.59	78	19.77	19.54
2	11	3.70	61	21.76	13.53
3	18	3.00	65	14.19	7.31
4	19	1.54	42	18.70	5.40
5	25	1.71	53	24.66	19.55
6	10	1.42	56	18.38	8.38
7	18	1.63	38	25.98	10.44



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	8.18	80	17.33	15.10
2	11	1.57	54	16.20	6.66
3	18	1.57	48	17.83	8.07
4	19	1.99	42	23.07	9.18
5	25	1.58	45	23.57	10.77
6	10	1.57	43	21.60	8.98
7	18	1.61	38	29.46	13.01

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	69	15.55	9.92
2	11	1.56	58	19.83	7.82
3	18	1.81	45	22.45	8.84
4	15	2.08	58	24.40	14.88
5	25	1.57	48	26.79	11.70
6	10	1.48	62	28.10	11.94
7	18	2.21	43	30.72	14.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	69	18.88	11.44
2	11	1.79	36	23.69	8.81
3	18	2.28	61	25.61	17.52
4	15	1.57	48	21.14	8.77
5	25	1.68	62	26.67	15.21
6	10	1.65	68	28.32	18.88
7	18	2.41	44	28.62	15.27

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.96	88	10.77	8.99
2	11	1.82	58	25.75	10.48
3	18	2.77	58	27.15	16.72
4	15	1.80	58	25.88	10.79
5	25	1.70	48	31.63	18.08
6	10	1.53	55	29.46	18.21
7	18	1.82	48	31.16	18.59



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	58	18.77	10.10
2	11	2.02	47	26.95	12.72
3	18	2.42	58	28.97	18.08
4	15	1.63	48	25.50	15.01
5	25	1.48	46	33.35	17.88
6	10	1.65	48	31.94	18.21
7	18	1.75	45	33.21	17.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	58	22.22	12.77
2	11	1.71	61	24.76	16.61
3	18	1.92	53	29.93	19.22
4	15	2.28	57	25.58	15.88
5	25	1.98	51	30.22	18.68
6	10	1.65	52	30.05	18.77
7	18	1.88	44	31.14	17.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.09	68	22.99	15.21
2	11	2.37	58	27.31	17.41
3	18	2.17	51	30.39	18.98
4	15	2.22	52	28.99	15.55
5	25	1.08	51	30.26	18.20
6	10	1.48	48	31.39	18.32
7	18	1.55	49	31.82	17.88

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	48	28.44	10.21
2	11	3.00	50	27.62	15.90
3	18	1.97	49	31.32	19.18
4	15	1.60	47	28.79	19.60
5	25	2.12	48	31.84	19.16
6	10	1.58	45	32.94	19.21
7	18	1.54	45	32.11	18.12



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.70	74	20.60	15.80
2	11	1.64	55	27.87	18.12
3	18	1.69	48	30.64	18.10
4	15	1.65	53	28.16	17.47
5	25	1.87	48	32.06	18.54
6	10	1.58	54	30.83	20.21
7	18	1.64	42	31.46	18.42

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.61	70	18.21	13.88
2	11	3.81	52	27.08	15.75
3	18	1.94	48	31.45	18.32
4	15	2.00	54	28.77	18.20
5	25	2.21	52	30.85	18.78
6	10	1.73	48	31.60	18.48
7	18	1.54	48	31.10	17.70



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.50	82	18.44	13.44
2	11	6.63	68	24.40	17.92
3	18	2.17	51	31.45	19.85
4	15	2.09	63	23.60	15.73
5	25	2.47	60	29.75	20.32
6	10	1.81	52	30.60	19.55
7	18	1.58	57	28.39	18.08



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	49	19.55	8.92
2	11	3.40	74	20.16	15.18
3	18	2.18	56	29.07	19.25
4	15	1.54	52	25.77	14.84
5	25	3.06	64	27.84	19.70
6	10	1.93	63	28.71	20.77
7	18	1.58	55	30.46	18.89

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	48	20.49	7.89
2	11	1.86	46	21.36	8.34
3	18	2.30	61	28.54	20.02
4	15	1.60	57	28.68	17.40
5	25	2.34	60	26.10	18.37
6	10	1.77	51	31.55	20.32
7	18	1.58	47	32.38	18.18

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	95	24.00	8.99
2	11	1.82	42	23.63	9.48
3	18	2.73	57	29.28	19.75
4	15	1.02	85	24.25	18.73
5	25	2.08	70	23.77	17.77
6	10	1.88	80	29.21	20.55
7	18	1.57	48	31.86	18.70



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	41	28.43	11.88
2	11	1.96	33	27.67	9.94
3	18	3.39	51	29.78	18.35
4	15	1.88	81	28.44	18.14
5	25	1.77	55	26.57	18.37
6	10	1.65	53	29.55	18.88
7	18	1.74	80	31.42	18.18



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	48	28.10	14.48
2	11	1.78	36	29.49	12.62
3	18	2.85	62	27.92	19.19
4	15	1.67	53	27.28	18.88
5	25	1.63	47	28.86	15.57
6	10	1.46	47	30.32	17.96
7	18	1.88	48	31.20	18.81



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	48	30.77	17.88
2	11	2.55	48	30.95	19.58
3	18	2.43	52	31.63	20.48
4	15	1.82	81	28.39	17.82
5	25	1.57	45	30.59	16.98
6	10	1.52	45	31.10	17.88
7	18	1.58	47	31.94	18.92



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	48	31.77	19.33
2	11	2.41	54	30.16	19.28
3	18	1.74	51	27.99	18.81
4	15	1.54	43	28.40	12.47
5	25	1.61	46	31.55	17.88
6	10	1.88	48	32.18	18.88
7	18	1.77	48	32.87	18.30



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.58	88	22.89	19.21
2	11	3.28	67	23.17	16.35
3	18	1.87	51	24.88	15.01
4	15	1.54	41	30.88	15.58
5	25	1.62	47	31.80	18.58
6	10	1.58	43	31.68	17.55
7	18	1.55	44	33.28	18.98

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	90	89.21	9.99
2	11	1.69	91	20.46	12.26
3	18	1.83	92	20.83	16.19
4	19	1.54	96	91.89	17.89
5	25	2.38	97	20.80	18.09
6	10	1.40	97	91.49	15.16
7	18	1.81	96	92.84	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.57	98	20.21	19.56
2	11	2.38	96	20.38	16.30
3	18	1.69	91	92.80	17.49
4	19	1.61	96	91.56	17.79
5	25	1.98	96	92.13	17.85
6	10	1.85	98	93.00	18.77
7	18	2.06	98	92.25	18.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.50	93	20.00	18.66
2	11	3.06	88	20.59	19.44
3	18	2.06	98	29.95	20.96
4	19	1.76	88	89.96	18.89
5	25	1.83	92	96.04	18.81
6	10	1.85	95	95.59	17.71
7	18	2.53	96	91.00	19.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.09	79	21.99	12.35
2	11	1.55	36	24.39	6.91
3	18	1.57	38	25.95	10.38
4	19	1.62	45	30.07	18.40
5	25	1.70	38	24.86	17.03
6	10	1.51	37	38.05	18.08
7	18	1.71	50	30.83	18.85

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.90	71	19.52	19.77
2	11	2.08	58	21.30	12.62
3	18	1.57	57	28.47	10.15
4	19	1.57	47	29.79	18.88
5	25	1.58	35	30.95	13.67
6	10	1.92	31	33.39	13.93
7	18	1.62	46	31.96	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.40	69	18.77	16.77
2	11	1.58	48	23.58	12.06
3	18	1.77	57	29.53	12.92
4	19	1.68	47	29.77	19.77
5	24	1.78	48	30.57	16.83
6	10	1.48	27	32.99	11.21
7	18	1.84	44	32.39	17.84

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.10	74	18.94	14.00
2	11	1.99	48	28.15	13.42
3	18	1.98	50	29.50	17.90
4	15	1.55	45	25.45	11.90
5	25	1.62	37	32.80	15.55
6	10	1.50	27	34.38	12.96
7	18	1.62	36	32.07	16.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.27	87	29.99	18.00
2	11	9.20	56	28.37	18.27
3	18	1.51	49	29.22	14.16
4	15	1.61	48	26.66	14.59
5	25	1.81	41	34.04	18.48
6	10	1.79	37	35.81	18.21
7	18	1.89	41	33.69	18.11

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.17	84	27.35	18.22
2	11	1.53	61	28.48	13.06
3	18	1.78	58	29.18	18.97
4	15	1.62	68	27.67	18.21
5	25	1.72	41	35.06	18.28
6	10	1.76	41	34.88	19.52
7	18	1.76	46	32.76	18.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.38	46	29.77	19.55
2	11	2.40	60	24.23	15.60
3	18	2.97	78	24.97	18.37
4	15	1.78	62	28.05	17.36
5	25	1.86	45	33.51	19.00
6	10	2.03	48	33.05	20.09
7	18	1.88	47	31.85	18.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.38	41	29.89	9.89
2	11	3.06	66	21.96	16.26
3	18	3.03	83	26.47	19.66
4	15	2.11	51	29.77	17.88
5	25	2.22	59	31.96	20.26
6	10	1.72	51	32.22	20.43
7	18	1.98	48	31.52	18.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.91	58	21.21	12.52
2	11	3.61	65	22.62	15.48
3	18	1.88	53	25.11	16.93
4	15	1.96	48	30.58	17.58
5	25	2.10	51	31.73	20.08
6	10	1.80	45	33.11	19.52
7	18	1.88	41	33.78	18.12

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	46	24.10	10.09
2	11	1.70	45	24.70	10.58
3	18	1.75	47	27.03	14.08
4	15	1.84	43	33.00	17.96
5	25	1.60	44	30.53	16.50
6	10	1.40	38	32.22	15.93
7	18	1.50	38	34.30	17.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	48	29.00	12.55
2	11	4.62	66	21.51	14.43
3	18	5.08	74	22.31	17.31
4	15	1.80	50	28.10	18.10
5	25	1.80	48	32.60	18.04
6	10	1.52	42	34.38	19.55
7	18	1.80	43	33.29	18.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	42	22.00	9.33
2	11	1.51	38	22.67	7.72
3	18	1.80	43	23.01	9.75
4	15	1.80	43	26.40	14.47
5	25	1.75	58	28.88	19.21
6	10	1.79	58	29.21	19.82
7	18	1.80	45	33.28	18.90

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	50	23.55	10.22
2	11	1.50	38	23.70	8.47
3	18	1.71	42	25.70	11.90
4	15	1.60	48	30.40	14.40
5	25	2.21	62	27.40	16.39
6	10	1.90	58	29.80	17.77
7	18	1.80	46	33.22	18.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	41	29.00	9.80
2	11	1.70	38	24.00	8.74
3	18	2.04	58	25.11	19.45
4	15	1.76	57	28.70	18.18
5	25	2.46	58	27.72	18.30
6	10	1.52	44	31.05	18.94
7	18	1.54	38	34.18	17.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	48	24.21	12.53
2	11	1.76	38	26.06	11.00
3	18	1.94	45	28.17	14.59
4	15	1.87	41	33.05	17.03
5	25	2.10	51	28.26	18.61
6	10	1.99	43	32.27	17.99
7	18	1.88	38	35.45	18.24

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.27	40	28.77	19.22
2	11	2.51	41	27.87	19.53
3	18	2.17	42	33.02	18.55
4	15	1.94	40	34.09	17.10
5	25	2.01	44	28.95	15.21
6	10	2.08	41	33.72	18.80
7	18	1.59	40	38.86	16.72



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	52	28.21	17.93
2	11	2.45	41	31.15	16.29
3	18	1.87	42	31.28	18.78
4	15	1.62	38	35.80	18.86
5	25	2.11	41	33.28	17.07
6	10	2.03	42	35.88	20.88
7	18	1.70	44	38.16	17.21



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.29	42	28.11	16.10
2	11	1.89	35	33.48	15.60
3	18	2.28	44	34.19	18.98
4	15	1.67	38	30.77	19.38
5	25	2.13	40	34.09	21.10
6	10	2.01	42	38.22	21.21
7	18	1.68	38	34.58	17.62

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	40	24.10	9.05
2	11	1.58	41	24.70	10.65
3	18	1.81	41	24.98	10.76
4	15	1.54	40	28.29	19.09
5	25	2.40	42	29.57	20.86
6	10	1.89	47	32.39	19.10
7	18	1.60	44	33.12	18.46



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.82	38	21.80	9.88
2	11	1.51	41	22.41	9.42
3	18	1.72	39	28.90	9.40
4	15	1.57	44	30.29	16.10
5	25	1.77	55	28.37	18.10
6	10	1.75	39	32.38	18.18
7	18	1.93	37	34.88	17.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.14	51	25.21	9.16
2	11	1.73	38	26.36	9.64
3	18	1.81	35	28.97	11.89
4	15	1.71	45	31.37	17.14
5	25	1.88	53	29.26	18.17
6	10	1.81	44	32.39	17.96
7	18	1.57	46	34.44	17.87

CAPITA

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	50	20.00	19.44
2	11	2.00	40	27.52	15.60
3	18	2.30	51	30.24	18.59
4	15	1.80	40	32.01	18.00
5	25	1.74	57	30.40	20.79
6	10	1.77	54	33.11	21.71
7	18	1.82	60	35.14	18.22



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.00	67	28.10	19.33
2	11	4.20	55	28.63	18.83
3	18	1.83	47	29.50	18.84
4	15	1.57	38	33.06	17.10
5	25	1.70	57	31.17	21.64
6	10	1.48	55	31.00	21.00
7	18	1.73	44	33.67	18.00



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	40	20.00	14.00
2	11	1.73	40	29.44	14.33
3	18	1.97	48	31.94	19.53
4	15	1.60	50	30.03	17.01
5	25	1.78	60	32.00	20.75
6	10	1.65	52	33.20	22.05
7	18	1.70	45	33.01	18.04

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.28	77	22.88	18.92
2	11	2.79	56	27.11	17.06
3	18	3.43	73	23.73	18.42
4	15	1.92	57	27.33	17.69
5	25	2.01	58	31.46	21.95
6	10	1.57	58	31.88	22.27
7	18	1.74	44	33.78	19.84



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.57	50	24.80	15.92
2	11	1.70	45	26.20	12.82
3	18	2.15	51	25.87	14.53
4	15	3.10	80	25.50	18.21
5	25	2.36	63	29.19	21.08
6	10	2.38	84	29.18	21.38
7	18	1.63	44	33.85	19.75

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.49	64	22.44	14.00
2	11	1.56	36	26.46	10.00
3	18	2.07	49	25.21	13.08
4	15	2.22	47	25.79	12.43
5	25	1.80	52	29.92	18.65
6	10	1.91	51	31.55	20.21
7	18	1.60	44	33.61	18.84

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	82	21.77	19.00
2	11	1.77	93	20.80	12.86
3	18	1.77	98	27.24	12.15
4	15	1.79	94	27.60	16.10
5	25	2.56	52	30.13	18.75
6	10	1.83	96	31.55	17.77
7	18	1.88	99	34.65	18.36

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.99	78	20.22	15.88
2	11	1.71	96	26.61	19.58
3	18	1.84	57	28.48	12.57
4	15	1.80	42	30.44	10.21
5	25	2.35	54	29.72	18.92
6	10	1.91	98	31.85	18.10
7	18	1.88	92	34.39	18.09

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	89	23.10	18.77
2	11	2.22	98	28.87	16.38
3	18	1.85	55	29.88	11.75
4	15	2.08	88	31.10	18.14
5	25	2.83	58	28.98	18.43
6	10	1.93	91	30.88	18.80
7	18	1.76	96	33.96	17.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.10	84	25.92	17.68
2	11	2.69	98	30.50	16.46
3	18	1.89	38	31.13	13.13
4	15	1.91	45	29.58	13.53
5	25	2.38	51	28.85	17.86
6	10	1.88	95	31.45	17.78
7	18	1.83	90	34.93	17.89

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.87	78	29.21	18.55
2	11	3.55	48	29.69	16.45
3	18	2.98	49	30.90	15.88
4	15	2.06	51	29.89	17.88
5	25	2.18	46	31.13	17.10
6	10	2.13	48	31.85	18.38
7	18	1.58	44	35.19	18.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.27	85	25.21	18.22
2	11	4.10	55	28.98	18.83
3	18	4.09	22	27.76	13.56
4	15	1.88	43	30.83	15.88
5	25	2.23	42	32.28	17.26
6	10	2.15	43	32.55	18.05
7	18	1.94	43	32.85	17.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.30	65	28.55	18.55
2	11	3.18	48	31.20	18.58
3	18	3.34	50	31.85	19.99
4	15	1.89	51	28.74	19.05
5	25	2.24	42	33.62	18.46
6	10	2.17	38	34.44	18.16
7	18	2.24	47	28.83	18.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.93	62	29.99	19.77
2	11	2.78	46	33.43	19.43
3	18	1.94	62	27.82	19.22
4	15	1.62	52	25.47	16.55
5	25	2.38	47	33.40	20.21
6	10	1.91	39	34.29	18.38
7	18	1.83	67	30.65	20.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.98	69	26.10	18.04
2	11	1.72	48	26.81	16.06
3	18	1.70	58	24.58	15.36
4	15	1.67	64	25.66	16.13
5	25	2.02	48	32.60	20.06
6	10	2.58	58	30.56	20.21
7	18	1.79	66	31.48	19.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.27	49	29.10	12.55
2	11	2.06	48	26.30	13.22
3	18	2.17	60	25.91	17.48
4	15	1.97	46	27.94	15.92
5	25	2.18	52	31.55	20.12
6	10	1.91	59	29.88	20.38
7	18	1.77	50	31.90	19.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	8.22	82	19.21	15.77
2	11	5.21	81	20.85	17.01
3	18	1.78	48	25.97	14.21
4	15	1.56	42	28.92	14.92
5	25	1.76	50	31.02	19.10
6	10	1.34	51	30.96	19.96
7	18	1.60	49	33.85	18.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.01	66	29.88	18.30
2	11	1.78	48	26.05	13.08
3	18	1.73	57	28.49	18.92
4	15	1.85	48	29.62	15.74
5	25	1.60	48	32.73	18.46
6	10	1.36	48	32.50	19.06
7	18	1.81	46	33.88	18.81

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	80	29.10	18.56
2	11	2.00	82	24.89	18.85
3	18	2.10	88	24.25	17.87
4	15	1.76	88	24.58	18.78
5	25	1.84	80	32.80	19.87
6	10	1.58	67	33.81	20.55
7	18	1.88	69	33.88	18.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.35	87	22.38	19.88
2	11	1.88	81	26.00	11.81
3	18	1.72	53	25.48	14.98
4	15	9.88	84	22.88	18.47
5	25	1.66	48	30.17	18.18
6	10	1.82	54	30.22	19.38
7	18	1.58	88	33.88	17.68

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	93	25.77	12.88
2	11	1.72	88	28.71	11.48
3	18	8.84	48	28.85	15.52
4	15	8.87	78	22.82	18.28
5	25	2.16	48	28.28	17.15
6	10	1.73	48	28.65	17.88
7	18	1.88	62	18.88	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	25.92	9.98
2	11	1.72	42	27.88	12.67
3	18	9.52	85	22.80	15.41
4	15	1.81	58	25.23	15.43
5	25	1.88	48	30.38	17.77
6	10	1.73	52	32.22	20.98
7	18	1.57	47	32.81	18.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.77	78	20.10	15.85
2	11	5.65	71	22.92	16.61
3	18	2.38	58	26.19	15.97
4	15	1.85	48	27.25	19.87
5	25	1.86	58	30.62	21.10
6	10	2.18	88	29.72	20.16
7	18	1.55	48	31.45	18.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.85	84	20.77	17.77
2	11	2.51	68	26.88	18.71
3	18	1.81	58	24.17	18.48
4	15	1.82	48	25.18	13.85
5	25	2.88	61	30.38	18.86
6	10	1.73	45	30.18	18.88
7	18	1.58	57	34.17	17.58

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.26	58	21.66	12.99
2	11	1.57	67	20.70	9.88
3	18	1.87	81	20.42	9.65
4	15	2.46	69	21.52	12.07
5	25	1.68	60	20.53	15.06
6	10	1.52	79	29.99	16.70
7	18	1.66	81	19.66	15.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	60	20.59	12.52
2	11	1.77	61	20.78	12.72
3	18	2.05	56	21.55	11.55
4	15	2.41	44	22.46	14.87
5	25	1.55	43	20.89	16.55
6	10	1.87	52	27.81	15.77
7	18	1.61	88	20.26	18.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	48	23.98	11.88
2	11	1.88	54	24.08	10.75
3	18	1.88	48	25.15	12.47
4	15	2.78	88	23.81	18.80
5	25	1.86	46	20.30	18.41
6	10	2.17	51	25.00	17.05
7	18	1.86	87	24.29	17.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.98	99	25.89	10.99
2	11	2.07	41	25.75	11.10
3	18	3.35	78	24.85	19.29
4	15	2.08	57	25.32	18.32
5	25	2.01	45	30.80	17.26
6	10	1.91	48	33.33	19.82
7	18	1.58	41	34.41	18.95

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.54	67	22.93	15.77
2	11	4.85	76	24.08	19.08
3	18	2.48	59	29.10	20.85
4	15	1.68	52	30.62	18.88
5	25	1.98	56	31.22	20.57
6	10	1.77	46	33.78	20.46
7	18	1.55	42	34.29	19.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.33	67	28.10	18.55
2	11	3.06	51	30.45	18.98
3	18	3.73	72	28.15	20.81
4	15	1.82	58	25.18	15.03
5	25	1.92	48	34.44	20.32
6	10	1.89	43	35.33	20.55
7	18	1.58	41	34.13	18.76

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.19	90	28.94	7.95
2	11	1.94	39	23.07	6.30
3	18	2.47	82	21.50	15.39
4	15	1.78	99	25.21	18.87
5	25	1.02	67	32.20	19.19
6	10	2.11	57	30.89	20.06
7	18	1.65	42	35.36	18.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	86	25.21	8.88
2	11	1.76	36	25.85	8.53
3	18	2.03	68	25.36	18.88
4	15	2.11	69	24.82	19.78
5	25	1.05	64	30.28	19.67
6	10	1.01	45	34.87	21.05
7	18	1.58	38	35.85	17.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.57	78	22.46	17.77
2	11	3.08	68	26.88	18.84
3	18	1.76	58	27.37	17.77
4	15	1.73	83	25.17	18.76
5	25	1.08	62	32.80	21.88
6	10	1.71	55	31.27	21.18
7	18	1.88	48	38.18	18.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	3	1.68	52	27.88	16.88
2	11	0.51	62	26.00	17.22
3	18	2.12	58	25.75	15.81
4	15	1.98	96	28.99	17.39
5	25	1.92	52	32.17	20.98
6	10	1.87	58	30.16	20.71
7	18	1.77	47	32.59	18.49

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.18	90	22.21	11.10
2	11	2.14	61	22.82	14.20
3	18	1.88	51	28.38	15.22
4	15	3.37	67	25.09	17.97
5	25	2.16	61	29.79	20.95
6	10	1.76	58	30.80	20.77
7	18	1.59	47	32.87	18.57

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	98	25.88	10.88
2	11	1.62	48	26.25	11.51
3	18	2.48	57	25.85	15.68
4	15	2.10	88	25.84	18.68
5	25	0.43	83	28.78	20.55
6	10	1.48	48	32.89	20.48
7	18	1.81	54	30.82	18.99

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	46	24.77	11.49
2	11	2.05	48	27.62	12.87
3	18	2.30	53	32.09	21.17
4	19	1.88	56	28.51	17.61
5	25	2.05	58	29.17	19.48
6	10	1.99	58	32.72	20.88
7	18	1.71	68	29.76	20.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	67	24.44	17.77
2	11	2.80	67	29.88	18.88
3	18	2.15	62	29.44	20.81
4	19	1.82	75	28.47	18.82
5	25	1.88	68	28.77	20.98
6	10	1.87	67	33.27	20.58
7	18	1.84	65	30.88	20.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.87	48	30.68	10.88
2	11	2.15	63	28.17	20.48
3	18	2.79	69	27.77	21.00
4	19	1.80	87	28.40	18.28
5	25	1.77	82	32.08	20.02
6	10	1.85	95	33.87	20.18
7	18	1.84	88	31.84	20.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.15	82	19.10	11.44
2	11	2.42	62	29.07	15.45
3	18	2.19	73	29.51	19.52
4	19	1.78	88	28.88	19.09
5	25	1.72	51	32.68	20.81
6	10	2.01	48	33.18	19.77
7	18	1.89	43	33.29	18.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	43	20.99	7.48
2	11	1.68	42	23.37	8.48
3	18	3.58	67	25.15	18.19
4	19	2.23	68	26.81	17.63
5	25	2.51	58	31.80	20.72
6	10	2.06	48	31.50	20.49
7	18	1.69	42	33.58	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	50	22.10	10.88
2	11	2.87	54	24.18	16.18
3	18	3.08	68	25.48	19.37
4	19	1.87	88	28.48	18.82
5	25	2.78	58	31.51	22.19
6	10	2.08	55	31.98	20.82
7	18	1.81	48	33.08	18.33

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	56	23.94	11.77
2	11	2.48	60	23.22	14.78
3	18	2.29	55	29.58	19.11
4	15	3.08	58	28.07	18.44
5	25	2.48	59	30.08	20.98
6	10	1.85	48	35.05	19.68
7	18	1.69	48	33.33	18.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.59	74	18.88	13.88
2	11	4.28	72	22.08	16.71
3	18	1.05	59	21.07	13.55
4	15	1.88	56	25.28	15.07
5	25	2.40	57	29.50	19.48
6	10	2.19	42	31.96	17.52
7	18	1.81	56	33.88	17.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.58	88	17.21	15.32
2	11	3.22	76	19.58	16.56
3	18	1.57	67	21.66	10.02
4	15	1.68	48	28.82	14.82
5	25	1.76	48	28.35	15.70
6	10	1.48	57	25.94	11.21
7	18	1.92	61	32.49	17.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.22	66	22.55	16.10
2	11	1.72	63	22.82	12.62
3	18	1.75	48	24.13	12.41
4	15	1.72	48	28.84	16.75
5	25	2.02	58	26.70	16.55
6	10	1.43	33	27.66	10.05
7	18	1.64	38	32.49	18.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	48	24.88	12.99
2	11	1.98	46	25.95	12.67
3	18	2.00	48	28.70	15.81
4	15	1.84	41	27.22	11.69
5	25	1.88	40	29.77	13.48
6	10	1.54	27	30.72	9.96
7	18	1.88	32	34.20	15.15



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.03	88	24.10	17.86
2	11	2.28	66	26.10	18.20
3	18	1.57	51	29.82	14.11
4	15	1.88	50	25.18	15.24
5	25	1.68	48	31.39	15.46
6	10	1.58	27	33.81	12.05
7	18	1.87	38	34.90	19.05

111

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	68	22.99	12.77
2	11	2.05	50	24.99	13.58
3	18	1.98	45	29.75	16.27
4	15	2.65	48	28.95	16.40
5	25	1.80	48	31.73	17.07
6	10	1.70	25	30.33	15.27
7	15	1.89	36	32.69	16.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.46	82	25.21	17.44
2	11	2.36	59	28.83	18.42
3	18	1.85	55	33.95	15.71
4	15	1.88	50	27.51	16.58
5	25	1.76	46	33.35	18.17
6	10	1.78	28	30.81	16.95
7	16	1.71	50	32.92	18.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.30	84	23.77	19.88
2	11	2.10	81	24.38	17.21
3	18	2.41	58	33.82	17.58
4	15	1.88	47	27.91	19.88
5	25	1.81	41	34.06	18.41
6	10	1.86	30	30.28	15.44
7	16	1.80	48	32.80	17.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.99	81	19.21	15.77
2	11	3.92	60	20.22	10.58
3	18	2.03	57	26.06	16.20
4	15	1.95	52	20.85	9.79
5	25	1.98	49	33.57	18.63
6	10	1.98	37	33.50	18.92
7	16	1.88	43	32.98	17.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.49	88	22.88	19.99
2	11	2.93	70	22.72	16.76
3	18	1.69	51	21.72	11.48
4	15	1.72	57	20.89	11.58
5	25	1.71	48	32.02	18.58
6	10	1.81	48	30.80	17.49
7	16	1.59	49	32.70	18.15



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.08	78	17.21	12.49
2	11	1.68	62	22.67	12.21
3	18	2.11	53	22.95	12.70
4	15	3.78	78	19.38	12.53
5	25	2.20	52	31.02	19.48
6	10	1.78	37	33.33	18.08
7	16	1.80	49	32.98	17.77

CAPITA



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.81	77	17.32	19.21
2	11	3.01	60	21.61	15.55
3	18	1.93	51	20.95	12.63
4	15	1.80	52	20.25	8.89
5	25	2.07	57	20.30	10.00
6	10	1.99	43	31.55	17.21
7	18	1.58	48	30.34	15.93



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	10.20	80	17.10	18.80
2	11	2.14	70	19.08	19.22
3	18	1.74	51	18.88	9.08
4	15	1.62	50	22.62	11.80
5	25	1.88	46	20.60	10.26
6	10	1.54	44	25.21	11.88
7	18	1.54	32	28.98	10.88



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	40	17.21	9.88
2	11	1.51	42	18.22	4.94
3	18	1.71	47	21.25	9.04
4	15	1.76	47	24.32	10.02
5	25	1.68	48	26.88	14.50
6	10	1.53	33	28.98	9.80
7	18	1.53	32	29.61	10.62



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.52	62	15.77	8.32
2	11	2.19	58	19.33	10.34
3	18	3.49	52	22.48	11.40
4	15	2.54	55	22.51	10.84
5	25	1.77	49	27.08	14.92
6	10	1.85	39	30.72	15.21
7	18	1.59	30	31.14	10.88



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	60	15.55	9.88
2	11	1.78	58	19.39	10.90
3	18	3.39	59	22.74	13.72
4	15	2.73	67	18.61	11.30
5	25	1.86	63	28.37	17.01
6	10	1.81	36	31.99	14.66
7	18	1.50	37	32.57	15.27



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	60	15.88	7.88
2	11	4.34	61	14.13	10.75
3	18	5.06	70	21.87	15.35
4	15	2.88	64	18.68	12.40
5	25	2.38	63	27.37	18.35
6	10	1.71	36	31.77	14.49
7	18	1.84	38	32.68	14.54

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.05	81	12.99	9.84
2	11	5.07	69	17.10	15.04
3	18	5.08	59	22.10	13.98
4	15	3.02	70	20.00	15.17
5	25	1.73	69	28.04	20.30
6	10	3.17	51	30.10	17.71
7	18	1.82	56	32.84	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.24	81	11.98	10.88
2	11	2.91	88	16.68	12.57
3	18	5.70	59	25.52	18.48
4	15	2.88	69	25.47	14.48
5	25	2.05	66	28.70	19.21
6	10	1.58	55	30.18	18.55
7	18	1.58	52	30.20	18.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.98	78	15.88	10.88
2	11	9.08	78	19.17	15.12
3	18	9.10	65	28.01	18.88
4	15	3.57	84	25.89	16.16
5	25	2.28	66	29.90	18.01
6	10	1.57	43	32.98	18.46
7	18	1.88	48	32.22	18.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.39	89	14.77	11.21
2	11	5.20	86	21.15	18.68
3	18	1.82	42	27.15	12.80
4	15	1.62	39	24.90	8.72
5	25	2.32	58	30.37	20.86
6	10	1.18	48	33.78	20.32
7	18	1.05	49	32.69	19.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.28	98	21.88	19.21
2	11	2.78	88	22.38	19.17
3	18	1.57	41	24.59	10.15
4	15	1.78	48	27.58	8.98
5	25	1.78	66	28.55	20.02
6	10	1.93	69	28.80	18.43
7	18	1.58	62	33.88	18.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.88	92	18.10	10.77
2	11	9.45	78	18.81	11.98
3	18	1.58	57	14.76	8.38
4	15	1.98	46	14.49	2.10
5	25	1.87	67	29.86	18.38
6	10	2.29	57	23.96	14.27
7	18	1.81	58	29.28	18.85

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	50	17.90	8.21
2	11	1.51	64	17.42	7.72
3	18	1.57	47	18.90	5.00
4	19	1.64	54	19.00	8.10
5	25	1.63	47	26.00	11.00
6	10	1.50	41	22.49	8.43
7	18	1.57	51	20.55	7.42

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	50	19.00	5.77
2	11	1.57	48	16.95	5.50
3	18	1.57	43	17.92	5.45
4	19	1.72	32	22.05	9.00
5	25	1.70	40	24.52	11.09
6	10	1.55	30	25.00	10.21
7	18	1.69	22	27.00	8.92

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	48	17.44	5.77
2	11	1.62	40	18.17	4.48
3	18	1.50	39	22.37	7.74
4	19	1.66	44	21.81	8.01
5	25	1.74	46	26.00	13.12
6	10	1.42	34	28.77	11.82
7	18	1.61	40	28.10	13.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.74	60	18.60	10.06
2	11	2.50	58	21.61	12.82
3	18	1.63	38	23.32	8.36
4	19	1.71	37	23.50	8.10
5	25	1.63	50	28.21	16.55
6	10	1.40	39	29.49	13.08
7	18	1.60	30	30.65	14.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	51	20.77	8.90
2	11	1.90	53	21.51	11.25
3	18	1.61	37	24.87	9.11
4	19	1.64	34	25.77	8.40
5	25	1.04	60	26.00	18.10
6	10	1.65	41	28.99	14.50
7	18	1.57	40	30.00	14.69



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	51	18.00	8.10
2	11	1.63	40	20.19	8.70
3	18	1.64	33	26.97	9.43
4	19	1.60	37	25.65	9.20
5	25	1.64	42	29.41	14.77
6	10	1.77	35	31.55	14.44
7	18	1.63	40	31.70	15.79

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	48	24.44	12.85
2	11	2.10	46	26.56	19.12
3	18	2.58	58	24.44	14.44
4	15	2.52	60	21.69	12.80
5	25	1.71	47	30.77	17.43
6	10	1.71	56	31.89	15.21
7	18	2.00	48	31.31	18.84



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	64	19.99	10.21
2	10	2.66	58	26.35	16.21
3	18	2.35	64	25.39	17.93
4	15	2.79	70	18.84	10.31
5	25	1.72	58	30.04	18.86
6	10	1.85	57	28.88	18.88
7	18	1.71	61	30.72	19.28



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.10	63	20.32	17.18
2	11	2.74	66	26.66	19.53
3	18	2.60	73	24.08	19.21
4	15	1.88	66	11.84	8.18
5	25	1.69	58	28.84	20.84
6	10	1.48	62	27.99	21.18
7	18	1.92	66	27.32	20.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.70	59	27.43	18.44
2	11	2.51	62	28.91	18.80
3	18	3.09	73	22.21	17.12
4	15	4.60	78	19.88	8.43
5	25	1.71	55	29.79	19.66
6	10	1.75	64	28.49	20.94
7	18	2.09	71	27.42	21.31



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.53	60	24.89	17.77
2	11	3.32	71	25.14	19.13
3	18	3.24	73	23.51	18.48
4	15	3.03	76	18.10	12.86
5	25	1.85	57	29.08	19.03
6	10	1.44	57	29.49	19.77
7	18	1.88	61	29.54	21.27



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.12	60	18.24	14.50
2	10	6.54	78	23.60	19.94
3	18	2.30	74	25.38	20.18
4	15	2.69	64	22.88	14.04
5	25	1.60	52	30.26	19.24
6	10	1.44	47	30.49	17.93
7	18	1.61	59	30.72	18.89

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.86	87	18.94	15.16
2	11	2.40	71	25.34	18.89
3	18	2.85	78	22.34	17.87
4	18	9.83	88	19.26	8.84
5	25	1.66	48	31.82	19.21
6	10	1.38	51	31.16	18.82
7	18	1.84	63	30.27	18.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.15	88	18.10	8.88
2	11	2.01	48	18.68	6.71
3	18	3.53	80	14.78	11.48
4	18	9.41	71	8.88	8.57
5	25	1.82	48	31.78	18.52
6	10	1.38	48	32.22	19.98
7	18	1.84	88	28.18	18.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.88	88	10.94	6.48
2	11	1.88	87	18.27	6.84
3	18	1.89	52	15.92	5.88
4	18	2.08	87	9.88	8.18
5	25	8.18	88	28.84	18.87
6	10	1.88	84	25.38	18.58
7	18	1.74	88	25.58	18.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	98	8.77	-3.88
2	10	1.58	37	10.92	-3.88
3	18	1.91	48	11.78	-1.98
4	18	2.88	89	12.78	6.87
5	25	1.97	53	17.89	7.38
6	10	1.75	51	16.94	8.18
7	18	1.91	88	24.18	17.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.18	28	13.88	-3.88
2	11	1.88	35	15.14	-0.55
3	18	2.58	58	14.25	5.18
4	18	2.87	78	18.77	11.82
5	25	2.87	64	20.48	10.48
6	10	1.75	53	18.88	8.82
7	18	1.82	58	28.21	17.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.91	88	15.81	7.85
2	11	2.13	81	18.78	11.08
3	18	2.45	82	22.76	15.92
4	18	2.88	88	21.85	14.48
5	25	1.85	52	25.38	16.58
6	10	1.58	58	24.88	15.48
7	18	1.74	88	28.85	18.28

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.70	73	18.00	13.00
2	11	4.42	72	21.00	15.40
3	18	4.71	78	21.75	17.00
4	19	2.94	73	19.47	19.50
5	25	1.70	48	27.60	15.30
6	10	1.42	47	27.71	15.49
7	18	1.00	50	28.00	18.33



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.04	72	21.39	15.00
2	10	2.31	57	25.40	18.27
3	18	2.43	73	22.40	17.44
4	19	2.46	80	17.02	11.10
5	25	1.63	48	28.04	18.61
6	10	1.34	52	28.32	17.32
7	18	1.58	52	28.05	17.77

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.07	50	20.21	10.00
2	11	2.61	63	27.07	17.46
3	18	1.83	80	22.00	18.33
4	19	1.60	40	18.20	9.00
5	25	1.57	48	29.15	17.26
6	10	1.30	51	28.94	17.21
7	18	1.54	51	28.71	18.24

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.39	65	20.00	18.00
2	11	2.50	57	25.75	16.40
3	18	2.20	48	22.55	10.12
4	19	1.93	62	19.32	8.17
5	25	1.62	50	29.81	18.01
6	10	1.44	85	28.32	18.94
7	18	1.89	50	29.72	18.80

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.57	51	22.00	11.77
2	11	2.00	63	25.36	17.37
3	18	2.82	75	19.88	14.89
4	19	1.73	54	10.49	0.75
5	25	1.76	63	27.44	19.50
6	10	1.52	61	26.00	18.30
7	18	1.72	44	23.49	9.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.09	70	21.77	17.44
2	10	5.34	84	20.21	17.44
3	18	2.72	60	9.90	3.98
4	19	1.54	50	9.50	-1.15
5	25	3.00	60	21.60	14.16
6	10	1.42	48	15.27	0.83
7	18	1.53	22	10.90	-2.91

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.20	77	19.96	18.10
2	11	1.58	58	15.85	9.50
3	18	2.45	75	7.80	5.19
4	15	1.88	57	14.67	-0.39
5	25	1.57	88	10.01	2.68
6	10	1.76	51	12.10	1.77
7	18	1.53	22	21.49	-1.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.69	48	17.58	6.88
2	11	1.72	65	12.57	9.43
3	18	1.64	58	12.09	1.99
4	15	1.80	48	13.79	1.68
5	25	1.57	97	10.52	9.35
6	10	1.57	94	10.96	2.39
7	18	1.53	29	24.99	2.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.58	62	15.88	2.88
2	11	1.78	48	13.88	2.72
3	18	1.77	56	9.87	0.81
4	15	1.65	48	12.28	0.27
5	25	1.68	38	21.72	0.41
6	10	1.42	35	19.88	3.88
7	18	1.58	38	28.26	6.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.43	58	14.10	5.88
2	10	2.07	66	11.16	2.72
3	18	1.77	58	10.95	0.55
4	15	1.72	55	11.89	2.97
5	25	2.11	52	10.10	7.21
6	10	1.42	38	15.71	1.22
7	18	1.55	40	24.57	8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.48	68	19.99	9.77
2	11	1.75	66	11.71	2.82
3	18	1.89	48	12.76	1.99
4	15	1.80	55	14.21	4.89
5	25	1.76	42	17.58	8.46
6	10	1.77	48	15.99	1.55
7	18	1.58	40	24.09	8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.89	49	19.89	1.10
2	11	1.53	47	19.58	2.21
3	18	2.05	48	15.27	3.75
4	15	2.32	51	15.92	4.87
5	25	1.66	38	20.50	9.57
6	10	1.75	31	18.49	1.22
7	18	1.89	45	24.18	10.89

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.15	61	10.00	0.77
2	11	1.75	88	16.39	-0.65
3	18	2.47	45	17.03	5.01
4	15	2.29	53	17.62	8.00
5	25	1.80	37	20.50	4.70
6	10	2.01	32	20.00	3.10
7	18	2.02	61	20.62	11.89

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	47	17.77	8.21
2	10	2.68	47	18.80	7.77
3	18	2.72	41	18.90	8.36
4	15	1.85	48	18.29	7.17
5	25	2.03	36	22.66	8.86
6	10	2.52	32	22.50	6.62
7	18	2.98	84	20.62	11.79



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.15	48	17.44	8.28
2	11	2.46	47	18.84	7.87
3	18	2.09	41	20.00	7.18
4	15	2.01	84	18.89	8.84
5	25	1.85	38	24.35	8.82
6	10	2.21	33	23.10	5.88
7	18	1.70	88	22.70	18.01



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.15	39	13.21	-0.33
2	11	2.81	45	18.37	5.05
3	18	4.23	54	19.18	9.24
4	15	5.74	70	12.88	0.72
5	25	2.36	42	23.97	8.05
6	10	2.17	33	23.99	8.98
7	18	1.91	59	24.80	16.03



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.87	80	7.68	4.22
2	11	0.23	63	17.67	10.29
3	18	0.53	82	15.35	12.83
4	15	3.53	82	7.32	6.12
5	25	2.05	47	23.87	11.41
6	10	2.64	53	29.27	12.82
7	18	1.78	47	22.69	13.28



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.35	69	13.44	10.77
2	10	3.02	75	15.82	11.10
3	18	2.07	69	8.89	4.11
4	15	1.00	57	8.47	0.11
5	25	2.27	58	25.44	13.00
6	10	2.55	64	21.21	13.00
7	18	1.00	64	15.29	8.05

CAPITA

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	41	8.85	-3.85
2	11	1.54	44	11.71	-0.20
3	18	1.95	52	10.95	1.50
4	19	1.87	60	9.30	1.09
5	25	1.80	49	21.66	10.10
6	10	2.86	60	18.27	9.82
7	18	2.90	60	17.92	8.48



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.07	68	8.00	7.39
2	11	4.05	78	10.45	8.46
3	18	2.52	70	8.82	0.82
4	19	1.72	84	9.47	-5.09
5	25	1.66	55	10.05	10.36
6	10	1.57	61	11.96	4.49
7	18	1.84	43	18.48	2.77



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	7.06	69	8.46	7.00
2	11	2.05	74	8.20	1.71
3	18	2.10	80	3.32	-4.29
4	19	1.72	80	3.70	-4.66
5	25	1.60	46	12.29	0.33
6	10	1.50	45	7.80	-3.88
7	18	1.65	50	16.62	0.46



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.24	64	8.88	1.86
2	10	1.97	58	7.16	-0.88
3	18	2.58	58	2.89	-5.81
4	19	1.80	58	5.92	-2.85
5	25	1.60	38	12.19	-1.66
6	10	1.95	53	8.18	-1.77
7	18	1.74	35	15.69	0.31



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.59	69	8.00	0.00
2	11	1.91	54	6.66	-2.21
3	18	5.56	75	2.52	-1.83
4	19	2.01	58	-0.50	-8.72
5	25	1.67	37	16.10	0.42
6	10	1.74	53	11.05	1.27
7	18	1.88	44	17.69	4.92



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.48	69	8.99	2.92
2	11	6.05	84	6.05	3.27
3	18	2.55	67	1.29	-4.17
4	19	1.80	50	0.00	-8.72
5	25	3.67	63	13.01	5.22
6	10	2.05	50	2.55	-7.55
7	16	1.67	38	10.18	-3.71

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	[illegible]	87	[illegible]	[illegible]
2	11	4.01	64	3.00	1.51
3	18	1.90	53	6.41	-2.40
4	15	1.80	41	8.44	-8.14
5	25	1.73	41	10.40	-3.10
6	10	2.15	48	8.40	-4.00
7	18	8.41	66	10.80	8.74



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.44	53	10.44	0.77
2	10	2.00	66	8.60	0.48
3	18	5.05	79	3.32	-0.03
4	15	1.54	61	4.85	-4.47
5	25	2.50	48	13.08	1.46
6	10	5.29	69	5.88	3.98
7	18	2.09	62	12.25	4.85



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.01	79	7.21	2.21
2	11	2.33	66	8.70	0.70
3	18	1.84	53	5.11	-3.85
4	15	1.86	40	10.44	-2.03
5	25	2.16	64	12.17	5.30
6	10	1.83	55	7.80	-0.72
7	18	1.54	38	14.80	0.98



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.18	46	7.68	-2.77
2	11	1.71	48	7.52	-2.82
3	18	2.83	54	9.22	0.49
4	15	1.71	44	14.62	1.36
5	25	1.03	48	12.86	1.33
6	10	2.09	46	11.27	-0.33
7	18	1.55	31	19.47	1.48



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	52	7.88	-1.44
2	11	2.23	43	10.14	-1.86
3	18	3.22	49	12.80	2.41
4	15	1.87	38	17.92	2.10
5	25	1.94	38	15.32	1.51
6	10	1.73	37	17.10	2.33
7	18	1.53	33	21.45	3.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.10	50	11.32	1.22
2	10	3.88	52	13.10	3.43
3	18	3.07	48	15.62	4.14
4	15	2.31	42	15.38	2.09
5	25	2.06	38	18.37	3.72
6	10	2.25	39	19.32	4.02
7	18	1.71	49	21.80	8.92

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	50	5.55	-4.52
2	11	1.67	46	7.37	-3.47
3	18	2.55	48	12.48	2.10
4	15	2.30	50	14.30	3.00
5	25	2.14	38	18.72	4.46
6	10	2.50	57	19.99	6.71
7	18	1.60	60	20.81	11.50



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	50	4.10	-0.55
2	11	1.66	43	6.91	-4.04
3	18	2.87	58	12.09	1.95
4	15	2.20	61	18.81	5.04
5	25	2.10	48	16.30	3.06
6	10	2.39	57	19.05	6.10
7	18	1.60	51	20.05	8.82



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	[illegible]	11.55	-6.44
2	11	2.47	42	11.51	-1.21
3	18	2.77	44	18.53	4.14
4	15	1.85	61	13.00	9.40
5	25	2.43	55	17.10	7.81
6	10	2.70	43	17.55	6.77
7	18	1.60	44	20.37	7.07

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.55	50	6.55	-2.90
2	10	1.68	51	8.89	-0.99
3	18	1.95	51	10.73	1.23
4	15	2.11	50	14.95	3.40
5	25	2.60	45	21.20	8.30
6	10	3.88	48	19.99	7.10
7	18	1.90	41	20.82	8.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	40	9.44	-9.92
2	11	1.97	41	7.11	-5.09
3	18	3.57	53	14.77	5.35
4	15	2.09	49	14.47	9.00
5	25	2.03	51	18.32	7.53
6	10	3.14	38	21.71	6.49
7	18	1.92	48	22.14	8.60

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	59	11.55	3.68
2	11	2.45	54	12.01	2.07
3	18	2.33	54	10.79	2.05
4	15	1.62	55	8.77	-2.03
5	25	2.06	61	20.09	11.78
6	10	2.82	48	20.99	8.08
7	18	3.52	66	18.85	12.04

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.15	89	8.77	-10.18
2	11	1.84	43	8.81	-6.06
3	18	2.49	56	10.15	1.89
4	19	2.88	61	10.44	8.09
5	25	3.20	66	10.40	11.08
6	10	4.51	81	10.90	9.82
7	18	2.87	87	10.67	10.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.87	88	10.99	8.11
2	10	4.86	62	11.89	4.88
3	18	4.53	51	17.53	7.29
4	19	2.29	61	18.08	8.43
5	25	5.98	70	18.19	10.04
6	10	4.01	62	18.95	10.33
7	18	2.01	48	20.04	8.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	6.00	78	10.81	7.81
2	11	6.00	74	14.80	10.08
3	18	4.98	87	16.95	10.08
4	19	2.83	87	14.18	4.09
5	25	5.08	78	18.12	10.01
6	10	2.38	87	19.77	10.38
7	18	1.88	88	20.11	8.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.18	85	9.99	7.55
2	11	4.47	76	15.80	10.90
3	18	5.27	80	16.87	12.47
4	19	2.11	58	9.77	0.95
5	25	4.56	78	20.88	15.59
6	10	3.82	69	19.80	13.49
7	18	1.75	90	18.94	9.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	12.33	92	12.59	11.93
2	11	8.52	88	15.55	13.47
3	18	7.53	83	11.83	8.94
4	19	2.27	58	8.62	0.27
5	25	4.79	75	20.39	15.39
6	10	5.08	68	16.32	9.82
7	18	1.82	91	17.91	-0.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	6.88	93	16.10	14.88
2	10	6.83	93	13.93	12.82
3	18	2.63	75	5.78	1.58
4	19	1.93	59	8.25	-1.07
5	25	3.61	72	16.23	10.72
6	10	2.99	74	11.18	8.49
7	18	1.94	28	10.37	0.08

CAPITA

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	7.02	87	18.55	11.88
2	11	5.56	86	4.18	2.17
3	18	3.20	73	4.40	0.08
4	15	2.04	85	7.18	0.87
5	25	1.65	52	14.28	4.62
6	10	2.13	55	10.10	1.33
7	18	1.84	58	18.18	1.94



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.24	58	5.88	-0.21
2	11	2.40	67	4.13	-1.48
3	18	4.31	75	4.39	0.52
4	15	1.67	84	8.73	-0.87
5	25	1.04	47	14.82	3.60
6	10	2.94	58	10.08	2.84
7	18	1.58	87	15.48	0.10



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.01	86	5.10	-1.88
2	11	4.88	63	8.51	-0.25
3	18	5.18	75	4.47	0.48
4	15	1.91	48	9.88	-1.28
5	25	3.32	65	11.81	4.05
6	10	2.58	53	10.82	1.38
7	18	1.58	80	18.88	0.48



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.08	78	4.77	0.08
2	10	8.67	89	4.88	2.77
3	18	3.48	81	3.83	0.85
4	15	2.21	49	4.88	-8.32
5	25	2.21	58	13.81	4.97
6	10	1.61	48	10.43	-1.18
7	18	1.57	25	16.94	-3.47

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.45	88	1.88	0.11
2	11	2.04	73	5.75	1.28
3	18	2.83	81	2.85	-0.29
4	15	1.82	55	1.48	-8.88
5	25	1.68	48	12.37	-1.48
6	10	1.57	48	7.55	-3.38
7	18	1.70	28	18.59	-2.29

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.20	78	3.58	-0.44
2	11	3.37	68	5.75	-0.40
3	18	3.70	75	2.88	-1.24
4	15	4.84	82	4.55	-3.09
5	25	1.77	43	11.61	-0.85
6	10	1.53	48	8.82	-2.52
7	18	2.09	58	20.30	4.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.28	84	4.00	-1.77
2	11	2.88	54	6.51	-2.18
3	18	7.33	83	3.79	1.14
4	15	1.85	55	8.62	-2.81
5	25	2.01	50	13.48	2.37
6	10	4.88	78	11.10	6.77
7	18	2.26	87	10.84	2.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.44	58	8.77	1.00
2	10	2.24	54	10.77	1.00
3	18	3.12	74	7.03	2.00
4	15	3.01	67	0.05	-4.00
5	25	5.18	71	15.15	8.37
6	10	5.49	80	12.71	6.05
7	18	1.68	90	17.18	2.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.00	89	3.55	1.89
2	11	2.47	66	5.04	-1.81
3	18	2.38	71	0.90	-3.81
4	15	1.79	60	0.50	-0.40
5	25	1.57	41	15.40	1.01
6	10	1.33	39	8.90	-4.21
7	18	1.04	89	14.40	-2.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.32	61	5.77	-1.10
2	11	1.67	57	5.45	-2.67
3	18	2.58	84	2.03	-3.94
4	15	5.90	69	0.37	-5.88
5	25	1.60	39	13.23	-0.53
6	10	1.48	39	10.32	-3.18
7	18	2.01	58	17.79	8.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	60	-0.88	-7.58
2	11	2.65	63	2.67	-4.03
3	18	6.54	80	2.00	-1.09
4	15	2.06	75	-3.38	-7.81
5	25	2.23	48	14.66	3.50
6	10	3.10	59	12.71	4.71
7	18	2.17	57	16.80	7.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.27	69	-3.10	-11.55
2	10	1.89	58	0.05	-7.36
3	18	3.12	70	-0.80	-5.59
4	15	2.18	64	0.29	-5.88
5	25	2.13	48	11.86	1.40
6	10	2.18	54	7.27	-1.44
7	18	2.08	47	14.68	2.70

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.86	48	-9.10	-18.22
2	11	1.99	55	-0.60	-8.53
3	18	1.36	68	0.38	-4.47
4	15	1.86	66	4.82	-3.00
5	25	2.28	43	8.84	-3.04
6	10	2.84	51	8.83	-2.68
7	16	2.17	47	10.86	7.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.86	62	-0.88	-8.86
2	11	4.23	61	0.56	-6.35
3	18	3.83	58	4.58	-2.93
4	15	2.82	65	4.84	-1.81
5	25	2.47	38	12.65	-1.70
6	10	3.53	50	14.05	3.55
7	16	2.84	48	22.88	10.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.48	94	0.10	-8.10
2	11	2.21	94	-0.38	-8.47
3	18	2.22	94	0.84	-7.58
4	15	1.86	88	0.80	-5.33
5	25	3.05	52	15.08	6.42
6	10	8.87	87	10.48	8.49
7	16	2.38	46	17.84	8.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.35	68	-0.96	-13.49
2	10	9.69	57	-6.85	-13.32
3	18	1.68	55	-1.73	-9.53
4	15	2.02	72	-1.32	-6.48
5	25	1.97	61	5.20	-1.73
6	10	1.40	42	8.98	-7.30
7	16	1.59	40	13.28	-2.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.74	88	-4.84	-9.55
2	11	5.56	61	-4.08	-11.06
3	18	1.98	58	-1.32	-9.37
4	15	2.43	65	-0.29	-6.25
5	25	1.71	42	5.30	-6.36
6	10	1.55	41	9.71	-8.44
7	16	1.89	41	13.15	-0.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.99	64	-0.33	-6.32
2	11	2.16	59	0.85	-6.86
3	18	4.60	53	2.09	-5.12
4	15	5.25	73	3.07	-3.40
5	25	2.10	41	10.06	-2.59
6	10	2.51	38	7.18	-1.11
7	16	1.95	42	17.07	9.43

CAPITA

Reproduced from best available copy.



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.60	86	4.00	-0.00
2	11	6.09	86	3.73	1.56
3	18	7.53	84	0.12	-2.24
4	15	1.76	80	0.11	-6.05
5	25	4.13	71	13.00	7.00
6	10	1.48	53	8.27	-0.99
7	18	1.06	29	15.43	-4.61



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.04	84	2.00	0.44
2	10	0.48	78	1.56	-1.71
3	18	2.00	75	-0.49	-4.24
4	15	1.00	61	0.44	-6.51
5	25	1.70	48	8.50	-2.07
6	10	1.50	48	5.00	-9.03
7	18	1.79	80	14.00	-1.07



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	80	-0.10	-7.10
2	11	1.72	85	1.20	-4.74
3	18	3.20	85	2.00	-5.17
4	15	2.10	66	1.44	-4.10
5	25	1.74	42	10.01	-1.02
6	10	1.05	47	7.00	-9.30
7	18	2.47	70	15.00	5.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	56	1.66	-6.33
2	11	6.18	71	2.21	-2.77
3	18	5.32	79	1.07	-2.08
4	15	2.21	70	-1.98	-8.04
5	25	2.95	52	12.21	2.42
6	10	8.54	81	7.71	4.43
7	18	2.04	88	8.08	1.21



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	59	0.77	-7.77
2	11	3.09	61	2.97	-3.93
3	18	4.48	71	1.35	-3.38
4	15	3.01	69	-1.44	-6.60
5	25	7.81	88	10.01	8.10
6	10	7.02	69	4.68	3.32
7	18	1.79	52	7.70	-2.80



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.18	78	1.00	-1.55
2	10	8.05	92	2.44	1.33
3	18	7.82	80	1.54	-1.54
4	15	4.01	61	3.77	-3.62
5	25	4.72	77	9.39	5.28
6	10	4.88	78	4.21	0.55
7	18	2.08	42	12.70	-0.41

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.98	78	5.89	2.21
2	11	6.20	81	3.88	0.70
3	18	6.25	85	0.39	-2.12
4	15	1.85	81	1.48	-5.77
5	25	2.23	86	10.39	1.62
6	10	2.90	86	5.35	-1.10
7	18	1.88	81	13.67	-5.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	81	1.89	-6.82
2	11	1.81	84	1.41	-4.78
3	18	2.99	76	1.47	-2.88
4	15	2.93	68	1.11	-4.25
5	25	1.73	46	10.26	-1.61
6	10	2.01	49	7.82	-2.85
7	18	2.58	42	18.42	9.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.93	68	-0.98	-8.10
2	11	3.30	68	0.80	-6.40
3	18	10.14	85	2.28	-0.08
4	15	3.88	72	0.40	-4.21
5	25	2.35	53	13.37	3.88
6	10	7.28	82	10.55	7.55
7	18	2.12	98	0.84	-5.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.78	91	7.77	6.46
2	10	4.88	91	6.99	5.10
3	18	5.91	82	0.31	-2.49
4	15	2.22	78	-0.86	-5.78
5	25	1.68	60	10.92	3.38
6	10	1.57	61	5.32	-1.88
7	18	3.14	93	12.29	-4.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	54	5.46	-3.55
2	11	3.17	63	1.81	-4.69
3	18	5.20	69	-4.28	-9.06
4	15	2.33	62	1.66	-5.49
5	25	1.73	52	7.33	-2.05
6	13	5.16	71	0.93	-3.77
7	13	3.48	82	13.99	-3.39



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.58	93	0.22	-4.10
2	11	1.85	57	-4.34	-17.76
3	18	8.22	78	-5.52	-10.39
4	15	3.03	79	5.22	-3.77
5	25	1.66	43	3.62	-8.30
6	10	1.89	53	0.89	-7.82
7	16	1.63	51	15.82	-2.09

CAPITA

Reproduced from
best available copy.



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	10.21	67	-5.33	-7.10
2	11	5.30	61	-6.86	-10.43
3	18	4.62	69	-5.79	-8.06
4	15	7.21	79	1.55	-3.84
5	25	1.78	42	4.30	-7.52
6	10	2.78	57	5.44	-2.66
7	18	1.69	29	16.91	-2.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	59	-4.99	-10.10
2	10	2.06	48	-9.89	-13.71
3	18	6.00	78	-1.75	-5.81
4	15	4.01	83	5.62	-1.92
5	25	2.29	45	7.69	-3.75
6	10	4.07	57	7.85	-0.27
7	18	1.72	30	18.75	-2.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.04	68	-2.60	-7.93
2	11	3.17	55	3.27	-5.06
3	18	5.61	72	4.90	0.24
4	15	1.94	58	6.77	-5.44
5	25	2.16	47	14.66	3.50
6	10	1.75	45	14.77	2.68
7	18	2.03	38	16.45	1.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.23	88	2.55	-2.77
2	11	1.81	68	3.53	-3.63
3	18	1.78	82	3.73	-2.71
4	15	1.62	93	3.84	-5.98
5	25	1.72	41	13.99	0.33
6	10	1.68	48	10.21	-1.68
7	18	1.79	41	15.72	2.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.52	55	-4.99	-12.32
2	11	2.98	55	0.04	-8.12
3	18	2.38	61	4.81	-2.00
4	15	1.77	57	6.21	-1.92
5	25	1.75	48	11.19	0.42
6	10	1.81	42	11.03	-0.49
7	18	2.79	59	18.01	0.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	69	0.46	-8.66
2	10	2.76	47	6.16	-4.27
3	18	3.73	68	7.79	2.00
4	15	2.04	65	1.11	-5.03
5	25	1.09	52	14.35	4.48
6	10	2.01	43	13.80	3.05
7	18	1.85	69	18.85	11.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.19	56	5.77	-2.39
2	11	6.31	54	8.83	0.05
3	18	7.85	86	6.86	4.34
4	15	5.87	76	-3.47	-6.95
5	25	2.30	59	18.50	10.24
6	10	2.97	71	16.86	11.21
7	18	4.09	76	16.07	11.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.18	81	4.77	1.00
2	11	5.51	78	9.99	6.56
3	18	8.27	90	3.20	1.66
4	15	1.79	83	-3.38	-9.47
5	25	2.73	71	20.08	14.43
6	10	4.84	85	17.18	14.80
7	18	4.91	83	6.58	2.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	88	2.22	-0.56
2	11	3.26	78	2.37	-1.31
3	18	8.02	85	0.38	-1.88
4	15	3.02	80	-1.68	-8.88
5	25	4.14	76	19.24	14.66
6	10	1.97	89	15.38	9.21
7	18	1.84	48	5.20	-5.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	12.52	98	2.11	1.55
2	10	2.69	69	4.94	-0.55
3	18	2.22	77	-0.73	-4.22
4	15	2.04	82	-3.11	-8.45
5	25	1.63	50	14.93	4.46
6	10	1.56	60	5.83	-1.71
7	18	1.83	47	0.88	-2.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	84	3.66	-2.65
2	11	3.37	65	3.63	-2.25
3	18	4.96	85	2.83	-2.95
4	15	2.79	64	0.07	-6.35
5	25	2.49	94	14.64	5.39
6	10	2.28	83	7.99	1.30
7	18	4.50	60	11.87	3.22

CAPITA

Reproduced from best available copy.


REGION 1, QTR 1 1954
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 1, QTR 2 1954
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 1, QTR 3 1954
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 1, QTR 4 1954
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 2, QTR 1 1954
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 2, QTR 2 1954
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 2, QTR 3 1954
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 2, QTR 4 1954
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 3, QTR 1 1954
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1954
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1954
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1954
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


REGION 4, QTR 1 1954
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 4, QTR 2 1954
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 4, QTR 3 1954
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 4, QTR 4 1954
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 5, QTR 1 1954
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 5, QTR 2 1954
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 5, QTR 3 1954
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 5, QTR 4 1954
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 6, QTR 1 1954
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 6, QTR 2 1954
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 6, QTR 3 1954
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 6, QTR 4 1954
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 7, QTR 1 1954
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1954
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1954
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1954
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


EUS MEAN, QTR 1 1954
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


EUS MEAN, QTR 2 1954
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


EUS MEAN, QTR 3 1954
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


EUS MEAN, QTR 4 1954
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	80	2.39	-2.80
2	11	3.80	80	6.46	-0.85
3	17	8.80	85	8.49	3.52
4	14	1.80	80	4.84	-3.78
5	25	8.84	76	14.52	8.70
6	10	3.30	88	12.80	10.35
7	16	2.40	47	16.87	5.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.05	98	9.68	9.22
2	11	3.78	72	7.41	2.47
3	17	3.40	83	4.85	-1.82
4	14	2.23	86	2.88	-4.44
5	25	1.68	84	10.95	8.77
6	10	2.53	80	15.77	7.71
7	18	5.76	87	18.65	8.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	80	1.88	-0.88
2	10	2.21	87	4.44	-0.48
3	17	4.58	78	7.91	2.90
4	14	2.07	78	0.71	-2.48
5	25	2.26	41	17.68	9.78
6	10	2.47	58	16.55	7.58
7	18	9.00	78	80.86	15.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.61	67	0.33	-5.21
2	11	2.37	60	4.13	-3.32
3	17	9.48	67	5.84	3.92
4	14	4.66	76	0.83	-3.05
5	25	2.28	53	19.81	9.48
6	10	3.98	65	18.94	14.49
7	16	2.52	72	20.30	14.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	55	-1.44	-9.66
2	11	3.73	58	1.20	-6.10
3	17	11.40	95	7.28	6.59
4	14	8.40	77	-1.42	-6.07
5	25	2.88	60	15.99	8.24
6	10	1.75	73	19.10	14.05
7	18	1.68	68	17.77	9.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	12.14	90	-0.77	-2.21
2	11	5.52	81	1.76	-1.36
3	17	1.70	69	1.38	-3.68
4	14	1.70	88	-3.21	-8.68
5	25	2.42	68	18.66	12.30
6	10	1.59	68	13.18	8.94
7	18	1.58	54	9.40	0.48

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.20	84	-4.80	-10.00
2	10	1.58	87	-3.00	-5.60
3	17	1.83	66	0.61	-5.61
4	14	1.00	67	-1.10	-6.50
5	25	1.71	41	12.12	-0.00
6	10	2.49	53	8.21	-0.99
7	18	1.70	62	6.05	1.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.20	51	-0.66	-8.77
2	11	2.16	54	0.75	-7.07
3	17	3.34	60	5.62	-2.05
4	14	2.62	71	0.18	-4.55
5	25	2.43	41	14.16	0.03
6	10	2.58	51	10.52	0.46
7	18	2.79	66	11.79	5.69



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.20	46	0.44	-10.44
2	11	0.86	76	0.25	-6.08
3	17	3.40	75	2.44	-1.58
4	14	2.18	68	-2.81	-7.78
5	25	6.02	63	14.66	7.24
6	10	3.68	79	10.71	8.99
7	18	3.58	84	10.62	9.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.20	52	-0.22	-9.10
2	11	2.16	56	1.86	-6.40
3	17	2.78	68	0.48	-4.99
4	14	3.47	73	-3.02	-7.93
5	25	2.45	63	12.86	6.51
6	10	8.51	89	7.38	5.55
7	18	1.94	79	6.79	1.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.48	68	-2.55	-9.21
2	10	1.01	56	-1.27	-9.16
3	17	2.70	61	1.10	-5.08
4	14	6.74	88	-3.24	-6.26
5	25	3.23	65	8.32	1.67
6	10	3.03	70	3.49	-1.60
7	18	1.84	66	8.01	1.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.80	53	-9.10	-11.33
2	11	4.22	84	-2.62	-8.63
3	17	8.02	84	0.00	-2.20
4	14	4.05	68	-7.00	-9.00
5	25	2.65	67	9.21	0.86
6	10	3.18	67	5.95	0.33
7	18	2.15	80	11.49	9.00

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	6.00	87	-4.88	-10.33
2	11	6.21	74	-3.07	-7.11
3	17	4.41	78	-3.55	-7.21
4	14	1.68	87	-4.20	-11.48
5	25	2.88	46	7.46	-4.67
6	10	2.01	51	0.88	-8.43
7	18	2.02	44	8.62	-5.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.20	42	-8.77	-16.48
2	11	2.26	65	-2.11	-10.18
3	17	5.71	88	-1.57	-8.56
4	14	2.68	88	1.98	-6.00
5	25	1.83	87	7.08	-6.86
6	10	2.83	51	2.88	-8.55
7	18	2.88	87	11.65	5.27

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	7.00	86	-8.77	-8.48
2	10	4.64	88	0.88	-2.88
3	17	1.87	81	-1.17	-7.73
4	14	1.80	88	-1.70	-10.81
5	26	2.73	67	11.84	3.10
6	10	3.31	78	7.77	3.80
7	18	3.88	78	10.88	8.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.32	93	1.55	-7.55
2	11	1.60	55	0.20	-7.87
3	17	2.73	55	0.08	-7.90
4	14	1.76	63	-9.71	-7.10
5	25	2.58	62	9.70	2.06
6	10	2.75	52	8.38	-3.48
7	18	2.53	66	11.10	4.37



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.14	87	-2.77	-10.55
2	11	3.29	58	-2.07	-9.79
3	17	3.14	58	-2.18	-9.34
4	14	5.14	64	-6.14	-11.06
5	25	1.93	47	11.64	-0.08
6	10	2.15	49	8.99	-1.60
7	18	3.04	71	12.68	7.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.48	93	-2.77	-10.88
2	11	3.44	68	-2.17	-9.13
3	17	2.89	68	-2.80	-7.77
4	14	5.56	78	-6.70	-10.03
5	25	2.01	61	11.43	1.13
6	10	3.56	58	6.60	-1.49
7	18	3.19	64	7.69	0.41

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.87	88	-1.77	-0.88
2	10	2.10	83	-3.27	-0.60
3	17	4.79	76	-3.28	-7.05
4	14	2.65	72	-8.88	-11.16
5	26	3.95	71	5.17	0.00
6	10	0.25	76	0.66	-3.16
7	18	2.12	83	4.66	-2.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.18	42	-8.66	-16.82
2	11	1.51	47	-4.19	-13.88
3	17	2.21	59	-1.72	-8.81
4	14	7.15	81	-5.25	-8.08
5	25	1.83	46	7.26	-3.48
6	10	2.54	81	2.22	-4.60
7	18	5.42	88	7.00	1.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.08	52	-6.83	-19.99
2	11	2.05	48	-2.12	-11.50
3	17	10.11	83	1.07	-1.78
4	14	2.81	76	-4.40	-8.01
5	26	2.02	58	7.06	-2.06
6	10	5.51	79	6.38	2.88
7	18	1.08	44	10.65	-2.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	6.43	75	-3.11	-8.99
2	11	3.90	67	1.61	-3.93
3	17	4.79	71	-3.29	-7.90
4	14	3.15	70	-7.37	-12.02
5	25	2.90	67	11.01	4.84
6	10	1.95	58	7.27	-0.08
7	18	1.56	43	7.53	-4.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.16	74	-0.22	-4.33
2	10	3.34	55	-1.33	-8.44
3	17	2.91	64	-6.30	-12.05
4	14	2.94	68	-8.52	-11.35
5	25	4.24	65	7.20	0.86
6	10	3.81	68	0.85	-4.99
7	18	2.01	53	4.89	-4.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.09	47	-0.64	-10.99
2	11	3.55	52	-0.80	-8.43
3	17	4.79	64	-1.79	-7.87
4	14	2.03	68	-5.58	-8.86
5	25	3.13	70	5.78	0.48
6	10	2.28	58	3.55	-5.96
7	18	1.62	58	10.89	-3.57

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	9.28	58	-0.88	-7.06
2	11	7.42	61	-0.35	-7.16
3	17	5.48	66	-6.06	-10.58
4	14	1.83	69	-6.62	-10.26
5	25	2.33	46	6.58	-4.41
6	10	1.39	46	4.71	-6.82
7	16	1.58	84	12.49	-2.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.54	47	0.77	-8.44
2	11	2.44	61	-1.81	-10.85
3	17	7.25	66	-3.75	-8.72
4	14	5.14	69	-6.78	-11.08
5	25	1.60	37	11.08	-9.32
6	10	1.49	58	10.96	-5.71
7	16	1.56	47	14.02	2.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.20	48	-9.68	-18.74
2	10	2.82	41	-7.10	-15.96
3	17	2.57	53	-15.28	-18.58
4	14	4.94	66	-8.71	-9.80
5	25	1.67	46	0.15	-0.53
6	10	2.48	60	-0.05	-3.55
7	16	2.22	81	8.28	-1.56

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.20	31	-9.88	-100.00
2	11	2.74	47	-7.67	-16.10
3	17	5.52	63	-10.43	-13.78
4	14	1.76	62	-11.98	-14.81
5	25	1.66	46	6.46	-4.73
6	10	2.68	47	2.49	-8.05
7	16	1.70	44	8.75	-1.90

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.34	48	-5.10	-10.24
2	11	2.88	47	-6.15	-15.55
3	17	4.67	59	-11.33	-15.73
4	14	1.89	65	-5.10	-8.12
5	25	2.15	46	4.88	-6.24
6	10	2.35	50	-2.22	-10.73
7	16	1.58	36	10.41	-4.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.08	41	-6.32	-10.11
2	11	2.81	47	-6.51	-15.73
3	17	3.03	59	-8.39	-14.51
4	14	3.02	63	-5.15	-8.47
5	25	2.86	44	5.77	-6.50
6	10	1.85	48	3.27	-7.05
7	16	1.65	43	13.71	1.58

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.27	56	-10.65	-18.66
2	10	2.26	53	-6.09	-14.21
3	17	3.39	53	-3.62	-9.73
4	14	1.89	64	1.60	-4.24
5	25	2.42	39	7.86	-5.36
6	10	2.27	48	8.88	-3.27
7	18	1.88	48	17.04	8.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.17	71	-9.99	-11.28
2	11	6.72	77	-1.36	-4.86
3	18	5.87	78	0.18	-3.38
4	14	4.18	80	-3.64	-8.70
5	25	2.33	46	14.62	2.76
6	10	2.29	71	13.21	8.05
7	18	1.89	46	17.18	4.02



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.33	66	-10.98	-13.90
2	11	8.35	66	-0.18	-12.42
3	18	3.22	66	-4.37	-9.88
4	14	9.88	78	-4.71	-8.06
5	25	3.80	61	14.60	8.78
6	10	5.00	74	9.55	4.94
7	18	2.15	66	18.48	4.90



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.33	52	-11.24	-12.77
2	11	3.59	54	-11.96	-14.16
3	18	3.63	57	-6.84	-13.65
4	14	8.70	72	-5.94	-10.35
5	25	2.52	52	7.62	-0.97
6	10	3.12	55	4.83	-3.33
7	18	4.65	73	11.59	8.66



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	41	-2.66	-13.32
2	10	2.49	54	-4.44	-11.84
3	18	2.84	62	-3.28	-9.56
4	14	10.40	81	-5.35	-8.16
5	25	1.89	43	7.06	-5.06
6	10	2.59	39	6.86	-8.94
7	18	5.85	83	9.89	7.11



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	42	-1.22	-13.10
2	11	3.06	45	-0.10	-10.80
3	18	5.23	68	1.01	-1.28
4	14	3.37	73	-4.18	-8.33
5	25	2.55	58	10.19	-0.08
6	10	6.46	80	7.21	3.83
7	18	3.44	80	7.63	4.23

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	8.48	83	8.89	0.86
2	11	9.82	86	9.82	1.26
3	18	7.60	80	0.89	-2.12
4	14	6.29	72	-6.66	-8.96
5	25	8.80	83	14.93	10.81
6	10	7.87	86	10.32	8.82
7	18	2.66	84	8.86	5.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.08	84	3.88	-2.77
2	11	3.12	84	2.82	-3.62
3	18	4.45	88	-0.84	-5.78
4	14	3.23	70	-8.31	-9.61
5	25	2.48	87	15.06	9.01
6	10	4.24	75	5.71	1.88
7	18	1.71	87	7.28	-0.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.22	48	-9.88	-12.21
2	10	2.67	84	-0.22	-8.48
3	18	5.81	74	-0.30	-4.54
4	14	3.44	88	0.88	-4.88
5	25	2.77	85	10.23	1.81
6	10	2.88	52	7.77	-1.77
7	18	1.61	88	14.44	-1.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.89	49	-2.00	-9.16
2	11	4.26	53	4.29	-4.68
3	18	3.36	63	7.93	0.69
4	14	8.07	76	-3.91	-5.41
5	25	2.23	40	13.81	0.22
6	10	1.61	37	14.80	0.93
7	18	1.57	38	17.77	2.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.78	48	9.77	-0.86
2	11	4.36	51	9.69	-3.10
3	18	7.81	74	1.17	-3.45
4	14	3.38	65	-12.88	-14.07
5	25	2.02	51	18.41	7.90
6	10	1.76	58	15.44	8.49
7	18	3.23	56	7.39	-1.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.07	91	8.55	7.21
2	11	8.78	85	-0.10	-2.97
3	18	4.44	62	-12.53	-13.88
4	14	4.03	80	-10.11	-11.21
5	25	3.14	74	10.48	5.82
6	10	3.37	59	-5.49	-10.82
7	16	1.58	53	2.87	-12.42

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	48	-5.80	-14.30
2	10	6.31	67	-10.05	-16.50
3	18	2.04	59	-11.07	-14.98
4	14	1.83	67	-14.07	-16.94
5	25	1.00	48	-1.15	-12.47
6	10	1.85	48	-4.80	-15.69
7	18	1.66	88	0.76	-0.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	94	-0.77	-100.00
2	11	1.83	48	-6.71	-16.48
3	18	2.43	59	-8.38	-13.62
4	14	1.88	67	-4.40	-10.07
5	25	1.80	48	3.22	-9.44
6	10	1.75	39	0.88	-11.23
7	18	1.82	47	15.07	1.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	87	-6.10	-14.88
2	11	6.06	68	-2.81	-8.76
3	18	5.88	76	-0.21	-4.08
4	14	1.82	81	1.11	-0.76
5	25	1.86	48	8.95	-2.86
6	10	5.85	83	5.58	-1.53
7	18	1.76	48	16.62	9.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.99	91	0.55	-2.92
2	11	7.11	72	1.05	-3.38
3	18	4.23	66	1.48	-4.07
4	14	4.50	69	3.25	-2.17
5	25	1.78	42	14.03	1.20
6	10	2.58	44	12.33	0.49
7	18	1.83	52	18.67	7.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.78	84	1.99	-4.77
2	10	6.89	67	3.66	-3.27
3	18	8.26	84	2.31	-0.12
4	14	3.03	73	0.98	-3.33
5	25	1.99	47	17.50	5.75
6	10	2.82	77	12.66	8.48
7	18	1.75	48	17.28	5.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.85	91	2.68	1.22
2	11	5.46	76	3.33	-0.65
3	18	3.13	63	1.01	-5.21
4	14	3.85	67	2.45	-3.25
5	25	3.06	67	14.99	8.66
6	10	4.23	87	9.21	3.58
7	18	1.93	49	16.21	8.99

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.44	74	0.00	-3.21
2	11	3.33	63	2.72	-3.00
3	18	5.49	64	2.09	-4.10
4	14	11.66	67	-1.00	-2.22
5	25	2.66	61	13.44	3.66
6	10	2.00	55	13.49	4.27
7	10	3.01	76	16.20	11.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	67	4.00	-2.00
2	11	2.42	63	6.06	-9.02
3	18	8.47	73	7.00	2.92
4	14	10.51	62	-7.02	-6.40
5	25	2.06	46	16.00	3.06
6	10	2.52	51	15.10	4.77
7	10	8.04	74	8.00	6.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	61	5.00	-1.11
2	10	3.63	52	0.30	-0.11
3	18	5.36	73	0.20	1.57
4	14	4.01	61	-0.72	-10.17
5	25	2.00	42	17.00	4.10
6	10	2.00	60	10.30	0.10
7	10	2.17	60	9.00	-4.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.40	63	6.32	0.77
2	11	6.79	81	4.74	1.81
3	18	2.09	61	0.09	-5.00
4	14	1.68	59	-5.59	-12.17
5	25	2.61	54	18.06	9.00
6	10	4.58	74	12.21	7.10
7	10	3.17	53	4.75	-4.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.14	74	5.55	2.10
2	11	7.56	89	4.23	2.67
3	18	4.07	65	0.12	-5.95
4	14	1.79	63	-4.80	-10.37
5	25	3.71	63	18.41	10.70
6	10	8.52	89	8.55	6.99
7	10	1.70	48	6.69	-4.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	12.04	95	6.10	5.44
2	11	3.05	75	4.49	0.30
3	18	2.19	54	2.05	-5.00
4	14	4.33	67	-4.53	-9.10
5	25	1.07	60	17.50	8.39
6	10	1.52	51	9.10	-0.55
7	10	1.69	42	10.75	-2.10

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	44	2.33	-0.06
2	10	2.65	56	2.05	-5.02
3	18	5.71	50	3.02	-4.10
4	14	1.79	61	-11.80	-18.01
5	25	5.11	71	10.61	6.06
6	10	3.29	58	11.21	2.66
7	18	2.00	62	10.05	0.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.66	41	4.00	-7.66
2	11	3.64	55	4.76	-8.03
3	18	5.87	69	5.25	-5.11
4	14	0.00	87	-0.11	-4.61
5	25	2.56	61	12.79	2.06
6	10	1.81	40	15.00	0.50
7	18	2.60	47	14.62	5.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.05	87	2.00	-4.00
2	11	4.27	66	6.10	-1.31
3	18	8.47	66	5.62	3.91
4	14	4.07	66	-0.79	-0.77
5	25	2.36	50	16.06	6.06
6	10	2.06	64	15.21	5.00
7	18	8.15	69	20.15	12.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.16	82	4.55	1.66
2	11	10.15	92	5.50	4.28
3	18	8.47	66	7.66	5.36
4	14	3.52	76	-6.46	-7.06
5	25	2.90	67	10.70	12.12
6	10	3.48	71	19.55	14.16
7	18	1.90	62	18.78	10.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.99	79	4.66	0.00
2	10	8.37	77	9.82	5.60
3	13	12.23	91	7.99	6.10
4	14	5.99	77	-0.39	-1.09
5	25	2.65	60	21.79	13.30
6	10	1.69	73	20 93	15.66
7	18	1.71	51	22.42	10.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.38	96	4.10	3.33
2	11	7.46	90	8.17	6.81
3	18	3.64	72	4.31	-0.27
4	14	1.93	56	4.95	-3.56
5	25	1.71	58	21.32	12.55
6	10	1.58	64	19.21	12.52
7	18	2.01	42	20.78	8.31

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.86	48	0.89	-6.84
2	11	1.98	46	7.92	-4.03
3	18	1.72	42	7.29	-5.02
4	14	2.86	84	3.84	-6.18
5	25	1.60	94	21.90	6.00
6	10	1.69	36	19.18	4.33
7	16	1.60	48	22.80	8.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	38	-2.22	-16.57
2	11	2.14	63	4.68	-4.94
3	18	2.95	68	12.45	4.72
4	14	8.84	74	9.85	-1.86
5	25	2.36	54	18.95	8.00
6	10	1.91	82	21.85	15.10
7	16	1.71	48	24.71	12.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.32	76	-4.66	-8.86
2	10	6.15	87	3.55	1.48
3	18	8.83	85	8.80	6.20
4	14	8.54	80	-1.09	-8.82
5	25	2.42	58	20.86	14.82
6	10	1.81	86	25.85	18.52
7	16	2.02	82	22.91	10.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.57	83	-9.77	-8.21
2	11	7.04	87	1.26	-0.55
3	18	7.78	84	2.12	-0.53
4	14	2.58	60	-8.84	-11.94
5	25	3.63	61	22.59	14.15
6	10	2.41	68	22.49	15.99
7	16	3.04	81	17.70	9.13



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.75	90	1.66	0.33
2	11	14.12	89	0.85	-0.85
3	18	1.70	52	-2.49	-10.55
4	14	2.51	54	-4.30	-11.76
5	25	5.05	68	20.01	13.26
6	10	2.60	71	9.71	4.18
7	16	1.94	49	13.05	2.15



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	44	-2.55	-11.80
2	11	3.26	58	-3.33	-10.75
3	18	2.71	58	-7.95	-15.08
4	14	1.76	51	-1.07	-7.26
5	25	1.63	40	11.30	-2.15
6	10	1.37	31	5.71	-9.96
7	16	2.99	39	12.00	-3.86

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.02	90	-3.10	-15.44
2	10	1.72	67	-2.39	-12.56
3	18	5.26	57	5.49	-2.85
4	14	1.78	67	11.38	-0.01
5	25	1.76	31	12.29	-4.32
6	10	1.50	31	13.49	-3.84
7	18	1.87	82	17.14	-1.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.84	66	3.77	-1.44
2	11	3.07	64	11.01	2.26
3	18	1.75	49	14.59	2.43
4	14	1.84	47	11.88	0.29
5	25	2.41	28	20.01	0.91
6	10	1.58	34	18.27	1.83
7	18	1.81	47	22.01	8.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.20	52	9.77	0.21
2	11	2.91	46	17.01	4.88
3	18	3.53	69	17.18	11.41
4	14	2.38	80	14.04	2.08
5	25	4.78	47	20.80	8.43
6	10	2.80	67	19.55	13.27
7	18	2.74	98	28.80	10.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.36	69	12.88	6.89
2	11	4.05	69	13.87	7.16
3	18	1.99	58	12.09	3.51
4	14	2.08	59	8.51	-0.58
5	25	3.41	58	22.81	13.95
6	10	2.22	58	23.32	18.49
7	18	3.40	95	28.83	8.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	48	4.88	-5.44
2	10	2.08	52	11.88	2.55
3	18	2.21	44	14.38	2.58
4	14	1.67	68	8.18	-4.62
5	25	2.65	54	24.12	13.97
6	10	2.13	56	24.55	15.16
7	18	1.97	38	24.30	8.39



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.37	53	8.22	-3.44
2	11	2.12	47	7.92	-3.33
3	18	1.96	51	6.72	-2.74
4	14	2.84	43	8.60	-4.47
5	25	2.16	40	23.30	8.79
6	10	2.33	50	10.27	7.33
7	18	1.63	52	22.48	11.35

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	48	2.00	-8.44
2	11	2.31	46	7.67	-3.78
3	18	2.57	44	13.54	1.23
4	14	5.63	70	7.89	2.46
5	25	2.03	50	17.61	6.08
6	10	5.22	58	20.18	11.21
7	18	1.71	82	24.60	12.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	48	7.10	-2.00
2	11	2.98	76	8.73	4.50
3	18	4.52	83	10.45	7.55
4	14	9.02	66	0.23	-7.06
5	25	3.08	70	18.86	12.00
6	10	2.19	75	20.45	15.55
7	18	1.91	84	22.10	11.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	12.00	88	6.32	5.56
2	10	12.26	86	6.77	4.00
3	18	1.83	54	2.68	-5.95
4	14	1.54	46	-9.57	-18.86
5	25	2.54	68	23.66	15.08
6	10	1.87	87	15.71	9.52
7	18	2.08	46	18.84	4.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	48	-0.22	-10.10
2	11	1.51	48	-0.05	-11.30
3	18	1.78	45	0.21	-10.19
4	14	5.38	68	-0.12	-8.19
5	25	2.13	62	17.24	9.69
6	10	1.69	66	11.32	3.71
7	18	2.98	68	17.11	10.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.18	72	-3.21	-7.55
2	11	9.20	78	1.16	-3.32
3	18	1.77	49	2.62	-8.90
4	14	1.68	44	4.52	-6.97
5	25	2.31	69	18.99	11.26
6	10	2.48	70	12.21	8.55
7	18	3.56	68	18.27	9.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	37	-0.66	-11.94
2	11	1.86	46	2.77	-7.62
3	18	1.82	43	7.18	-4.56
4	14	3.14	55	5.03	-3.76
5	25	9.72	69	14.86	7.37
6	10	4.57	75	12.44	7.66
7	18	4.29	71	17.38	11.21

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.22	99	4.99	-7.00
2	10	2.00	93	0.32	-2.71
3	18	5.72	57	10.39	1.09
4	14	6.12	74	-3.25	-7.20
5	25	3.60	66	16.17	9.44
6	10	3.30	81	17.38	15.09
7	18	2.30	86	21.69	16.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	6.02	86	1.66	-3.77
2	11	8.78	90	5.06	3.58
3	18	4.30	86	10.36	6.75
4	14	5.78	70	-6.62	-10.76
5	25	6.16	69	20.62	14.97
6	10	3.99	78	15.66	15.33
7	18	6.01	60	10.09	0.54



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	5.80	81	1.11	-1.77
2	11	8.60	82	5.20	1.66
3	18	8.13	72	-2.88	-7.52
4	14	1.80	69	0.28	-4.98
5	26	2.85	69	18.81	8.06
6	10	1.58	47	4.71	-5.88
7	18	1.81	88	9.18	-0.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	54	3.33	-5.92
2	11	1.84	48	5.14	-5.60
3	18	1.77	54	7.12	-1.51
4	14	3.06	60	-0.87	-7.93
5	25	1.58	31	15.06	-2.59
6	10	1.37	32	12.94	-3.33
7	18	1.56	32	18.32	0.65



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	50	6.99	-2.86
2	10	2.26	48	10.32	-0.99
3	18	1.58	44	3.63	-7.06
4	14	0.42	62	-5.43	-10.59
5	25	2.50	30	19.41	9.15
6	10	1.01	40	16.21	2.61
7	18	1.61	44	18.39	5.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	34	5.21	-9.65
2	11	1.95	40	6.66	-6.00
3	18	7.14	63	-0.43	-8.53
4	14	5.15	56	-11.74	-10.73
5	25	1.99	47	18.80	6.78
6	10	3.25	67	15.71	9.38
7	18	2.75	50	14.02	2.18

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.82	79	1.88	-1.00
2	11	9.77	84	2.11	-0.50
3	18	0.77	69	-8.84	-11.67
4	14	9.81	82	-7.02	-19.06
5	25	2.22	66	15.90	5.73
6	10	1.57	42	-1.77	-12.56
7	18	2.40	32	0.82	-19.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.50	47	-1.22	-10.00
2	11	5.45	58	-1.51	-9.13
3	18	9.53	64	-2.50	-9.03
4	14	1.68	60	-1.80	-10.42
5	25	1.94	36	6.61	-8.41
6	10	1.70	48	1.61	-10.77
7	18	1.58	41	4.20	-8.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	46	-0.33	-11.82
2	10	2.17	49	1.46	-8.82
3	18	1.80	48	1.41	-8.45
4	14	1.86	46	6.70	-5.00
5	25	4.03	46	7.59	-4.70
6	10	2.05	45	4.82	-8.21
7	18	1.83	28	10.98	-8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	43	4.00	-7.99
2	11	1.92	55	2.97	-5.56
3	18	1.68	47	5.89	-4.47
4	14	1.68	40	12.13	-1.74
5	25	1.74	30	11.12	-6.06
6	10	1.73	32	10.05	-5.98
7	18	1.82	28	18.00	-9.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	32	12.21	-6.00
2	11	1.78	42	10.29	-2.87
3	18	2.32	42	10.55	-1.88
4	14	1.77	37	15.31	0.07
5	25	1.88	29	15.35	-2.93
6	10	1.72	27	14.71	-5.99
7	18	1.74	37	19.82	9.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	29	13.55	-4.32
2	11	1.95	55	13.07	-2.32
3	18	2.45	59	15.36	-0.52
4	14	2.12	45	13.92	1.74
5	25	2.39	28	18.88	-0.50
6	10	1.92	28	18.99	-1.22
7	18	4.48	50	19.75	8.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	90	12.21	-0.77
2	10	2.36	95	10.27	2.10
3	18	2.47	29	10.48	0.57
4	14	1.09	95	10.09	-0.08
5	25	2.22	27	22.77	2.28
6	10	2.46	57	20.58	9.46
7	16	6.46	60	18.78	6.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	43	13.66	-0.86
2	11	2.60	92	10.49	1.06
3	18	2.56	32	19.09	2.24
4	14	1.00	97	10.36	2.07
5	25	2.05	56	20.61	9.92
6	10	4.05	57	17.80	6.71
7	16	2.42	80	21.85	6.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.02	70	4.00	-0.77
2	11	4.61	77	6.51	2.06
3	18	1.73	42	13.28	0.12
4	14	4.75	48	15.47	5.80
5	25	2.61	41	22.43	8.32
6	10	2.01	42	20.60	8.88
7	16	5.66	56	23.74	8.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	32	10.44	-5.55
2	11	1.55	42	11.71	-1.00
3	18	2.05	48	11.32	-0.21
4	14	3.42	48	11.14	-1.50
5	25	1.72	35	20.86	4.48
6	10	1.69	55	22.27	5.58
7	16	2.65	43	23.91	9.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	27	14.89	-4.21
2	10	1.58	31	17.43	0.11
3	18	2.57	38	19.81	4.47
4	14	3.71	80	9.16	0.47
5	25	2.76	47	20.17	8.10
6	10	2.70	79	20.83	15.58
7	16	2.32	47	29.53	11.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	63	12.32	5.44
2	11	4.56	66	12.77	6.15
3	18	1.65	48	12.49	1.35
4	14	1.03	56	8.48	-1.00
5	25	4.03	71	21.01	15.19
6	10	2.10	68	20.82	13.88
7	18	2.51	59	18.39	9.64

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.76	81	0.00	1.11
2	11	2.17	55	5.05	-0.40
3	18	2.15	50	5.11	-4.56
4	14	1.60	87	11.50	-0.89
5	25	1.98	48	10.66	0.16
6	10	1.52	47	14.05	2.77
7	16	1.92	44	10.66	0.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	95	4.22	-10.00
2	11	1.65	36	8.68	-6.01
3	18	1.75	31	14.57	-2.57
4	14	1.71	24	18.19	-8.06
5	25	1.72	23	17.72	1.13
6	10	1.48	55	15.38	-2.16
7	16	2.02	42	18.38	8.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	25	0.00	-9.00
2	10	1.90	30	15.00	1.27
3	18	1.72	28	19.87	0.92
4	14	1.60	37	20.04	1.90
5	25	1.73	36	22.04	5.48
6	10	2.04	46	19.00	5.72
7	16	2.50	00	18.22	10.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.95	39	20.44	4.00
2	11	1.91	28	22.67	2.67
3	18	1.08	27	22.85	2.28
4	14	1.06	32	21.42	2.34
5	25	2.34	47	23.21	9.68
6	10	4.06	64	19.66	10.60
7	16	3.51	69	19.30	11.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	33	10.00	1.44
2	11	2.40	33	22.47	4.08
3	18	4.90	00	10.53	0.63
4	14	2.01	54	10.06	7.02
5	25	3.20	60	22.06	15.10
6	10	1.37	59	21.71	13.32
7	16	1.70	52	24.40	13.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	47	9.00	-1.21
2	11	3.00	74	9.00	5.14
3	18	2.09	63	20.04	13.45
4	14	3.56	75	12.21	7.65
5	25	2.57	63	23.77	16.12
6	10	1.73	57	24.9%	15.30
7	16	3.23	42	21.97	5.72

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	61	9.00	2.86
2	10	4.42	71	13.21	7.40
3	18	3.70	70	20.12	13.94
4	14	2.90	63	12.83	5.03
5	25	4.07	76	21.44	16.70
6	10	2.86	74	19.77	14.66
7	18	2.87	43	20.48	5.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.31	75	14.89	10.06
2	11	4.86	77	17.06	12.72
3	18	3.96	72	18.38	11.23
4	14	1.70	48	14.07	2.88
5	25	2.43	76	21.46	16.43
6	10	1.71	52	20.89	10.60
7	18	1.83	30	24.50	4.65



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.11	54	10.00	3.58
2	11	2.88	64	16.40	9.20
3	18	4.02	74	12.34	7.03
4	14	1.82	44	17.83	4.58
5	25	1.68	45	25.32	12.30
6	10	1.82	41	23.77	9.80
7	18	1.95	28	27.48	5.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	57	9.88	1.44
2	11	2.63	65	13.63	7.01
3	18	2.56	52	21.09	10.67
4	14	1.60	30	10.44	0.27
5	25	1.76	39	25.43	10.10
6	10	1.58	35	28.93	10.05
7	18	1.94	33	27.14	9.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.35	59	8.10	0.55
2	10	2.71	68	11.10	5.32
3	18	1.09	31	19.78	1.57
4	14	1.63	38	21.36	5.31
5	25	1.95	47	24.30	11.32
6	10	1.52	35	28.71	11.49
7	18	2.05	49	27.39	13.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.54	32	18.32	1.55
2	11	2.51	39	18.78	4.38
3	18	2.60	52	21.13	10.89
4	14	2.13	52	20.74	9.40
5	25	2.63	50	24.55	12.57
6	10	1.52	34	29.44	11.77
7	16	1.94	48	27.32	13.78

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.59	82	8.88	7.08
2	11	6.37	73	17.01	11.01
3	18	4.47	75	18.38	13.51
4	14	4.31	68	18.67	8.00
5	25	2.08	44	27.50	13.00
6	10	1.44	39	27.49	12.18
7	18	1.03	60	20.09	12.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.41	46	13.06	1.99
2	11	2.33	58	16.04	7.11
3	18	5.85	63	20.30	12.31
4	14	2.26	38	18.88	-1.70
5	25	2.23	46	25.60	12.24
6	10	1.73	48	25.98	14.52
7	18	3.16	48	26.05	10.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.45	60	9.88	4.95
2	10	4.16	70	15.80	9.03
3	18	2.35	39	20.05	5.17
4	14	1.87	34	18.46	0.48
5	25	2.46	60	24.80	13.00
6	10	2.70	70	20.99	15.21
7	18	2.24	46	20.49	10.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.87	71	13.99	8.55
2	11	6.09	58	19.59	8.43
3	18	1.69	43	19.84	5.69
4	14	2.02	38	19.32	4.20
5	25	1.88	36	26.35	9.78
6	10	1.70	48	26.10	13.59
7	18	1.82	41	20.85	13.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.78	73	13.84	8.88
2	11	4.05	53	16.76	6.61
3	18	2.85	64	15.64	8.42
4	14	3.94	68	14.89	7.81
5	25	1.87	46	27.57	13.95
6	10	1.48	65	23.44	16.16
7	18	4.77	81	27.42	7.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.75	78	9.18	6.44
2	11	5.41	76	12.67	8.27
3	18	6.75	82	15.55	12.24
4	14	2.27	58	13.04	4.20
5	25	2.48	52	26.64	15.68
6	10	3.71	51	24.49	13.68
7	18	0.51	29	28.45	5.72

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.08	87	6.21	4.21
2	10	6.26	90	9.38	7.77
3	18	2.81	78	12.77	8.23
4	14	1.71	43	17.88	4.88
5	25	3.48	62	22.46	10.63
6	10	2.91	58	17.16	7.99
7	18	5.21	28	27.77	6.46



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.88	82	8.33	5.44
2	11	2.32	78	8.17	4.76
3	18	2.22	82	15.91	9.41
4	14	2.20	58	22.87	7.65
5	25	3.34	64	20.06	9.48
6	10	1.75	50	18.33	7.38
7	18	5.01	35	27.32	8.88

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	78	8.77	5.32
2	11	1.72	66	12.87	6.08
3	18	1.87	58	17.88	8.58
4	14	2.18	48	21.48	8.68
5	25	2.28	68	19.28	8.18
6	10	1.72	67	19.55	7.48
7	18	2.62	81	25.20	12.01



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.88	78	8.44	4.88
2	11	1.67	68	8.89	3.53
3	18	2.18	68	8.85	7.28
4	14	1.88	41	16.58	2.71
5	25	1.88	68	21.32	7.08
6	10	2.23	63	21.88	8.44
7	18	2.18	48	28.18	11.28



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.62	65	13.54	6.86
2	10	1.70	45	18.66	5.88
3	18	1.98	41	20.02	8.23
4	14	2.28	28	23.30	1.78
5	25	1.78	35	24.12	6.28
6	10	1.70	31	25.43	7.21
7	18	1.95	47	27.84	15.28



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.94	41	16.77	9.21
2	11	1.81	42	20.65	7.06
3	18	1.65	32	21.38	9.45
4	14	2.07	33	24.00	6.82
5	25	1.82	32	25.32	7.06
6	10	1.97	33	25.44	7.98
7	18	1.77	39	28.39	12.98

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	48	19.55	9.21
2	11	2.48	44	20.29	7.21
3	18	1.63	29	23.79	4.74
4	14	2.23	44	25.74	11.38
5	25	1.83	33	24.68	8.77
6	10	1.53	36	25.80	8.88
7	18	1.66	38	28.40	10.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	58	21.99	9.88
2	11	1.82	48	20.85	8.58
3	18	1.75	38	24.37	8.45
4	14	2.26	41	27.69	12.21
5	25	1.72	33	23.80	6.30
6	10	1.56	28	28.49	8.80
7	18	1.90	35	28.81	11.69



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	46	22.46	8.77
2	10	2.62	48	23.32	8.88
3	18	1.78	37	28.35	12.12
4	14	1.88	44	22.88	9.47
5	25	1.78	38	25.57	9.48
6	10	1.77	29	26.10	8.77
7	18	1.78	36	27.32	10.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.01	43	26.21	12.49
2	11	2.26	48	26.75	12.16
3	18	1.93	39	27.95	12.04
4	14	1.91	33	20.51	3.33
5	25	1.82	37	27.88	11.37
6	10	2.01	31	29.77	10.88
7	18	2.05	48	28.25	12.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.25	88	14.10	9.44
2	11	2.58	38	26.51	7.27
3	18	1.83	27	22.26	2.43
4	14	1.68	30	21.28	2.65
5	25	2.23	34	30.61	12.81
6	10	1.81	31	29.71	10.94
7	18	2.16	45	28.08	14.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	79	10.99	5.88
2	11	1.53	57	17.16	1.76
3	18	1.57	38	19.77	1.75
4	14	1.68	52	24.79	6.82
5	25	1.96	29	27.77	7.57
6	9	1.48	29	27.89	8.08
7	18	2.01	43	28.04	14.26

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.10	45	10.21	4.20
2	10	1.62	81	21.16	9.10
3	10	2.13	51	15.56	5.69
4	14	1.89	80	14.65	-2.22
5	25	2.06	81	27.81	8.35
6	10	1.54	29	29.49	9.82
7	10	2.07	42	30.10	10.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.58	73	12.99	7.93
2	11	1.60	58	17.36	6.70
3	10	1.59	49	12.69	2.40
4	14	1.60	81	15.75	-1.46
5	25	1.68	68	28.77	10.37
6	10	1.75	68	24.71	10.27
7	10	1.84	48	28.87	15.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.58	58	11.21	2.77
2	11	1.88	46	13.05	-0.40
3	10	2.08	61	11.10	3.17
4	14	2.03	83	15.86	7.22
5	25	1.75	38	25.59	8.08
6	10	1.53	33	25.27	7.88
7	10	2.06	64	27.82	18.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	51	15.77	-1.53
2	11	2.08	45	15.36	3.32
3	10	1.71	79	14.31	10.09
4	14	1.97	34	16.68	1.03
5	25	1.09	43	28.29	14.10
6	10	2.11	41	29.30	14.32
7	10	2.51	59	25.61	18.45

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.19	39	10.77	2.93
2	10	1.78	44	18.49	6.10
3	10	2.05	47	10.69	0.67
4	14	2.36	38	21.30	5.04
5	25	2.46	46	28.46	16.78
6	10	2.58	58	28.38	15.80
7	10	2.47	67	24.68	17.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.20	28	20.88	1.08
2	11	1.78	27	23.12	2.67
3	10	3.48	48	20.81	8.38
4	14	2.81	47	21.34	7.85
5	26	2.83	46	26.84	13.36
6	10	3.42	68	23.71	17.10
7	10	1.98	58	24.85	15.44

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.48	47	10.99	7.52
2	11	2.15	37	23.17	7.37
3	18	5.50	84	18.29	10.89
4	14	1.80	41	23.52	8.40
5	25	4.08	68	23.81	15.75
6	10	2.20	85	24.21	10.72
7	18	1.77	44	20.00	19.02

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.55	65	14.60	7.80
2	11	2.10	38	20.40	5.60
3	18	2.08	43	20.80	7.58
4	14	1.82	48	24.00	8.40
5	25	3.36	63	24.76	18.06
6	10	3.46	82	23.39	14.35
7	18	1.72	46	20.43	14.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.38	86	17.88	1.48
2	10	1.68	98	21.10	2.77
3	18	1.57	56	22.30	6.99
4	14	1.68	56	24.61	8.01
5	25	2.78	58	23.88	14.26
6	10	1.98	58	24.55	14.77
7	18	1.75	98	27.94	15.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.38	58	23.10	7.08
2	11	1.88	37	23.83	7.87
3	18	1.92	37	24.83	8.39
4	14	1.82	51	23.22	10.27
5	25	2.26	57	23.88	14.06
6	10	2.21	87	22.94	18.10
7	18	3.28	62	25.83	16.17

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.92	98	11.99	-1.99
2	11	1.61	28	15.36	-2.62
3	18	1.58	38	16.50	1.05
4	14	1.93	48	21.28	8.08
5	25	2.25	58	23.39	13.01
6	10	1.73	38	26.66	15.32
7	18	1.73	53	27.87	15.93

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.38	98	20.55	2.88
2	11	1.62	28	20.60	1.76
3	18	1.65	28	20.87	1.57
4	14	2.19	48	22.89	8.83
5	25	2.02	47	23.29	10.68
6	10	1.87	43	25.93	12.21
7	18	2.19	68	25.62	18.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	47	30.80	8.77
2	10	1.01	38	27.06	8.10
3	18	1.76	41	25.59	10.58
4	14	1.02	86	25.00	9.25
5	25	1.00	48	28.02	13.02
6	10	1.07	48	27.10	14.00
7	10	1.07	64	29.00	18.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	95	20.10	6.01
2	11	1.00	82	22.62	8.00
3	18	1.78	35	25.05	8.00
4	14	1.66	93	27.10	8.47
5	25	1.00	48	26.20	16.63
6	10	9.51	56	28.16	15.77
7	10	2.10	83	29.01	18.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	50	20.00	5.00
2	11	1.71	100	25.15	5.05
3	18	8.00	37	25.00	9.00
4	14	1.02	86	27.00	10.00
5	25	8.47	63	26.63	10.57
6	10	1.00	60	24.04	10.44
7	10	1.77	82	26.00	16.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.73	38	29.70	9.33
2	11	3.32	55	25.75	15.60
3	18	3.30	72	22.95	17.37
4	14	1.71	95	25.04	12.49
5	25	3.01	73	26.30	20.00
6	10	1.59	88	25.27	18.82
7	10	1.05	68	29.05	15.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.57	88	24.55	17.99
2	10	2.03	71	23.55	18.05
3	18	3.33	88	25.87	17.98
4	14	1.06	88	21.02	18.20
5	25	1.00	66	27.72	20.62
6	10	1.65	59	28.60	19.71
7	10	2.76	55	27.87	17.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	93	20.10	17.04
2	11	3.38	98	26.76	18.07
3	18	5.81	76	23.28	18.32
4	14	1.94	98	18.94	7.25
5	25	2.07	82	27.89	18.07
6	10	1.58	89	25.21	19.05
7	10	2.16	49	29.50	18.80

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.00	62	25.33	16.00
2	11	3.50	73	22.82	17.87
3	18	2.35	75	15.27	10.00
4	14	2.00	86	10.00	10.11
5	25	1.67	66	20.72	10.00
6	10	2.11	83	27.32	19.00
7	18	2.62	48	20.00	10.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	76	18.77	14.00
2	11	2.78	80	19.94	13.50
3	18	2.71	81	21.38	13.88
4	14	2.70	75	17.25	12.67
5	25	1.68	48	20.44	16.00
6	10	1.91	55	29.00	19.00
7	18	3.07	88	20.15	18.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	88	18.21	11.21
2	10	2.56	62	24.21	13.32
3	18	2.35	56	20.81	10.98
4	14	2.84	70	17.19	11.02
5	25	1.01	48	30.00	18.16
6	10	1.86	55	29.21	18.18
7	18	2.72	48	20.88	10.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	54	21.88	11.88
2	11	2.78	67	22.97	16.25
3	18	2.62	72	23.39	17.00
4	14	1.98	88	15.31	9.16
5	25	2.13	52	29.84	18.88
6	10	1.69	81	28.27	19.48
7	18	2.23	45	26.83	12.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.34	60	26.32	17.77
2	11	2.67	62	25.89	17.52
3	18	1.57	60	18.25	10.15
4	14	1.67	47	17.59	5.63
5	25	1.61	52	29.79	18.72
6	10	1.75	68	23.10	15.82
7	18	1.90	38	25.82	9.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.02	69	21.99	15.44
2	11	1.77	61	20.70	12.31
3	18	1.85	53	16.53	8.35
4	14	1.60	38	22.69	6.24
5	25	2.20	48	26.28	14.08
6	10	1.39	53	20.69	10.49
7	18	1.62	39	27.87	12.21

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.47	74	18.32	10.21
2	10	3.33	76	18.33	11.00
3	18	1.81	56	21.04	5.11
4	14	1.85	68	23.20	11.82
5	25	1.68	46	24.72	11.50
6	10	1.33	40	22.44	8.06
7	10	1.60	46	20.59	10.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	62	18.59	11.10
2	11	1.85	66	18.53	10.29
3	18	1.69	36	22.90	7.03
4	14	2.00	64	22.87	14.91
5	25	1.50	38	25.72	10.12
6	10	1.37	39	25.21	10.46
7	10	1.56	46	20.82	10.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	70	14.88	8.22
2	11	1.57	66	18.13	8.36
3	18	2.42	43	24.20	10.11
4	14	1.88	66	24.12	16.06
5	25	1.73	36	26.28	10.37
6	10	1.81	36	27.65	10.48
7	18	1.82	46	28.86	16.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	46	18.55	8.21
2	11	1.69	33	23.07	6.18
3	18	1.91	41	25.73	11.07
4	14	2.29	61	24.59	16.02
5	25	1.75	36	26.57	9.92
6	10	1.53	36	27.82	11.49
7	10	1.73	42	20.39	13.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	70	16.66	10.09
2	10	1.87	46	23.10	10.82
3	18	2.11	40	27.55	12.52
4	14	1.63	54	23.58	13.46
5	25	1.58	37	27.82	11.48
6	10	1.76	42	28.32	13.82
7	10	1.64	45	29.50	15.13



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	74	17.99	13.21
2	11	2.00	46	26.56	13.83
3	18	2.29	46	28.32	15.42
4	14	2.08	68	20.51	13.04
5	25	2.07	55	30.46	13.29
6	10	1.87	48	29.27	16.83
7	10	1.87	57	26.55	16.59

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	61	24.21	10.45
2	11	2.67	41	20.63	13.06
3	18	3.31	66	23.70	18.89
4	14	1.71	58	18.88	10.07
5	25	2.10	42	30.48	15.87
6	10	1.66	63	26.80	18.77
7	18	1.72	80	27.87	15.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	85	18.88	8.88
2	11	2.85	67	23.88	14.23
3	18	3.21	78	18.97	15.15
4	14	1.88	47	21.10	8.88
5	25	2.52	68	27.85	17.86
6	10	1.88	58	25.53	16.55
7	18	1.98	46	28.68	18.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	88	15.21	8.21
2	10	1.85	66	17.44	10.27
3	18	3.17	75	18.55	13.78
4	14	2.08	81	17.45	8.58
5	25	2.08	48	24.38	11.75
6	10	1.87	58	21.88	11.88
7	18	1.84	48	30.88	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	68	15.77	7.88
2	11	2.88	88	16.48	9.88
3	18	2.87	82	18.31	10.84
4	14	2.81	88	14.38	7.45
5	25	2.38	51	23.86	11.68
6	10	1.88	55	24.27	16.43
7	18	2.37	84	22.94	12.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	45	22.22	8.32
2	11	2.62	48	22.37	10.38
3	18	4.58	71	18.28	12.84
4	14	2.88	78	15.11	8.85
5	25	2.78	58	25.77	15.35
6	10	4.82	82	19.88	18.38
7	18	1.87	91	21.89	10.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	55	22.21	12.55
2	11	5.11	81	17.67	14.49
3	18	3.28	74	17.27	12.21
4	14	3.33	78	13.18	8.58
5	25	3.03	78	24.97	18.43
6	10	1.57	58	21.71	10.82
7	18	1.58	38	24.56	8.61

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.91	92	15.55	14.10
2	10	3.05	86	21.44	14.55
3	18	2.93	78	15.15	11.38
4	14	1.98	84	14.24	7.41
5	25	2.11	48	26.70	13.08
6	10	1.81	56	21.30	12.10
7	16	1.58	48	28.70	11.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.78	89	21.81	19.32
2	11	2.76	68	17.77	11.66
3	18	9.00	78	13.29	9.13
4	14	1.79	48	18.66	7.07
5	25	1.88	47	26.76	13.16
6	10	2.48	59	21.68	15.05
7	16	1.73	42	28.40	14.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	82	18.99	12.94
2	11	3.30	81	18.68	10.88
3	18	2.23	55	20.35	11.04
4	14	1.83	42	23.86	8.71
5	26	2.38	61	24.83	13.83
6	10	3.38	59	21.71	12.98
7	18	1.85	54	28.87	17.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	37	25.77	10.33
2	11	2.10	40	25.60	10.65
3	18	1.73	43	23.68	10.21
4	14	1.91	47	24.36	11.30
5	25	3.21	58	24.55	15.24
6	10	1.87	55	23.71	13.55
7	16	1.68	52	29.09	17.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.27	43	27.43	13.43
2	10	1.75	39	27.77	12.49
3	18	1.78	41	25.95	11.50
4	14	9.17	53	24.38	13.08
5	25	2.47	48	26.63	14.37
6	10	1.95	45	26.60	13.44
7	18	1.60	52	29.68	18.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.72	51	25.44	14.55
2	11	2.18	41	29.08	14.44
3	18	2.48	37	27.95	11.87
4	14	2.14	61	29.72	19.23
5	25	2.84	48	29.03	15.39
6	10	2.17	37	28.82	12.77
7	18	1.88	48	29.33	18.91

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	37	30.00	14.00
2	11	2.04	42	29.10	14.40
3	18	2.59	37	29.62	13.66
4	14	2.02	82	23.32	18.55
5	25	3.02	65	25.80	18.20
6	10	2.00	30	29.45	13.44
7	18	1.71	80	28.19	18.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	44	29.66	15.55
2	11	3.32	50	27.22	15.45
3	18	2.66	42	28.87	14.13
4	14	1.70	47	28.87	14.48
5	25	3.11	71	25.90	19.32
6	10	2.05	50	27.03	16.16
7	18	1.76	63	27.01	18.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.22	56	27.33	17.55
2	10	2.60	46	28.30	15.21
3	18	3.10	49	28.51	16.03
4	14	1.63	38	28.12	12.77
5	25	1.78	63	28.07	18.48
6	10	2.01	44	30.18	16.55
7	18	1.77	48	28.78	17.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.25	69	22.32	18.32
2	11	3.43	47	29.03	16.61
3	18	1.90	40	28.11	13.29
4	14	1.68	45	25.59	12.81
5	25	2.39	49	30.37	18.15
6	10	2.08	43	30.60	16.88
7	18	1.77	45	30.51	16.94

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.64	67	23.08	17.10
2	11	3.56	53	26.66	16.05
3	18	1.61	40	25.90	10.61
4	14	1.60	44	24.04	11.10
5	25	2.25	48	31.91	17.72
6	10	1.97	45	29.94	16.21
7	18	1.73	43	30.65	16.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.33	80	28.10	12.60
2	11	1.60	43	26.15	12.16
3	18	1.65	42	23.88	10.31
4	14	1.63	45	23.43	10.39
5	25	2.32	54	29.81	18.01
6	10	2.32	57	26.93	17.44
7	18	1.72	45	30.44	18.78

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	60	20.94	14.55
2	10	2.73	65	21.71	14.56
3	18	2.38	43	24.80	10.45
4	14	1.83	60	22.41	13.90
5	25	1.85	62	20.80	13.20
6	10	2.18	59	27.49	18.80
7	18	1.76	62	31.67	18.41

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.34	69	23.88	19.33
2	11	2.41	61	23.38	12.41
3	18	2.26	53	22.80	11.38
4	14	1.78	48	29.78	11.14
5	25	2.48	58	28.82	18.41
6	10	2.84	72	25.77	20.10
7	18	1.88	48	31.66	18.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	68	20.88	12.83
2	11	2.31	48	22.16	10.90
3	18	1.87	40	25.11	8.72
4	14	1.85	48	25.58	12.37
5	25	1.88	55	27.21	17.21
6	10	2.08	58	27.22	18.88
7	18	1.87	50	31.86	18.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	59	23.88	13.44
2	11	2.15	47	24.78	12.42
3	18	1.78	56	25.30	8.17
4	14	2.16	58	28.63	13.60
5	25	2.15	52	27.30	16.78
6	10	1.87	48	27.43	16.71
7	18	1.84	50	31.45	18.33

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.78	44	27.88	13.77
2	10	1.78	38	27.32	12.27
3	18	1.87	34	27.77	10.30
4	14	2.09	37	28.14	16.82
5	25	2.17	53	27.32	16.55
6	10	2.03	43	28.32	16.21
7	18	1.85	41	30.97	18.05

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	96	30.77	13.77
2	11	1.96	33	29.69	11.46
3	18	2.87	43	28.20	13.78
4	14	1.78	58	28.72	19.38
5	25	2.23	46	29.28	15.06
6	10	2.25	47	29.88	17.38
7	18	2.09	48	31.04	18.39

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	43	28.98	15.77
2	11	3.08	46	29.33	16.80
3	18	3.11	64	28.08	20.27
4	14	2.12	51	29.32	17.97
5	25	2.35	47	29.57	18.08
6	10	2.29	44	29.83	16.43
7	18	1.76	48	31.21	17.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	53	30.77	20.10
2	11	3.30	58	28.53	19.54
3	18	2.02	51	30.45	19.18
4	14	1.88	48	28.96	15.58
5	25	2.30	48	30.39	17.75
6	10	2.17	45	30.49	17.18
7	18	1.70	48	31.79	18.87

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.08	61	30.11	21.21
2	10	3.28	60	31.10	19.44
3	18	2.02	49	31.10	18.88
4	14	1.60	53	29.28	18.32
5	25	2.08	46	31.75	18.38
6	10	1.85	48	31.33	18.80
7	18	1.81	48	31.80	18.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.07	58	27.93	18.21
2	11	2.18	48	32.32	18.58
3	18	2.10	50	31.76	19.04
4	14	1.58	51	30.43	18.94
5	25	1.92	46	32.93	19.52
6	10	2.05	47	32.16	19.55
7	18	1.53	50	31.52	19.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	41	30.77	18.21
2	11	2.96	42	33.23	18.27
3	18	2.07	46	32.65	19.59
4	14	1.71	53	29.75	18.68
5	25	2.26	51	32.11	20.15
6	10	1.91	45	32.66	19.05
7	18	1.61	52	31.95	20.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.05	49	30.99	18.43
2	11	2.98	46	33.33	19.98
3	18	2.08	54	30.05	19.37
4	14	1.60	68	29.24	19.28
5	25	1.93	53	31.48	20.44
6	10	2.18	55	30.77	20.60
7	18	1.58	51	31.38	19.78

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	68	24.66	18.33
2	11	3.66	61	27.83	18.48
3	18	2.85	61	28.94	20.24
4	14	1.83	84	30.38	18.55
5	25	2.18	67	30.62	20.90
6	10	2.13	58	29.85	20.71
7	18	1.81	46	32.98	18.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	50	27.10	15.66
2	11	2.22	60	28.73	18.01
3	18	2.86	58	29.40	20.21
4	14	1.80	50	30.69	18.84
5	25	2.96	64	28.35	21.50
6	10	2.35	85	28.99	21.60
7	18	1.93	48	33.06	18.91

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	42	30.94	15.98
2	11	3.50	62	30.40	19.09
3	18	2.48	68	30.24	21.87
4	14	1.60	48	29.28	17.01
5	25	2.48	65	29.33	21.81
6	10	2.78	66	29.22	21.62
7	18	1.88	48	32.57	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.07	50	32.11	20.55
2	11	3.32	58	30.50	21.15
3	18	1.82	61	29.07	20.52
4	14	1.58	48	27.02	14.91
5	25	2.16	65	29.59	22.21
6	10	1.89	64	29.33	21.49
7	18	2.72	52	31.25	19.51

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.77	59	32.22	22.89
2	10	4.37	57	30.05	19.93
3	18	1.85	52	28.57	17.52
4	14	1.85	55	27.93	17.77
5	25	2.47	70	28.88	22.61
6	10	2.03	57	31.16	21.44
7	18	1.60	51	31.38	19.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.63	42	26.92	12.45
2	11	1.59	38	28.83	13.33
3	18	1.69	43	28.14	14.13
4	14	1.64	52	29.68	17.77
5	25	2.69	68	28.30	21.35
6	10	1.72	56	31.21	20.66
7	18	1.91	49	31.99	19.47

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	46	29.21	10.21
2	11	1.57	38	26.95	11.08
3	18	1.87	48	27.52	12.88
4	14	1.78	60	30.09	18.86
5	25	2.23	66	28.24	20.07
6	10	4.01	72	27.68	21.08
7	18	1.86	48	32.30	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.72	40	28.21	10.86
2	11	2.70	30	27.92	12.16
3	18	2.41	44	30.08	18.50
4	14	1.87	50	30.08	18.33
5	25	2.44	64	27.70	20.06
6	10	5.10	72	28.18	22.27
7	18	1.85	58	31.83	20.20

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	61	27.21	19.92
2	10	3.23	42	30.69	18.21
3	18	3.05	58	29.75	19.93
4	14	2.06	63	26.88	17.17
5	25	2.38	68	29.15	20.55
6	10	1.87	68	28.93	21.98
7	18	2.66	68	32.29	18.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.07	52	30.44	19.10
2	11	3.25	53	31.30	20.34
3	18	2.13	65	27.18	19.56
4	14	1.66	55	28.48	18.48
5	25	2.43	56	30.93	21.10
6	10	1.95	72	27.18	21.38
7	18	1.72	48	32.22	19.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.36	69	24.68	21.33
2	11	2.65	65	30.24	19.99
3	18	2.51	60	27.96	18.68
4	14	1.64	62	28.50	18.31
5	25	1.69	62	31.87	20.00
6	10	1.83	67	28.55	21.66
7	18	1.62	57	29.30	18.71

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	58	32.22	20.44
2	11	2.51	50	31.61	18.20
3	18	2.75	57	28.82	19.51
4	14	1.77	49	29.28	16.38
5	25	1.76	53	32.16	21.06
6	10	1.54	58	30.05	20.99
7	18	1.69	60	28.71	19.82

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.09	50	31.22	19.66
2	10	2.36	46	31.61	18.43
3	18	2.93	60	28.65	19.55
4	14	2.08	47	26.58	16.89
5	25	1.02	48	32.86	20.64
6	10	1.80	59	30.35	20.86
7	18	1.78	67	29.30	18.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.49	61	25.88	15.88
2	11	1.71	38	29.49	13.43
3	18	3.05	55	28.43	19.50
4	14	1.84	52	30.16	18.88
5	25	2.14	65	31.68	21.50
6	10	1.62	53	32.11	21.21
7	18	1.83	57	28.66	20.24

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.07	44	28.55	12.88
2	11	2.26	38	28.89	11.61
3	18	2.85	43	30.85	16.38
4	14	2.02	48	31.50	18.56
5	25	2.56	66	29.88	20.64
6	10	2.20	55	31.68	21.48
7	18	1.84	54	28.65	20.17

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	44	32.22	18.32
2	11	3.17	32	33.08	13.93
3	18	2.98	39	32.09	18.13
4	14	1.88	48	32.00	19.51
5	25	3.29	61	30.06	21.37
6	10	2.37	62	29.88	21.66
7	18	1.68	52	30.41	19.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.27	48	31.22	19.10
2	10	3.20	31	35.11	15.48
3	18	3.65	47	32.22	18.98
4	14	1.84	45	32.37	18.68
5	25	2.03	52	31.65	20.41
6	10	1.76	63	29.33	21.27
7	18	1.67	46	32.26	18.67

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.16	41	33.09	18.43
2	11	3.75	40	33.48	17.11
3	18	3.35	69	29.28	21.41
4	14	1.75	64	27.09	18.48
5	25	1.66	66	31.22	21.06
6	10	1.83	68	28.88	21.48
7	18	1.78	60	31.42	19.23

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.64	68	28.58	18.86
2	11	1.68	56	28.01	16.71
3	18	2.27	60	25.58	17.12
4	13	1.64	48	28.58	19.20
5	25	1.68	67	28.05	21.05
6	10	5.29	73	27.88	22.46
7	18	1.68	62	31.69	20.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.08	80	29.95	14.88
2	11	2.81	43	28.53	14.29
3	18	2.15	51	28.48	17.09
4	14	1.88	48	31.86	18.92
5	25	2.11	68	29.07	22.05
6	10	2.85	85	30.52	22.58
7	18	1.85	67	32.98	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.05	47	28.10	18.21
2	10	2.08	46	30.06	18.10
3	18	2.84	51	33.51	21.04
4	14	1.57	48	32.08	19.92
5	25	2.21	68	31.21	21.72
6	10	2.51	58	31.96	22.00
7	18	1.87	48	32.98	18.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	4.03	65	27.88	19.48
2	11	5.28	51	32.67	20.88
3	18	1.83	59	34.28	21.97
4	14	1.62	52	30.15	18.24
5	25	2.08	55	31.80	21.46
6	10	2.28	57	32.55	22.02
7	18	2.53	56	31.21	20.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.01	61	22.10	13.32
2	11	3.10	63	26.25	18.38
3	18	3.22	66	29.31	21.93
4	14	1.60	50	31.60	19.11
5	25	2.46	58	32.64	22.03
6	10	2.82	59	31.72	22.60
7	18	2.71	84	31.52	29.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.10	48	25.88	12.65
2	11	2.69	58	27.57	17.26
3	18	2.83	58	31.10	20.78
4	14	1.80	48	32.62	19.75
5	25	6.48	71	29.85	22.90
6	10	3.08	83	30.83	23.05
7	18	1.84	58	32.22	20.23

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.38	57	25.00	9.44
2	10	3.15	61	28.16	16.16
3	18	4.40	59	32.66	21.01
4	14	1.73	42	34.72	19.00
5	25	2.50	60	29.27	21.50
6	10	2.52	56	31.10	21.38
7	18	1.84	47	32.76	19.44

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.77	51	28.66	17.10
2	11	2.34	53	29.04	18.73
3	18	3.51	53	31.94	20.52
4	14	1.80	42	35.06	19.48
5	25	2.47	67	28.57	21.70
6	10	2.13	56	31.27	20.88
7	18	1.78	48	33.18	19.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.08	47	33.33	20.21
2	11	3.48	45	33.68	19.58
3	18	3.52	52	31.72	20.45
4	14	2.20	45	33.86	19.38
5	25	1.70	60	30.81	21.48
6	10	2.08	58	30.72	20.84
7	18	1.86	52	31.62	18.86

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.38	41	30.88	15.55
2	11	1.88	38	34.16	15.75
3	18	3.18	51	32.85	21.19
4	14	2.19	47	32.74	19.26
5	25	1.87	51	32.66	21.10
6	10	1.81	57	30.96	21.53
7	18	1.88	53	30.72	19.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.88	39	27.32	12.10
2	10	1.76	36	31.55	14.77
3	18	2.87	48	32.87	20.42
4	14	1.79	48	32.28	19.12
5	25	2.25	52	32.17	21.06
6	10	2.05	51	32.68	21.10
7	18	1.76	50	30.20	20.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.81	47	29.55	18.21
2	11	3.16	54	31.16	20.26
3	18	2.84	48	32.62	20.24
4	14	1.87	48	29.48	18.72
5	25	2.38	56	32.88	21.72
6	10	2.47	52	33.28	21.98
7	18	1.87	53	31.42	20.34

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.33	46	34.55	20.77
2	11	2.80	48	33.73	20.80
3	10	1.98	54	31.69	21.07
4	14	1.76	62	29.84	19.80
5	25	2.41	64	32.24	21.52
6	10	2.49	51	32.30	21.06
7	16	1.62	52	31.50	20.40



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	80	27.00	18.55
2	11	2.45	52	31.01	20.55
3	10	3.27	71	28.42	22.10
4	14	1.76	60	28.17	18.44
5	25	2.57	62	32.66	21.30
6	10	2.44	54	32.61	22.05
7	16	1.83	47	32.40	19.47



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.42	76	27.21	21.00
2	10	3.56	62	29.43	21.32
3	10	1.78	60	27.09	18.40
4	14	1.54	60	24.07	12.09
5	25	2.26	56	32.17	22.00
6	10	3.77	64	30.18	21.98
7	16	1.58	44	33.47	19.20



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	40	20.99	9.21
2	11	1.51	40	24.44	9.79
3	10	1.57	47	24.59	12.61
4	14	1.54	48	26.62	14.43
5	25	3.30	66	28.80	21.55
6	10	1.94	59	29.00	20.94
7	16	1.64	48	32.95	19.99

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	41	24.44	10.32
2	11	1.69	40	26.56	11.76
3	10	2.73	54	27.24	16.93
4	14	1.65	57	28.10	18.58
5	25	2.41	63	28.26	21.26
6	10	2.03	57	31.27	21.86
7	16	1.81	49	32.84	20.29

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	51	23.55	11.66
2	11	2.01	70	24.23	18.12
3	10	3.36	59	28.48	18.51
4	14	1.93	46	28.86	19.76
5	25	2.46	65	29.21	21.02
6	10	1.85	56	31.72	21.33
7	16	1.77	54	31.52	20.86

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.77	81	24.54	20.66
2	10	4.46	78	24.77	20.44
3	18	2.08	44	27.21	13.78
4	14	1.88	48	27.82	12.17
5	25	2.27	62	30.13	21.68
6	10	2.37	59	30.38	21.32
7	18	1.81	62	28.85	20.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.78	88	22.81	19.94
2	11	4.68	80	22.83	18.88
3	18	1.73	48	27.15	12.21
4	14	1.63	38	28.68	12.80
5	25	2.18	67	28.76	20.08
6	10	2.07	56	29.80	19.68
7	18	2.32	61	30.30	19.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.00	87	23.88	20.00
2	11	5.46	86	22.67	19.68
3	18	2.97	48	25.98	12.48
4	14	1.80	38	28.78	12.43
5	25	2.07	61	28.76	20.16
6	10	2.42	48	29.63	18.88
7	18	2.48	48	29.88	17.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.78	72	28.93	22.88
2	11	1.92	64	28.69	21.08
3	18	2.18	55	29.28	19.82
4	14	1.87	41	28.21	19.29
5	25	2.63	67	29.21	21.87
6	10	2.28	67	29.18	18.55
7	18	2.29	44	30.20	18.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	81	29.00	21.10
2	10	2.48	59	28.99	20.16
3	18	1.76	37	29.05	13.28
4	14	1.78	40	29.08	13.67
5	25	1.99	68	29.17	21.07
6	10	2.48	55	29.18	18.77
7	18	2.38	44	30.23	18.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.58	81	29.22	20.66
2	11	3.25	58	29.56	20.38
3	18	2.65	44	29.99	18.26
4	14	1.88	37	29.87	12.89
5	25	1.98	62	29.81	21.62
6	10	2.74	62	29.71	20.32
7	18	2.08	39	31.58	15.68

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.50	78	25.77	20.00
2	11	2.26	83	29.50	21.66
3	18	2.82	48	31.26	18.00
4	14	1.00	89	92.42	19.44
5	25	4.62	68	28.68	21.62
6	10	2.14	56	30.10	20.32
7	18	1.00	36	32.92	14.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.46	80	29.55	22.93
2	11	6.22	76	28.86	22.11
3	18	2.45	45	31.72	18.26
4	14	1.02	36	32.53	15.00
5	25	3.01	63	30.62	21.02
6	10	2.17	50	32.05	20.22
7	18	2.01	51	28.50	17.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	8.62	83	24.32	20.00
2	10	2.50	60	30.04	19.77
3	18	2.75	38	33.04	17.77
4	14	2.36	42	31.68	16.66
5	26	2.26	67	31.77	22.01
6	10	2.44	48	33.22	20.10
7	18	1.83	51	29.66	18.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	49	32.11	19.77
2	11	2.51	46	33.83	19.43
3	18	3.13	42	33.87	19.06
4	14	1.71	38	32.30	15.39
5	25	2.43	55	32.17	21.77
6	10	2.60	43	33.83	19.56
7	18	1.71	55	29.99	19.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.47	51	33.22	21.55
2	11	3.82	53	31.76	20.60
3	18	2.52	40	33.89	18.26
4	14	1.57	42	30.91	16.02
5	25	2.93	55	32.37	21.68
6	10	2.68	49	32.77	20.65
7	18	1.84	50	32.04	20.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.69	50	32.10	20.22
2	11	3.79	64	27.97	19.99
3	18	2.93	68	26.23	19.10
4	14	1.63	48	27.81	14.36
5	25	2.75	52	32.86	21.75
6	10	2.48	63	29.71	21.71
7	18	1.75	48	32.84	20.90

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.83	84	20.43	17.95
2	10	2.07	81	29.60	15.56
3	18	1.87	47	25.21	12.04
4	14	1.94	105	20.56	15.27
5	25	2.83	69	26.63	21.52
6	10	1.86	53	30.99	20.05
7	18	1.87	48	32.57	20.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	80	21.81	12.09
2	11	1.62	46	23.98	12.21
3	18	1.82	44	25.98	11.81
4	14	1.88	48	30.31	16.82
5	25	2.41	61	27.85	19.52
6	10	2.05	48	30.38	17.38
7	18	1.71	45	33.60	18.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.82	48	22.98	11.77
2	11	1.88	46	24.84	13.12
3	18	2.29	41	28.79	14.97
4	14	2.15	62	30.31	17.89
5	25	3.22	70	25.80	18.84
6	10	2.41	48	29.88	17.77
7	18	1.88	44	33.28	18.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	46	25.99	13.55
2	11	3.07	48	26.61	14.43
3	18	2.67	44	29.16	15.55
4	14	1.78	44	31.80	17.09
5	25	2.29	60	27.52	18.77
6	10	2.75	50	29.80	17.93
7	18	1.91	44	32.32	17.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.58	58	23.10	14.64
2	10	2.97	61	25.80	17.60
3	18	2.69	44	29.22	18.58
4	14	2.88	66	31.50	18.78
5	25	2.98	58	28.96	18.97
6	10	2.68	58	31.05	18.77
7	18	2.18	48	31.48	18.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	19.53	9.55
2	11	2.28	42	24.03	9.89
3	18	4.38	53	29.47	17.59
4	14	2.15	44	31.19	18.62
5	25	2.56	61	30.61	18.99
6	10	2.05	48	32.27	18.16
7	18	1.89	53	30.93	18.54

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	48	21.55	9.21
2	11	3.40	57	24.30	16.74
3	18	2.75	50	31.38	19.34
4	14	1.80	64	25.69	15.50
5	25	2.66	67	[illegible]	[illegible]
6	10	2.42	44	32.72	18.[illegible]
7	18	1.76	48	32.59	10.85



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	67	22.60	18.33
2	11	4.54	66	27.31	20.08
3	18	1.81	50	23.94	12.30
4	14	1.54	42	22.60	8.52
5	25	2.87	67	30.40	20.80
6	10	1.91	55	28.60	19.16
7	18	1.84	56	20.10	10.81



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.02	60	23.10	19.21
2	10	2.20	54	24.71	14.80
3	18	1.57	42	21.75	8.11
4	14	1.54	34	23.01	8.30
5	25	2.48	60	20.20	20.66
6	10	1.72	47	27.94	15.05
7	18	1.58	48	20.64	15.02



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.04	61	23.89	15.80
2	11	3.40	53	23.43	13.33
3	18	1.61	37	21.94	6.13
4	14	1.60	30	25.71	8.00
5	25	2.70	68	28.15	20.41
6	10	1.61	46	27.32	14.21
7	18	1.55	44	28.85	14.68



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	50	21.21	12.77
2	11	2.38	53	23.82	12.97
3	18	1.65	35	23.54	7.03
4	14	1.54	31	26.68	7.77
5	25	4.71	70	26.81	19.66
6	10	1.79	41	27.49	12.82
7	18	1.54	30	29.30	13.26



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	53	22.88	12.77
2	11	2.29	58	24.49	13.33
3	18	1.71	40	25.30	10.98
4	14	1.57	33	27.89	10.07
5	25	3.87	76	25.68	20.70
6	10	1.82	45	28.99	15.71
7	18	1.61	30	29.81	13.22

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	59	24.77	14.77
2	10	3.08	80	25.04	14.08
3	18	2.42	41	20.91	15.32
4	14	1.70	30	27.25	8.01
5	25	2.51	68	27.04	20.32
6	10	2.37	53	28.49	17.05
7	18	1.71	46	28.05	16.41

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.70	59	25.21	10.46
2	11	3.00	62	25.65	17.87
3	18	2.05	58	28.55	10.86
4	14	1.60	26	28.28	4.69
5	25	2.09	68	28.30	21.29
6	10	2.17	48	29.49	16.77
7	18	2.70	48	28.86	15.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	48	22.88	11.33
2	11	2.36	48	26.65	12.77
3	18	1.68	33	27.68	8.98
4	14	1.91	31	24.28	5.94
5	25	2.68	62	28.81	20.66
6	10	2.56	46	30.10	15.86
7	18	2.82	48	29.39	15.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	40	22.77	8.55
2	11	1.70	38	22.26	7.47
3	18	1.61	37	22.18	8.58
4	14	1.65	32	25.84	5.82
5	25	2.40	52	30.85	18.52
6	10	2.10	31	32.11	12.77
7	18	2.03	41	30.37	14.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.82	41	17.43	4.21
2	10	1.58	36	19.05	3.02
3	18	1.31	38	22.88	7.77
4	14	1.86	36	27.25	9.78
5	25	2.25	58	27.32	18.72
6	10	1.77	32	32.89	15.10
7	18	1.86	38	31.87	15.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	48	19.93	7.33
2	11	1.66	46	21.86	9.94
3	18	2.37	35	31.35	13.05
4	14	2.10	38	29.20	10.38
5	25	2.21	57	27.55	18.32
6	10	2.17	40	32.22	16.68
7	18	1.89	42	31.79	16.52

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	83	19.00	12.77
2	11	2.14	84	26.35	16.25
3	18	2.54	51	27.96	10.13
4	14	1.72	38	18.30	1.22
5	25	2.58	65	26.87	19.63
6	10	1.97	47	29.77	10.98
7	16	2.26	64	28.61	18.36

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	76	22.21	17.93
2	11	2.68	74	20.80	15.50
3	18	2.43	49	18.66	6.10
4	14	1.58	29	18.76	-1.86
5	25	1.78	61	27.55	19.24
6	10	2.03	58	27.05	17.88
7	16	2.08	80	28.73	18.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	47	10.00	0.00
2	10	1.50	37	10.00	4.05
3	18	1.87	28	20.14	-0.33
4	14	1.50	30	23.20	4.58
5	25	1.00	54	27.35	17.12
6	10	1.05	45	26.10	12.49
7	16	2.15	86	27.11	17.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	41	16.43	2.09
2	11	1.51	40	19.30	5.46
3	18	1.68	32	21.35	3.82
4	14	2.03	38	28.86	10.63
5	25	2.26	59	23.97	15.15
6	10	1.91	48	27.99	15.49
7	16	2.01	51	28.98	17.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	56	17.55	8.77
2	11	1.67	50	23.27	12.26
3	18	2.30	49	26.69	14.71
4	14	1.08	35	27.77	10.59
5	25	2.46	61	25.43	16.95
6	10	1.69	51	27.89	16.27
7	16	1.72	52	30.20	18.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.90	70	21.80	15.77
2	11	3.56	59	24.84	16.10
3	18	2.84	48	29.00	16.07
4	14	1.70	37	30.39	12.83
5	25	1.92	53	28.41	17.70
6	10	1.69	45	28.94	15.55
7	16	1.68	52	30.34	18.81

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.33	56	10.33	0.21
2	10	2.03	60	24.38	19.32
3	18	2.48	59	30.82	15.30
4	14	1.88	38	30.36	19.78
5	25	2.62	61	28.70	18.21
6	10	1.86	38	31.64	16.38
7	16	1.87	63	30.87	18.67

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.50	62	22.88	18.10
2	11	4.45	56	26.46	16.86
3	18	1.93	32	32.90	15.14
4	14	1.88	44	30.38	18.08
5	26	2.75	61	28.06	18.67
6	10	1.48	36	31.05	13.55
7	18	1.83	64	28.88	18.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	6.88	88	20.43	18.33
2	11	7.26	86	20.17	17.57
3	18	2.01	51	31.87	12.81
4	14	1.67	48	27.81	16.07
5	25	3.66	68	27.16	18.62
6	10	1.83	48	30.82	15.21
7	18	1.88	84	30.20	18.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.55	88	27.77	18.55
2	11	5.78	52	27.42	15.08
3	18	2.08	37	30.70	12.83
4	14	2.00	84	29.48	11.70
5	25	4.79	64	26.84	18.57
6	10	1.88	29	32.18	11.88
7	18	1.86	68	31.28	18.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.08	77	21.08	17.44
2	11	1.88	68	24.23	12.72
3	18	1.88	38	25.18	0.88
4	14	2.37	88	21.88	12.13
5	25	2.47	46	30.88	16.52
6	10	1.87	29	33.05	12.77
7	18	1.88	48	31.66	18.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	98	18.65	0.55
2	10	1.58	38	17.77	9.21
3	18	1.98	52	23.36	12.52
4	14	2.70	88	21.80	12.46
5	25	2.29	46	29.10	16.61
6	10	1.93	37	33.38	15.99
7	18	1.59	53	31.28	20.55

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.82	36	18.21	0.98
2	11	1.01	42	17.16	4.10
3	18	9.13	62	23.29	15.45
4	14	1.60	66	18.95	12.46
5	25	3.10	56	20.30	17.65
6	10	2.01	59	32.44	18.49
7	18	2.04	64	28.19	21.69

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.82	38	18.88	2.88
2	11	3.23	62	17.87	10.04
3	18	8.95	63	20.30	17.21
4	14	1.88	58	16.84	9.27
5	25	3.50	60	27.84	18.40
6	10	2.74	54	29.48	17.44
7	18	2.08	68	27.82	20.27



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.04	81	13.32	12.22
2	11	8.11	86	18.33	15.85
3	18	2.13	53	18.94	8.88
4	14	1.88	68	11.88	8.88
5	26	4.15	66	27.86	20.57
6	10	5.21	71	25.49	19.55
7	18	2.51	72	28.17	20.61

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.36	52	18.54	8.66
2	10	1.52	49	18.16	7.32
3	18	1.65	51	17.80	7.28
4	14	3.93	71	10.55	5.23
5	25	3.96	65	26.41	18.84
6	10	2.23	59	28.27	17.38
7	18	2.68	68	26.62	19.82



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.32	38	15.99	1.55
2	11	1.72	43	16.46	3.73
3	18	1.58	54	17.21	7.80
4	14	4.54	85	12.41	8.87
5	25	2.39	61	23.15	14.99
6	10	2.28	58	27.38	17.55
7	18	2.44	68	26.73	19.54



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	37	18.99	3.99
2	11	1.80	58	19.59	8.93
3	18	6.45	83	19.99	16.87
4	14	1.64	54	19.71	9.44
5	25	1.08	62	24.57	16.04
6	10	2.01	59	26.71	18.18
7	18	1.88	68	29.02	20.40

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.73	84	21.10	16.86
2	11	2.05	61	21.25	13.43
3	18	1.82	50	21.97	10.55
4	14	1.57	48	22.49	9.87
5	25	2.76	61	27.41	19.12
6	10	2.58	83	28.10	17.71
7	18	1.84	58	30.02	20.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.82	48	18.10	7.77
2	10	1.70	46	21.55	8.55
3	18	3.13	70	23.96	15.21
4	14	1.60	58	18.46	7.88
5	25	1.87	52	28.26	17.32
6	10	1.95	58	29.80	19.88
7	18	1.67	55	30.90	20.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.71	82	18.43	15.55
2	11	7.08	78	18.88	14.88
3	18	1.81	56	18.78	9.88
4	14	1.84	47	13.84	2.88
5	25	2.38	63	27.88	19.05
6	10	2.78	71	25.21	19.21
7	18	1.86	58	28.68	18.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	61	18.11	10.66
2	11	1.78	55	17.41	8.12
3	18	1.65	48	17.68	6.01
4	14	1.63	50	18.36	5.87
5	25	2.69	68	25.48	18.97
6	10	1.78	54	26.82	16.77
7	18	2.04	66	27.42	20.06

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.82	82	15.32	9.55
2	11	1.53	90	18.68	6.20
3	18	1.31	41	20.33	0.72
4	14	2.26	67	17.08	7.88
5	25	3.05	71	22.84	17.10
6	10	1.78	86	26.44	16.32
7	18	2.19	68	28.17	18.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	58	18.10	9.55
2	10	1.73	38	19.82	5.55
3	18	1.95	42	22.27	8.45
4	14	2.42	87	20.35	13.48
5	25	2.68	60	24.35	16.12
6	10	1.83	53	26.05	15.88
7	18	2.58	68	26.28	19.57

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.46	81	18.88	8.33
2	11	2.58	80	22.32	11.61
3	18	3.88	84	23.88	16.13
4	14	5.76	84	19.28	16.28
5	25	2.06	81	24.70	16.81
6	10	1.83	80	25.05	18.88
7	18	2.87	88	27.14	20.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.88	82	14.77	7.86
2	11	6.06	88	20.76	14.94
3	18	8.08	82	19.22	17.98
4	14	8.48	88	21.64	16.88
5	25	9.24	86	25.83	18.50
6	10	1.81	82	26.27	18.27
7	18	1.88	94	88.88	18.94

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.88	84	11.88	9.21
2	11	7.01	88	18.87	18.88
3	18	2.85	78	23.42	19.58
4	14	1.87	85	14.83	8.81
5	25	1.66	58	27.85	18.18
6	10	1.97	88	27.18	20.72
7	18	1.72	91	27.48	15.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.78	91	17.89	16.43
2	10	2.08	72	24.94	19.32
3	18	3.83	88	16.75	13.35
4	14	1.57	45	14.26	2.08
5	25	1.66	55	20.72	10.79
6	10	3.53	88	21.82	17.59
7	18	1.63	41	23.65	6.89

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.87	88	15.55	13.39
2	11	2.62	67	15.85	9.48
3	18	1.81	47	15.82	4.65
4	14	1.58	55	19.48	9.45
5	25	3.86	78	21.20	16.03
6	10	1.37	41	19.38	5.83
7	18	1.34	38	23.81	7.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.18	41	18.32	4.99
2	11	1.62	43	18.54	6.56
3	18	1.57	41	20.38	6.68
4	14	1.68	38	29.40	7.13
5	25	1.71	59	22.13	11.86
6	10	1.31	41	22.82	6.68
7	18	1.63	37	23.84	7.87

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.96	44	29.10	10.21
2	11	2.31	46	22.82	10.46
3	18	1.81	40	22.84	8.32
4	14	1.54	38	24.16	8.52
5	25	1.78	42	24.81	10.48
6	10	1.52	39	24.85	9.32
7	18	2.63	48	24.82	12.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	58	24.68	8.32
2	10	2.08	46	24.68	11.08
3	18	1.70	49	23.75	10.15
4	14	1.88	48	23.40	10.19
5	25	1.80	49	26.81	11.12
6	10	1.71	39	25.10	10.18
7	18	1.62	66	27.78	17.36

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	87	17.21	8.44
2	11	2.50	46	23.38	11.05
3	18	2.19	58	19.58	11.01
4	14	1.60	87	14.65	-0.79
5	25	1.97	48	26.12	13.01
6	10	2.14	48	24.43	12.43
7	18	1.74	81	20.58	14.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.87	69	14.88	9.93
2	11	5.24	77	16.76	12.51
3	18	1.74	39	15.90	1.11
4	14	1.54	28	16.94	-1.09
5	25	1.90	58	25.59	16.41
6	10	2.56	57	18.74	8.77
7	18	1.63	37	29.57	8.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.65	70	13.22	7.68
2	11	6.03	86	15.70	13.27
3	18	1.81	44	14.76	2.21
4	14	1.54	41	12.83	-0.51
5	25	2.80	63	20.29	11.91
6	10	1.48	41	16.80	2.22
7	18	1.52	26	29.25	2.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.22	88	13.55	9.77
2	11	4.39	85	16.00	13.47
3	18	2.41	63	11.44	4.18
4	14	1.60	97	15.13	0.11
5	25	1.67	38	19.32	6.99
6	10	1.75	47	15.77	5.08
7	18	1.58	28	25.55	5.85

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.51	79	8.77	3.98
2	10	4.07	89	11.10	8.16
3	10	2.18	86	10.79	4.47
4	14	1.60	48	12.69	1.30
5	25	1.68	45	18.88	6.57
6	10	1.65	47	17.38	5.44
7	10	1.55	35	25.55	8.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.48	81	9.99	8.77
2	11	2.78	78	11.66	8.30
3	10	5.18	75	11.22	8.75
4	14	1.54	49	12.65	-0.43
5	25	2.02	58	18.35	8.48
6	10	2.40	55	15.80	5.94
7	10	1.53	31	20.27	2.63



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	88	10.10	8.21
2	11	3.30	84	13.63	8.81
3	10	1.93	87	11.32	5.42
4	14	1.54	57	13.46	-1.07
5	25	1.60	66	17.60	7.88
6	10	2.53	70	13.18	7.00
7	10	1.66	27	22.77	2.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.08	71	12.99	7.08
2	11	2.71	69	13.79	6.71
3	10	1.65	58	12.52	4.37
4	14	1.58	33	18.60	0.99
5	25	1.77	48	18.55	6.15
6	10	1.65	49	15.77	6.98
7	10	1.58	28	25.65	6.89

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	98	15.77	9.32
2	10	1.93	56	15.89	6.66
3	10	1.95	45	18.91	6.68
4	14	1.73	48	18.08	5.35
5	25	1.77	42	20.79	7.37
6	10	1.87	40	19.55	5.66
7	10	1.81	32	28.78	8.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.60	88	19.44	8.77
2	11	3.45	68	13.37	6.96
3	10	2.05	69	13.17	5.33
4	14	1.89	49	19.46	1.79
5	25	1.87	48	23.97	8.06
6	10	1.89	48	23.10	8.62
7	10	1.97	43	26.85	11.29

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	41	0.89	-5.46
2	11	1.73	45	10.20	-1.81
3	18	1.78	50	14.36	4.59
4	14	2.43	51	17.61	8.89
5	25	1.88	48	21.70	8.48
6	10	2.76	58	25.96	12.62
7	18	1.87	41	28.62	12.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	87	10.52	-0.08
2	11	2.07	51	16.68	5.34
3	18	2.75	56	22.34	15.45
4	14	2.07	69	8.38	-0.35
5	25	1.98	59	22.68	12.55
6	10	2.08	48	25.69	12.48
7	18	1.76	46	25.89	12.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.21	67	18.21	11.88
2	10	3.11	75	14.88	10.38
3	18	1.68	58	8.29	-2.43
4	14	1.54	35	10.47	-6.52
5	25	2.08	57	24.30	15.15
6	10	1.75	48	16.98	8.05
7	18	1.78	34	18.38	1.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.27	48	8.21	-8.55
2	11	1.72	51	7.31	-2.52
3	18	1.89	42	12.31	-0.48
4	14	1.68	28	20.31	0.35
5	25	1.62	35	17.78	1.75
6	10	1.35	28	18.49	-2.48
7	18	1.58	29	23.83	0.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.58	78	7.22	2.44
2	11	2.23	48	13.37	2.41
3	18	2.01	58	19.34	4.50
4	14	1.78	21	22.93	-0.67
5	25	1.72	31	22.70	3.73
6	10	1.58	28	21.55	1.22
7	18	1.81	23	24.91	1.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.03	44	9.77	-1.06
2	11	1.78	43	15.18	2.87
3	18	2.57	53	22.88	5.24
4	14	1.82	40	18.18	3.36
5	25	1.76	35	24.01	6.87
6	10	2.17	28	23.38	3.33
7	18	1.83	33	25.98	10.41

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	44	14.44	2.11
2	10	9.31	43	16.60	6.40
3	18	2.05	58	16.32	8.57
4	14	1.88	68	7.81	1.82
5	25	1.80	42	26.03	11.08
6	10	2.19	43	23.05	8.21
7	18	1.88	38	20.62	4.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.40	51	18.10	5.88
2	11	2.78	66	18.32	11.86
3	18	2.39	79	8.88	5.39
4	14	4.30	66	8.22	-2.88
5	25	1.60	65	22.66	16.50
6	10	1.73	68	14.44	8.44
7	18	1.62	38	18.71	0.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	70	12.88	7.21
2	11	5.65	88	13.32	11.35
3	18	2.42	65	8.89	0.08
4	14	2.18	68	6.84	-2.77
5	25	1.65	45	19.32	6.44
6	10	1.92	32	14.27	-2.18
7	18	1.56	26	17.78	-2.83



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.60	89	19.10	9.92
2	11	1.84	51	12.72	2.77
3	18	2.28	65	7.37	0.73
4	14	1.68	48	10.83	-1.06
5	25	1.63	38	17.76	-0.13
6	10	1.39	28	15.49	-2.77
7	18	2.13	37	24.30	7.68



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.38	87	10.21	8.21
2	10	1.61	43	14.55	2.27
3	18	2.18	58	14.18	4.93
4	14	1.88	44	8.98	-3.36
5	25	1.68	38	19.88	1.75
6	10	1.42	32	20.49	3.10
7	18	1.58	48	23.91	10.93



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	73	9.55	4.77
2	11	3.47	63	14.74	7.41
3	18	6.07	78	10.24	8.32
4	14	2.88	58	-0.23	-7.41
5	25	2.09	36	22.12	5.48
6	10	1.65	52	20.18	8.55
7	18	2.57	48	21.35	8.57

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.50	70	9.21	5.77
2	11	2.30	68	11.30	6.76
3	18	1.80	86	8.95	-4.05
4	14	1.60	46	2.10	-8.60
5	25	2.57	60	17.65	9.06
6	10	1.48	49	8.27	-1.60
7	10	1.62	31	12.49	-4.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.71	85	7.10	0.60
2	11	1.96	66	5.60	-0.05
3	18	2.81	54	4.80	-4.59
4	14	1.69	38	12.17	-3.33
5	25	1.67	41	12.68	-0.73
6	10	1.72	58	9.55	-4.44
7	10	1.57	27	17.70	-2.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.50	89	6.60	5.77
2	10	2.23	86	6.71	-0.30
3	18	2.28	43	11.44	-0.77
4	14	1.60	44	13.52	0.50
5	25	1.77	33	14.46	-1.67
6	10	1.81	51	14.71	-2.71
7	10	1.62	40	22.59	7.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.87	78	8.89	4.68
2	11	2.05	56	9.89	1.31
3	18	2.23	59	8.41	-1.18
4	14	2.17	47	1.82	-8.02
5	25	1.81	38	18.72	0.46
6	10	2.18	41	17.33	3.49
7	10	1.97	44	18.95	5.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.35	69	13.94	4.68
2	11	7.16	68	8.02	1.36
3	18	2.81	53	2.74	-6.26
4	14	2.81	56	0.51	-7.69
5	25	2.86	58	16.69	7.77
6	10	1.83	39	13.33	-1.18
7	10	2.59	39	14.82	-0.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.01	80	8.77	0.60
2	11	2.34	58	6.25	-1.91
3	18	2.75	78	2.21	-2.00
4	14	1.57	68	3.68	-6.00
5	25	1.90	42	16.88	3.68
6	10	1.58	39	9.60	-3.08
7	10	2.49	58	7.63	-3.81

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.81	48	7.66	-0.02
2	10	2.00	60	6.89	-0.06
3	18	2.35	59	4.62	-2.06
4	14	1.95	56	8.46	-0.36
5	25	2.27	60	13.69	9.31
6	10	1.88	62	10.60	-1.88
7	10	1.84	61	11.80	-2.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.28	48	9.66	-2.00
2	11	3.20	57	7.67	-0.16
3	18	3.55	54	8.78	-0.15
4	14	1.66	61	8.58	-0.83
5	25	6.36	66	12.68	9.88
6	10	4.05	66	9.77	2.96
7	10	1.70	67	17.66	1.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.06	78	8.69	2.86
2	11	2.75	64	8.68	2.47
3	18	2.53	56	12.58	3.05
4	14	2.00	68	4.62	-1.91
5	25	1.79	61	16.05	8.61
6	10	1.54	48	17.62	4.10
7	10	1.68	38	22.68	8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.42	60	11.09	4.33
2	10	2.60	58	15.45	5.95
3	18	3.08	63	14.59	7.07
4	14	2.06	72	2.22	-2.91
5	25	1.78	48	22.84	11.30
6	10	1.81	65	21.21	13.66
7	10	1.76	50	24.61	12.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.89	48	12.21	0.44
2	10	5.45	65	15.32	8.84
3	18	5.28	77	10.11	13.94
4	14	3.07	77	-2.17	-3.37
5	25	2.06	57	24.78	15.55
6	10	2.44	78	22.60	17.93
7	10	1.78	53	24.80	16.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	11.42	66	7.60	0.00
2	11	6.68	76	13.18	9.20
3	18	3.50	75	6.80	2.52
4	14	6.01	68	-3.37	-9.25
5	25	1.92	60	24.39	15.03
6	10	2.46	73	21.71	18.68
7	16	1.86	86	23.39	19.01

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.62	46	5.77	-8.55
2	11	3.78	58	8.88	0.05
3	18	9.11	88	13.88	11.68
4	14	5.87	72	-2.65	-8.48
5	25	2.62	58	22.77	14.28
6	10	1.85	78	23.88	18.05
7	18	1.71	88	26.66	19.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.66	87	4.45	2.44
2	11	6.05	81	11.88	8.43
3	18	2.48	78	5.87	-1.11
4	14	9.17	96	-8.52	-18.11
5	25	2.35	53	25.58	14.88
6	10	2.88	65	18.25	10.99
7	18	1.83	84	10.78	-1.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	8.88	-8.88
2	10	1.81	48	1.55	-8.55
3	18	2.03	58	-1.25	-8.28
4	14	1.88	88	-4.88	-12.21
5	25	1.68	31	16.35	-1.87
6	10	1.58	58	8.77	-8.88
7	18	2.08	84	10.18	-8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	43	3.88	-7.68
2	11	2.92	55	8.49	-4.03
3	18	2.55	81	0.32	-5.89
4	14	3.94	86	-2.68	-8.52
5	25	1.78	37	15.37	0.46
6	10	1.88	48	9.88	-3.68
7	18	3.35	66	12.59	5.37



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.33	62	-0.55	-8.88
2	11	14.88	88	0.88	-1.81
3	18	4.45	78	0.58	-2.83
4	14	2.54	87	1.78	-4.28
5	25	4.58	77	14.88	9.58
6	10	2.81	85	7.71	1.58
7	18	2.88	48	18.88	4.37



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	52	-0.22	-8.88
2	11	1.63	58	0.88	-8.61
3	18	3.88	68	3.28	-2.09
4	14	1.63	53	8.24	-0.27
5	25	1.75	46	11.96	-0.46
6	10	2.35	45	3.88	-1.88
7	18	1.88	38	10.33	3.12

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.42	66	9.22	-2.55
2	10	1.61	52	5.88	-3.32
3	18	3.26	80	6.83	-0.48
4	14	1.83	58	5.91	-1.62
5	25	1.81	38	18.66	3.71
6	10	2.57	35	16.93	1.33
7	16	1.86	51	21.14	8.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	81	0.88	-0.10
2	11	3.44	52	4.28	-4.06
3	18	3.86	63	10.78	4.13
4	14	3.48	71	6.88	0.51
5	25	2.42	43	18.75	6.52
6	10	1.87	58	19.60	11.18
7	16	2.27	54	24.28	15.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.43	81	2.48	-0.86
2	11	3.63	76	9.78	5.73
3	18	2.88	71	9.88	0.09
4	14	1.78	68	-4.48	-9.84
5	25	2.08	64	20.76	13.22
6	10	3.81	81	15.27	12.10
7	16	1.77	44	15.65	2.86

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.26	98	0.54	-3.56
2	11	1.57	86	5.85	-5.25
3	18	1.76	58	1.10	-8.54
4	14	2.59	48	-1.54	-10.45
5	25	1.82	46	17.66	5.62
6	10	1.98	46	10.10	-0.88
7	16	1.86	47	11.87	0.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	46	2.21	-9.21
2	10	3.08	60	1.94	-4.09
3	18	3.08	54	2.88	-5.70
4	14	1.74	67	-0.95	-8.84
5	25	4.81	71	12.88	7.26
6	10	8.47	76	10.85	5.27
7	16	2.05	42	15.82	0.93

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.27	45	0.33	-10.21
2	11	3.28	59	2.62	-4.79
3	18	3.24	57	3.78	-4.19
4	14	1.97	48	6.18	-5.56
5	25	1.68	47	13.84	1.93
6	10	2.09	48	10.94	-2.16
7	16	1.56	32	16.48	-1.16

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	40	2.88	-0.77
2	11	2.78	58	5.35	-4.08
3	10	6.12	65	2.65	-5.59
4	14	1.88	66	-10.80	-12.69
5	25	2.08	62	16.17	8.61
6	10	2.11	50	13.88	3.55
7	10	9.87	46	18.48	8.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.70	86	0.10	0.00
2	11	2.57	61	2.87	-5.38
3	10	5.31	58	-11.80	-18.25
4	14	3.16	80	-0.22	-14.80
5	25	1.70	43	14.06	1.77
6	10	1.48	54	-0.98	-14.09
7	10	1.88	26	6.87	-18.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	88	-4.21	-15.94
2	10	3.67	61	-6.38	-18.82
3	15	4.39	70	-3.75	-8.48
4	14	1.88	84	-8.86	-16.08
5	25	1.58	36	4.70	-8.80
6	10	2.00	48	-0.81	-10.55
7	10	1.56	81	8.78	-10.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	49	2.77	-6.77
2	11	3.79	61	1.81	-5.19
3	10	2.35	69	-3.32	-9.07
4	14	2.19	81	-7.73	-13.67
5	25	1.64	39	7.30	-6.35
6	10	1.83	42	2.71	-9.27
7	10	2.85	49	5.13	-5.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	45	0.22	-10.55
2	11	2.12	58	-0.10	-7.72
3	10	5.06	67	-1.81	-7.03
4	14	5.52	80	-1.76	-4.79
5	25	1.90	41	10.21	-2.61
6	10	2.42	48	8.58	-5.93
7	10	5.17	81	7.88	4.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.68	72	-0.11	-4.68
2	11	8.83	83	1.91	-1.05
3	10	10.35	59	2.90	1.75
4	14	8.31	85	-0.98	-5.13
5	25	3.82	76	12.10	7.69
6	10	5.06	89	10.93	9.21
7	10	9.03	67	15.72	9.95

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.93	71	4.21	-0.22
2	10	8.02	79	7.77	6.27
3	18	10.84	54	7.88	8.81
4	14	10.41	86	-2.89	-4.01
5	25	3.64	67	10.77	13.33
6	10	5.34	84	17.44	16.77
7	18	1.77	60	10.84	8.16



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.32	88	0.77	-1.88
2	11	7.63	80	0.58	6.18
3	18	1.65	55	3.70	-4.93
4	14	9.80	69	-7.61	-11.19
5	25	4.88	78	20.92	18.70
6	10	2.62	88	15.38	8.05
7	18	1.81	48	11.87	-0.17



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	62	9.88	-2.88
2	11	2.73	54	3.38	-6.08
3	18	3.00	68	-3.57	-9.07
4	14	1.63	63	-7.77	-12.16
5	25	1.78	48	15.82	4.18
6	10	1.75	44	7.66	-3.88
7	18	2.19	60	8.39	-1.87



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	49	-3.33	-12.55
2	11	2.27	57	-0.55	-8.42
3	18	2.42	49	-0.64	-10.18
4	14	1.92	62	-2.30	-9.03
5	25	2.27	54	11.66	2.15
6	10	1.63	41	8.10	-4.44
7	18	1.66	40	11.76	-1.66



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	47	-3.77	-13.44
2	10	5.33	55	-0.61	-8.55
3	13	3.99	51	4.40	-4.77
4	14	3.42	69	-2.99	-8.10
5	25	3.63	61	10.63	3.24
6	10	2.41	54	11.05	1.88
7	18	1.75	41	17.04	3.47



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	44	-0.68	-11.88
2	11	7.71	62	1.91	-4.84
3	18	3.72	63	2.25	-4.25
4	14	3.30	73	-8.84	-11.86
5	25	3.13	61	13.30	5.86
6	10	4.16	67	11.49	5.27
7	18	1.66	36	12.42	-2.77

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.01	81	-1.00	-0.16
2	11	11.10	83	-3.81	-4.50
3	18	9.48	85	-2.52	-7.52
4	14	2.06	71	-8.00	-12.46
5	25	4.23	83	0.52	-1.06
6	10	3.22	82	1.00	-5.60
7	18	1.66	86	0.89	-0.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	93	-2.00	-11.88
2	11	2.64	58	-2.11	-8.66
3	18	5.15	81	-5.78	-10.21
4	14	5.68	71	-7.22	-11.01
5	25	1.80	66	0.10	-4.70
6	10	2.09	52	1.33	-7.55
7	18	2.16	81	0.02	-0.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.33	98	-1.00	-0.86
2	10	4.09	83	-0.77	-7.06
3	18	3.17	55	-3.17	-10.21
4	14	3.28	70	-7.61	-12.48
5	25	2.03	48	7.61	-3.70
6	10	2.27	47	3.60	-6.96
7	18	2.96	68	0.66	-2.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.18	58	-0.88	-8.55
2	11	2.78	62	-0.86	-6.61
3	18	3.76	68	-1.72	-8.60
4	14	3.08	68	-3.13	-8.52
5	25	2.36	55	6.73	-2.08
6	10	2.23	47	4.65	-5.33
7	18	1.83	43	8.19	-3.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.57	94	-0.66	-0.88
2	11	2.89	82	0.50	-6.00
3	18	4.02	58	0.43	-6.96
4	14	5.76	66	-2.22	-8.15
5	25	2.66	49	8.55	-1.85
6	10	2.58	39	7.80	-5.44
7	18	1.74	42	13.50	0.63



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.01	96	0.00	-7.68
2	11	3.81	68	1.61	-5.65
3	18	5.23	87	-0.52	-8.04
4	14	3.24	68	-0.21	-12.68
5	25	2.97	52	10.00	1.29
6	10	2.39	41	9.38	-5.21
7	18	2.27	56	11.00	3.02

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.60	66	1.22	-0.96
2	10	5.63	66	-0.60	-6.21
3	18	2.84	59	-9.88	-15.58
4	14	1.77	81	-11.70	-16.41
5	25	2.44	61	12.60	2.63
6	10	1.77	53	1.99	-8.88
7	18	1.78	36	4.80	-8.74

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	61	-2.88	-11.86
2	11	4.64	58	-2.77	-10.08
3	18	2.55	82	-5.67	-11.81
4	14	2.15	80	-8.42	-12.17
5	25	1.77	87	3.46	-9.64
6	10	1.91	47	-0.71	-10.88
7	18	1.81	36	7.86	-8.04



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	52	-0.88	-8.88
2	11	3.03	57	0.60	-7.21
3	18	2.51	58	-2.37	-9.50
4	14	2.07	65	-8.87	-12.40
5	25	1.86	41	9.60	-3.06
6	10	2.11	46	7.71	-5.77
7	18	1.89	50	14.18	3.06



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.25	62	0.77	-5.77
2	11	5.73	62	1.31	-5.65
3	18	4.65	71	-3.11	-8.24
4	14	4.55	69	-9.77	-13.05
5	25	4.32	65	12.17	5.10
6	10	7.60	68	9.44	7.21
7	18	2.01	45	14.99	1.94



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.88	48	-5.98	-12.77
2	10	3.62	68	-3.77	-10.88
3	19	2.82	58	-7.95	-12.51
4	14	2.57	63	-12.07	-15.32
5	25	2.30	55	11.99	3.13
6	10	2.72	61	6.05	-1.11
7	18	1.80	57	8.50	0.24



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.67	52	-13.14	-180.00
2	11	3.02	49	-10.94	-16.38
3	18	3.06	53	-7.27	-13.43
4	14	5.95	68	-10.63	-12.77
5	25	1.83	45	7.79	-3.44
6	10	2.41	58	5.18	-4.60
7	18	5.46	65	11.03	3.19

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.24	28	-18.47	-100.00
2	11	3.78	64	-10.70	-16.16
3	10	4.26	62	-4.51	-10.81
4	14	4.21	84	-4.36	-10.96
5	25	2.13	47	7.15	-3.51
6	10	3.88	58	5.60	-5.05
7	18	4.27	84	10.62	5.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	8.06	91	-12.38	-19.06
2	11	9.50	71	-6.91	-11.56
3	10	5.01	60	0.30	-5.21
4	14	2.99	87	0.95	-4.60
5	25	3.08	53	0.59	0.42
6	10	5.05	80	7.80	0.11
7	18	5.27	84	10.27	4.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.48	42	-8.82	-14.71
2	10	8.06	68	-6.89	-8.08
3	18	11.69	65	5.91	1.72
4	14	8.84	73	4.85	0.16
5	25	3.95	68	13.85	6.67
6	10	6.50	70	14.38	10.05
7	18	1.86	47	20.89	8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	7.38	78	-2.77	-6.10
2	11	8.12	77	4.93	0.75
3	10	6.97	82	12.24	9.19
4	14	3.27	69	1.58	-3.84
5	25	3.20	60	10.55	10.61
6	10	1.66	64	20.77	13.88
7	18	1.69	41	24.64	9.19

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.61	51	4.55	-5.44
2	11	1.53	49	5.04	-5.19
3	10	1.79	44	3.79	-7.49
4	14	1.78	62	-4.18	-7.72
5	25	1.06	53	20.97	10.48
6	10	3.21	65	17.52	10.44
7	18	1.91	47	18.98	8.87

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.70	48	-5.77	-13.84
2	11	2.38	55	-2.32	-10.35
3	10	2.59	60	1.13	-5.70
4	14	1.82	66	0.75	-5.47
5	25	1.90	46	13.12	0.91
6	10	2.90	51	11.10	0.61
7	18	2.86	49	15.96	4.09

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.32	50	-5.32	-14.21
2	10	1.06	53	-5.10	-13.55
3	18	2.49	61	-0.56	-8.97
4	14	2.20	61	3.39	-5.48
5	25	2.74	61	0.60	-1.10
6	10	2.16	43	10.03	-1.38
7	18	2.83	86	10.49	8.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.23	51	-5.21	-10.08
2	11	2.94	51	-2.82	-11.81
3	18	3.96	49	2.77	-6.67
4	14	5.59	74	-0.91	-1.57
5	25	2.52	45	8.13	-3.70
6	10	2.48	40	10.88	-2.49
7	18	2.84	80	10.85	10.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.48	87	-3.33	-10.77
2	11	3.92	64	0.05	-5.90
3	18	5.40	74	2.25	-1.68
4	14	1.94	88	-9.88	-11.87
5	25	2.54	58	8.15	1.22
6	10	3.89	71	9.21	3.99
7	18	4.04	73	12.88	7.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.27	49	-4.89	-12.35
2	11	3.57	58	-4.79	-12.01
3	18	2.29	55	-5.33	-12.28
4	14	1.54	57	-4.04	-10.88
5	25	3.73	67	10.15	3.61
6	10	2.13	65	5.83	-0.38
7	18	2.07	58	8.29	-1.17

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.24	43	-8.44	-14.44
2	10	2.00	59	-3.94	-10.12
3	18	2.39	56	-0.12	-7.92
4	14	1.67	57	0.07	-7.81
5	25	1.70	40	7.68	-5.37
6	10	1.58	42	4.99	-7.16
7	18	1.63	42	9.64	-3.64

CAPITA


REGION 1, QTR 1 1955
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 1, QTR 2 1955
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 1, QTR 3 1955
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 1, QTR 4 1955
100 15
30
RH
BEXT
TEM
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 2, QTR 1 1955
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 2, QTR 2 1955
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 2, QTR 3 1955
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 2, QTR 4 1955
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 3, QTR 1 1955
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1955
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1955
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1955
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 4, QTR 1 1955
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1955
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1955
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1955
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 5, QTR 1 1955
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 5, QTR 2 1955
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 5, QTR 3 1955
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 5, QTR 4 1955
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 6, QTR 1 1955
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 6, QTR 2 1955
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 6, QTR 3 1955
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 6, QTR 4 1955
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 7, QTR 1 1955
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 7, QTR 2 1955
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 7, QTR 3 1955
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 7, QTR 4 1955
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


EUS MEAN, QTR 1 1955
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


EUS MEAN, QTR 2 1955
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


EUS MEAN, QTR 3 1955
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


EUS MEAN, QTR 4 1955
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.08	88	-10.77	-140.00
2	11	1.97	88	-4.96	-11.46
3	18	5.28	94	5.75	-4.89
4	14	3.23	86	1.08	-6.23
5	25	1.83	36	11.08	-4.36
6	10	2.09	39	9.21	-4.58
7	18	1.87	36	16.28	1.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.66	88	-7.32	-10.06
2	11	2.55	88	-2.57	-8.77
3	18	8.30	80	2.80	-0.48
4	14	5.66	87	2.66	-0.82
5	25	1.86	48	12.77	0.22
6	10	2.60	56	12.55	5.55
7	18	2.81	42	17.81	6.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	10.38	88	-1.22	-2.83
2	11	10.27	88	1.66	0.05
3	18	8.72	75	2.31	-1.88
4	14	1.86	88	-0.36	-7.06
5	25	2.86	48	15.77	6.37
6	10	2.56	52	12.46	2.81
7	18	1.78	38	18.62	1.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.78	81	2.32	-0.55
2	10	8.48	81	2.85	-0.96
3	18	5.08	53	-1.20	-7.43
4	14	1.83	50	2.50	-7.09
5	25	2.26	41	10.41	-2.81
6	10	1.58	38	8.43	-6.36
7	18	1.77	28	16.83	-2.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.15	69	1.88	-3.43
2	11	2.87	62	2.57	-4.08
3	18	5.22	54	5.21	-3.48
4	14	1.92	53	6.26	-3.40
5	25	1.78	28	13.09	-5.26
6	10	2.35	33	13.52	-2.68
7	18	1.68	35	19.37	3.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	55	-1.22	0.48
2	11	2.07	58	1.05	7.57
3	18	4.97	74	5.27	3.28
4	14	1.91	60	-5.29	8.84
5	25	2.70	38	15.15	11.71
6	10	3.69	48	10.88	5.77
7	18	1.87	39	19.30	9.23

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	87	-2.88	-4.04
2	11	9.29	84	-8.78	-10.88
3	18	6.15	81	-1.85	-7.88
4	14	9.83	88	-4.88	-11.04
5	25	9.50	48	11.10	-0.06
6	10	2.88	85	5.77	-5.27
7	18	1.89	49	13.88	-1.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.06	81	-8.44	-8.44
2	10	9.81	88	-7.88	-16.81
3	18	1.92	58	-9.11	-10.38
4	14	8.18	84	-1.48	-7.78
5	25	1.66	86	8.84	-8.82
6	10	1.82	88	2.88	-10.88
7	18	8.81	48	8.88	-8.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.88	88	8.88	6.44
2	11	8.88	85	1.61	-0.84
3	18	8.15	85	-2.98	-8.86
4	14	1.88	88	-8.18	-4.88
5	25	2.15	48	6.84	-6.78
6	10	1.85	58	8.18	-10.55
7	18	8.88	88	11.81	-8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.48	92	4.77	3.55
2	11	3.92	87	5.50	3.38
3	18	6.52	88	0.49	1.32
4	14	5.03	77	-4.24	-7.73
5	25	3.65	58	7.19	-1.81
6	10	4.58	62	2.91	-4.77
7	18	1.87	35	13.91	-3.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.70	93	2.88	2.10
2	11	6.11	87	3.74	1.81
3	18	5.86	87	0.03	-1.68
4	14	4.09	78	-4.88	-8.05
5	25	3.65	62	8.37	1.97
6	10	3.59	78	5.55	0.05
7	18	1.89	34	10.89	-5.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.67	96	2.55	2.10
2	10	5.17	87	2.22	0.33
3	18	3.58	72	-0.03	-1.80
4	14	4.11	71	-3.25	-7.97
5	25	2.31	58	9.41	1.33
6	10	3.02	78	2.22	-1.60
7	18	1.89	41	8.50	-4.58

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	11.40	88	1.00	1.10
2	11	3.27	66	0.86	-4.00
3	18	1.90	62	2.71	-6.00
4	14	2.61	60	0.40	-7.50
5	25	1.04	53	0.80	-0.00
6	10	2.13	55	3.00	-4.00
7	18	2.87	64	10.40	-8.00

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.74	62	-0.77	-0.01
2	11	1.76	58	-1.01	-0.12
3	18	2.02	64	1.04	-0.72
4	14	3.24	64	2.41	-3.00
5	25	1.04	56	0.00	-5.17
6	10	1.87	42	0.71	-8.40
7	18	2.11	60	14.44	-8.40



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.06	70	0.00	-2.44
2	11	2.14	66	1.61	-6.40
3	18	0.25	73	0.00	-4.40
4	14	0.06	67	-0.38	-11.04
5	25	1.00	62	12.82	-4.31
6	10	3.05	53	0.10	-1.81
7	18	1.70	60	10.00	-1.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.75	70	1.11	-2.21
2	10	4.02	59	1.00	-5.40
3	18	4.75	73	-1.60	-5.70
4	13	5.33	66	-12.89	-13.74
5	25	4.44	62	10.21	2.60
6	10	4.28	59	0.05	-7.55
7	18	1.73	37	8.39	-8.53



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.90	90	-1.33	-2.99
2	11	3.47	67	-1.66	-7.11
3	18	4.94	72	-1.04	-6.41
4	14	4.87	72	-11.01	-13.08
5	25	2.06	46	9.12	-2.37
6	10	4.67	60	2.18	-5.38
7	18	3.43	58	5.34	-2.29



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	65	-2.77	-8.44
2	11	3.70	55	-0.96	-9.18
3	18	5.60	67	0.00	-5.52
4	14	4.26	70	-9.38	-11.98
5	25	2.56	38	12.90	-1.44
6	10	3.63	54	7.27	-1.93
7	18	8.35	77	2.08	-1.56

CAPITA









REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	56	1.68	-6.32
2	11	4.61	58	1.51	-6.10
3	18	8.40	70	-8.50	-9.21
4	14	4.87	74	-10.85	-10.94
5	25	4.79	66	8.72	3.33
6	10	5.63	74	5.71	1.44
7	18	8.40	91	7.25	5.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.55	71	-2.77	-7.33
2	11	3.58	53	-3.58	-12.11
3	18	3.20	63	-5.48	-11.38
4	14	8.72	73	-9.95	-12.16
5	25	6.03	77	8.81	4.53
6	10	8.15	84	2.72	0.16
7	18	5.41	83	7.11	4.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	55	-9.43	-11.21
2	10	3.12	56	-3.27	-11.05
3	10	3.65	65	-3.01	-8.72
4	14	7.24	78	-5.15	-8.40
5	25	2.33	68	5.70	0.06
6	10	5.05	72	1.83	-2.72
7	18	4.51	77	9.18	4.82

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	84	-2.81	-10.88
2	11	2.80	83	-2.67	-11.06
3	18	3.23	70	-3.39	-7.88
4	14	4.01	78	-4.71	-8.84
5	25	3.88	86	7.84	8.88
6	10	5.58	83	8.94	8.22
7	16	2.07	82	10.44	8.47



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	84	-1.32	-7.88
2	11	3.87	81	-2.87	-8.84
3	18	4.71	66	-2.88	-8.89
4	14	5.81	77	-4.68	-8.87
5	25	2.38	80	7.70	-2.88
6	10	5.57	83	8.77	-8.77
7	16	4.81	88	12.84	8.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.12	84	-2.10	[illegible]
2	11	3.82	84	-2.81	[illegible]
3	18	3.88	81	-2.88	[illegible]
4	14	10.48	88	-1.88	[illegible]
5	25	3.88	88	6.78	[illegible]
6	10	5.18	88	8.88	[illegible]
7	16	4.48	88	17.78	[illegible]



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.94	46	-1.77	-11.08
2	10	2.28	53	-0.65	-9.05
3	18	12.48	82	1.51	-1.32
4	14	4.02	82	-1.50	-4.24
5	25	3.43	53	10.68	1.33
6	10	5.53	78	9.72	5.77
7	16	2.03	66	19.93	12.04



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.13	87	1.22	-0.66
2	11	9.04	91	2.31	1.00
3	18	7.38	79	-0.21	-3.57
4	14	3.23	68	-10.03	-12.99
5	24	4.55	65	16.15	9.11
6	10	8.03	84	13.16	10.21
7	18	5.41	75	14.23	9.23



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.46	65	1.44	-1.00
2	11	13.13	93	1.46	0.50
3	18	5.39	73	-4.59	-8.68
4	14	1.91	70	-10.82	-13.67
5	25	2.99	78	17.43	11.72
6	10	2.38	75	9.60	-0.38
7	16	1.61	67	5.24	-2.67

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	48	-0.10	-10.40
2	11	2.21	50	-1.00	-8.70
3	18	3.50	60	-0.91	-10.70
4	14	4.50	71	-0.80	-11.47
5	25	1.04	48	0.01	-1.10
6	10	2.10	47	5.71	-4.00
7	18	3.00	60	7.00	0.17



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	58	-1.80	-9.00
2	10	4.61	65	-0.11	-8.10
3	18	6.10	71	-2.27	-8.04
4	14	7.79	77	-0.42	-10.70
5	25	8.43	88	10.01	1.00
6	10	7.02	79	5.10	0.30
7	18	9.20	80	6.10	7.50



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.00	60	-0.80	-1.00
2	11	10.41	60	2.87	0.00
3	18	8.70	64	0.00	-2.51
4	14	8.00	60	-10.01	-12.00
5	25	8.42	61	12.96	0.00
6	10	8.00	65	10.40	0.00
7	18	8.00	65	0.04	-0.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.27	57	-1.93	-6.68
2	11	2.04	59	-0.10	-7.16
3	18	3.43	62	-0.74	-7.12
4	14	2.92	68	-7.97	-12.77
5	25	5.21	74	16.15	11.21
6	10	7.13	68	10.80	8.33
7	18	5.29	64	0.30	-1.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.50	59	-3.88	-10.68
2	11	6.69	75	-0.80	-4.79
3	18	7.23	69	0.30	-4.53
4	14	2.23	68	-3.17	-8.38
5	25	9.35	88	10.95	8.86
6	10	8.72	93	10.38	9.38
7	18	4.42	77	1.97	-2.18



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	55	3.11	-5.10
2	10	3.49	63	2.77	-3.71
3	18	3.68	63	1.91	-4.71
4	14	3.08	70	-0.47	-5.43
5	25	3.09	69	16.70	10.59
6	10	5.24	81	11.99	8.60
7	18	4.42	67	4.79	-1.63

CAPITA



REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.01	87	1.44	-6.10
2	11	6.86	77	2.61	-1.56
3	10	15.13	82	1.20	0.15
4	14	2.13	78	0.71	-6.40
5	25	7.42	66	18.04	11.30
6	10	2.70	75	6.27	4.00
7	18	1.70	84	0.10	-0.84



REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	9.60	80	1.00	-1.80
2	11	8.80	78	4.20	-0.15
3	10	4.52	76	2.00	-1.10
4	14	2.80	74	1.14	-0.20
5	25	1.67	47	10.06	2.76
6	10	1.57	47	8.77	-0.09
7	18	2.10	66	12.04	0.21



REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.01	80	0.88	-1.00
2	11	4.30	81	7.38	0.46
3	10	5.96	73	5.88	1.44
4	14	2.73	73	-0.81	-4.00
5	25	2.80	66	17.12	8.87
6	10	2.40	62	14.38	6.10
7	18	3.01	70	10.04	7.00



REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.98	64	4.21	-2.11
2	10	3.60	76	5.16	1.39
3	18	11.19	89	2.63	0.92
4	14	9.59	71	-1.22	-8.18
5	25	3.32	70	17.26	11.64
6	10	2.21	77	11.99	9.70
7	16	2.63	76	8.00	1.94



REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.11	78	1.99	-2.11
2	11	5.30	74	4.84	0.45
3	10	5.77	75	1.29	-2.77
4	14	2.63	69	0.15	-5.11
5	25	2.44	60	17.17	9.15
6	10	3.90	75	9.82	5.68
7	18	3.60	71	6.62	1.38



REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.30	60	0.88	-1.00
2	11	0.04	86	2.87	0.65
3	10	12.62	69	1.07	-0.55
4	14	5.74	82	-1.34	-4.12
5	25	6.57	80	13.26	9.55
6	10	3.00	73	5.99	1.49
7	16	1.61	45	10.62	-1.24

CAPITA



REGION	# STNS	HEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	8.80	80	8.77	0.00
2	11	9.01	79	4.60	0.16
3	18	4.38	78	0.40	-0.40
4	14	1.00	70	-0.60	-0.61
5	25	1.80	60	13.40	1.20
6	10	1.60	65	9.90	0.95
7	18	1.80	60	10.07	1.00



REGION	# STNS	HEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	8.07	82	8.00	-0.00
2	10	8.26	80	8.80	-0.06
3	18	3.72	69	2.40	-0.06
4	14	4.06	70	0.40	-4.00
5	25	1.78	48	10.60	1.06
6	10	2.10	63	11.30	2.00
7	18	1.86	64	17.04	0.00



REGION	# STNS	HEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.00	80	4.00	-4.44
2	11	2.06	81	8.00	-1.00
3	18	3.40	78	8.30	0.00
4	14	2.04	80	-7.41	-0.00
5	25	1.05	51	17.00	9.06
6	10	2.02	66	10.00	0.71
7	18	1.04	67	20.07	10.07



REGION	# STNS	HEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.29	81	4.77	1.77
2	11	9.11	81	2.82	0.19
3	18	3.04	67	-0.89	6.41
4	14	2.22	65	-7.00	-10.32
5	25	2.08	63	19.41	12.08
6	10	5.06	66	13.82	11.38
7	18	3.34	72	15.64	8.08



REGION	# STNS	HEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	43	-1.60	11.98
2	11	3.04	58	-0.25	7.82
3	18	3.55	60	-0.70	5.95
4	14	8.18	70	-4.58	-6.35
5	25	2.47	63	15.77	8.35
6	10	8.62	87	13.49	11.55
7	18	4.60	72	17.14	11.66



REGION	# STNS	HEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	59	5.77	-13.88
2	10	8.73	65	2.22	-4.44
3	18	10.28	92	2.71	1.48
4	14	2.92	69	-8.11	-10.38
5	25	6.51	73	15.35	11.26
6	10	8.71	68	17.71	15.21
7	18	5.51	78	15.79	11.45

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.00	80	-2.50	-4.44
2	11	7.20	80	1.61	-0.10
3	18	3.51	70	-0.61	-5.40
4	14	1.74	66	-3.88	-8.42
5	25	1.63	64	21.70	11.67
6	10	2.20	67	14.27	7.80
7	18	0.80	60	10.00	8.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	67	3.00	-5.00
2	11	2.60	64	4.03	-4.20
3	18	5.72	60	2.40	-2.00
4	14	2.00	66	-3.11	-8.40
5	25	2.26	67	10.82	10.00
6	10	4.13	70	17.40	11.83
7	18	9.21	80	10.00	10.00

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	60	2.77	-4.60
2	11	2.04	65	1.40	-4.20
3	18	1.60	65	-0.55	-7.00
4	14	2.70	68	-0.04	-8.70
5	25	2.80	66	16.70	8.06
6	10	2.70	58	9.65	1.27
7	18	1.07	56	10.00	4.20



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	49	-3.00	-12.77
2	10	3.30	54	-3.03	-12.27
3	18	2.62	53	-5.68	-10.55
4	14	4.60	66	-5.50	-9.23
5	25	1.79	38	11.12	3.04
6	10	3.25	44	8.93	-3.60
7	18	1.00	43	16.69	3.71



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	47	-5.88	-15.41
2	11	4.29	53	-4.18	-12.72
3	18	2.44	52	-3.42	-11.97
4	14	4.53	64	-3.88	-9.99
5	25	1.67	34	9.19	-6.21
6	10	1.93	40	7.44	-5.55
7	18	2.62	53	18.53	7.74

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	43	-5.88	-15.18
2	11	2.05	58	-2.92	-11.96
3	18	2.30	53	-0.43	-9.04
4	14	3.82	65	0.35	-5.67
5	25	1.79	33	11.50	4.37
6	10	2.01	52	11.21	0.83
7	18	2.14	63	21.10	12.60

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.20	84	-8.44	-10.68
2	11	3.72	62	3.61	-7.37
3	18	11.38	83	8.94	5.89
4	14	8.30	77	1.78	-4.28
5	25	9.08	86	18.70	6.28
6	10	2.58	78	15.62	11.88
7	16	2.82	68	24.62	12.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	10.14	81	4.88	0.55
2	10	4.16	82	0.77	-0.84
3	18	1.65	66	0.85	-5.46
4	14	1.58	56	-1.82	-7.10
5	25	2.83	68	20.66	12.10
6	10	3.41	67	11.49	5.41
7	16	0.72	56	14.80	-1.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.82	48	-0.35	-12.82
2	11	1.81	47	2.87	-7.52
3	18	1.94	52	7.08	-2.48
4	14	1.89	83	-0.49	-8.81
5	25	1.66	38	14.67	0.31
6	10	1.51	52	13.43	-2.68
7	16	1.66	81	10.86	-0.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.82	93	5.33	-0.38
2	11	2.89	53	4.84	-4.23
3	18	8.58	68	1.81	-4.75
4	14	1.87	82	-6.28	-10.33
5	25	3.82	64	16.39	8.57
6	10	5.08	80	14.77	11.05
7	16	2.43	82	18.15	-0.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.65	87	-4.55	9.68
2	11	1.02	64	-3.86	-8.86
3	18	2.58	54	-5.05	-11.10
4	14	1.59	53	-3.03	-9.05
5	25	1.73	45	14.63	2.42
6	10	1.93	50	8.82	-3.10
7	16	1.74	26	15.48	-6.54



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	45	-4.21	-14.94
2	10	2.35	50	-1.44	-10.93
3	18	2.11	77	3.28	-5.78
4	14	1.68	48	7.21	-4.71
5	25	1.71	33	16.64	5.19
6	10	1.52	35	11.88	-4.03
7	16	1.08	31	18.54	0.93

CAPITA



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	46	0.60	-10.10
2	11	2.15	48	5.06	-6.08
3	18	2.04	48	11.67	0.43
4	14	1.66	62	7.68	-2.69
5	25	1.67	81	16.24	-1.08
6	10	1.40	99	15.48	-0.82
7	18	1.04	50	18.67	7.10



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.42	68	4.77	3.21
2	11	5.17	77	6.61	2.07
3	18	1.80	49	5.94	-1.20
4	14	3.61	63	7.77	-0.60
5	25	2.13	66	16.17	8.07
6	10	1.89	48	18.10	4.30
7	18	2.29	56	21.17	4.01



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.83	[illegible]	0.10	-8.10
2	11	2.32	[illegible]	0.60	-0.86
3	18	3.50	70	5.61	-0.15
4	14	1.64	66	2.10	-0.06
5	25	1.92	62	17.01	8.76
6	10	2.07	72	14.39	8.05
7	18	2.04	88	18.69	2.04



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.18	63	3.60	-3.00
2	10	1.52	50	4.27	-5.21
3	18	2.20	50	8.60	-1.41
4	14	1.77	61	8.25	-2.21
5	25	1.62	34	17.12	0.00
6	10	1.44	39	15.88	1.71
7	18	1.71	56	22.77	4.92



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.48	77	2.55	-1.93
2	11	3.34	60	8.33	1.41
3	18	3.18	58	13.17	4.93
4	14	2.96	58	9.40	0.08
5	25	2.09	42	21.64	7.15
6	10	1.81	56	20.68	11.21
7	18	1.97	58	25.10	12.04



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	69	2.10	-3.93
2	11	3.83	60	6.20	2.92
3	18	8.79	62	12.77	9.68
4	14	7.50	80	0.75	-2.69
5	25	2.53	57	23.57	14.17
6	10	1.65	61	24.10	15.93
7	18	2.36	44	28.03	9.98

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	11.41	82	-0.11	-1.28
2	11	8.71	87	4.04	2.52
3	18	8.40	88	4.78	2.80
4	14	8.02	79	-7.25	-10.72
5	25	2.33	58	24.08	15.32
6	10	4.18	68	22.43	15.88
7	18	4.41	49	10.88	0.21



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.00	82	-1.00	-8.10
2	10	6.60	85	1.77	-0.44
3	18	5.68	84	-4.00	-9.61
4	14	1.70	48	-1.94	-10.41
5	25	2.50	61	11.85	0.22
6	10	1.40	41	4.98	-7.60
7	18	1.50	21	18.48	-8.26



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	84	-2.88	-10.88
2	11	1.88	47	3.10	-7.72
3	18	1.95	48	8.81	-5.42
4	14	1.83	53	8.46	-8.18
5	25	1.80	32	16.10	-2.18
6	10	1.50	51	13.44	-3.27
7	18	1.60	61	17.80	-0.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	50	2.77	-6.88
2	11	2.91	52	6.41	-3.12
3	18	2.57	50	9.37	-1.41
4	14	7.51	66	-1.14	-6.53
5	25	2.08	43	19.32	5.37
6	10	1.63	38	18.88	2.27
7	18	1.81	42	22.46	7.15



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.27	78	9.77	0.55
2	11	4.69	75	7.62	3.28
3	18	1.65	53	2.43	-8.07
4	14	2.21	61	-10.19	-12.85
5	25	3.14	65	20.37	13.30
6	10	3.32	71	15.33	7.94
7	18	1.81	46	14.47	1.81

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	51	0.77	-8.32
2	10	2.52	57	2.05	-5.08
3	18	3.10	65	-0.48	-8.19
4	14	1.57	53	-8.32	-13.38
5	25	2.50	65	17.08	10.06
6	10	3.14	74	13.62	9.32
7	18	3.92	67	5.52	-0.38

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	86	2.10	-0.00
2	11	3.66	70	3.60	-1.86
3	18	2.48	82	3.94	-5.38
4	14	1.70	52	0.80	-0.18
5	25	6.81	70	16.80	11.16
6	10	5.08	70	12.99	8.94
7	18	3.82	70	7.81	2.04



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	12.81	87	0.94	0.11
2	11	8.75	86	1.86	0.80
3	18	4.42	75	0.67	-3.20
4	14	2.61	88	-4.04	-0.02
5	25	2.84	87	20.10	12.06
6	10	1.84	81	12.62	8.27
7	18	4.08	88	10.82	9.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	67	-0.62	-7.77
2	11	3.21	68	0.66	-7.16
3	18	2.48	68	1.51	-0.80
4	14	2.76	68	-2.00	-0.86
5	25	4.62	72	13.80	7.86
6	10	8.08	70	10.10	6.52
7	18	6.09	70	10.84	5.66



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.29	85	-4.80	-7.10
2	10	16.21	89	-3.44	-4.93
3	18	6.94	70	-0.95	-6.04
4	14	2.00	60	3.56	-3.84
5	25	6.03	77	13.39	8.70
6	10	2.75	72	5.71	0.94
7	18	1.68	41	11.65	-1.83



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.85	62	-5.10	-11.43
2	11	3.11	62	-3.22	-9.59
3	18	6.48	69	2.00	-3.39
4	14	1.90	54	7.73	-2.02
5	25	1.72	40	9.84	-3.42
6	10	1.99	47	11.18	0.05
7	18	1.55	23	20.29	-1.73



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	47	-1.88	-11.88
2	11	5.69	66	-2.37	-8.02
3	18	4.79	70	0.64	-4.22
4	14	2.84	58	3.37	-4.71
5	25	3.59	51	14.08	2.48
6	10	1.68	48	12.44	0.44
7	18	1.59	29	19.78	0.59

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.29	76	-2.88	-8.00
2	11	8.18	60	-2.77	-8.12
3	18	1.78	47	0.84	-9.85
4	14	1.00	68	8.68	-8.43
5	25	2.10	47	0.89	-1.24
6	10	2.04	53	4.62	-4.55
7	18	1.54	27	16.68	-8.67

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	50	1.44	-7.00
2	11	1.73	46	1.77	-8.00
3	18	1.70	42	3.05	-8.00
4	14	2.16	46	6.94	-8.27
5	25	1.83	26	8.20	-6.02
6	10	1.57	35	5.90	-8.44
7	18	2.21	30	15.18	0.83



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	44	8.44	-8.44
2	11	2.01	42	4.33	-7.87
3	18	2.48	41	8.38	-8.18
4	14	2.58	87	8.31	-0.98
5	25	1.83	28	11.77	-6.66
6	10	1.69	28	11.18	-8.44
7	18	4.01	68	13.67	0.73



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.60	35	7.10	-7.21
2	11	4.42	51	6.25	-4.18
3	18	2.53	58	8.18	-1.75
4	14	2.30	57	5.65	-2.77
5	25	1.06	29	15.01	-2.53
6	10	2.98	38	13.77	-1.18
7	18	2.04	56	13.29	4.05



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	45	4.11	-7.21
2	11	2.03	52	4.59	-4.44
3	18	8.42	77	8.14	2.03
4	14	3.27	64	6.78	0.07
5	25	2.08	35	18.46	2.02
6	10	1.69	94	18.44	2.33
7	18	2.09	50	18.43	0.62



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.78	75	5.22	-8.94
2	10	2.63	60	-2.55	-9.38
3	18	1.64	52	0.12	-8.66
4	14	1.81	47	6.22	-4.76
5	25	2.33	53	15.84	4.00
6	10	2.08	52	10.71	0.88
7	18	2.11	43	21.45	7.73

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.10	47	-4.20	-14.00
2	11	1.81	48	-1.86	-11.41
3	18	2.08	52	5.70	-3.94
4	14	1.87	44	14.67	1.94
5	25	1.64	30	10.00	-6.64
6	10	1.54	29	11.27	-0.18
7	18	1.70	20	20.50	6.27



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.24	52	2.21	-8.77
2	11	4.00	50	5.06	-4.50
3	18	1.91	32	12.85	-4.10
4	14	1.60	35	14.04	-1.90
5	25	2.30	36	10.15	2.06
6	10	1.69	37	21.10	5.40
7	18	1.60	30	25.66	0.20



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.10	48	2.44	-8.00
2	11	1.61	42	9.00	-0.22
3	18	2.51	50	8.04	0.43
4	14	0.20	50	0.00	0.48
5	25	2.67	30	21.40	0.10
6	10	1.81	46	23.10	0.82
7	18	2.70	40	26.50	0.20



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.10	38	2.77	-8.77
2	10	2.86	42	3.38	-8.71
3	18	7.02	75	5.18	0.03
4	14	6.28	65	1.80	-5.43
5	25	2.67	51	17.81	7.42
6	10	2.17	51	21.77	11.21
7	18	4.60	25	19.23	-2.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	48	4.10	-5.60
2	11	7.23	73	4.28	-0.95
3	18	4.05	48	8.20	-4.77
4	14	2.66	60	0.50	-7.13
5	25	6.90	75	14.12	8.66
6	10	1.98	37	17.38	1.55
7	18	3.04	35	10.50	0.38



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.64	60	1.77	0.11
2	11	2.73	50	4.43	-3.22
3	18	2.28	61	3.01	-3.91
4	14	1.87	47	4.60	-8.30
5	25	1.79	36	16.37	0.75
6	10	1.42	31	11.88	-4.77
7	18	2.67	30	22.91	9.02

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.10	61	0.00	-0.80
2	11	2.21	68	6.15	-5.76
3	18	1.00	49	6.13	-5.38
4	14	1.06	48	11.60	-2.06
5	25	1.70	80	17.00	-0.00
6	10	2.07	56	10.10	-0.10
7	16	2.00	46	20.10	8.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.30	68	8.88	-5.00
2	10	2.02	43	8.66	-9.66
3	18	2.58	41	14.41	1.88
4	14	0.82	66	18.10	8.10
5	25	1.67	82	20.60	5.62
6	10	1.73	55	23.05	3.90
7	16	2.87	60	20.60	16.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	86	0.86	-4.86
2	11	2.00	86	0.60	1.91
3	18	4.21	72	10.50	14.08
4	14	4.00	70	11.00	4.10
5	25	2.40	60	22.17	10.06
6	10	2.05	66	20.77	15.77
7	16	3.70	60	24.06	19.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.60	79	5.60	2.22
2	11	7.03	80	11.25	8.02
3	18	3.58	67	22.35	15.08
4	14	4.06	69	7.57	1.56
5	25	3.72	52	24.35	13.32
6	10	1.08	80	24.27	15.08
7	16	4.30	32	20.00	2.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.81	61	8.77	5.43
2	11	7.83	69	13.22	6.55
3	18	1.64	54	9.85	0.81
4	14	1.54	47	10.58	-1.03
5	25	2.19	48	25.41	13.41
6	10	1.50	35	21.77	6.72
7	16	2.24	34	22.50	6.30

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	37	11.46	-2.00
2	10	1.77	39	14.00	0.77
3	18	1.05	28	18.23	-0.43
4	14	1.54	42	15.59	1.58
5	25	2.57	52	21.92	10.01
6	10	2.02	58	19.80	7.44
7	16	1.97	48	22.63	10.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.28	82	10.44	-1.66
2	11	2.28	61	16.00	2.87
3	18	2.22	50	19.44	-0.98
4	14	4.03	64	9.81	-0.70
5	25	3.64	68	22.94	15.35
6	10	1.47	86	20.56	15.52
7	18	4.44	85	22.60	6.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.29	46	8.88	-9.66
2	11	3.78	77	5.16	1.46
3	18	8.40	78	1.67	-2.00
4	14	4.31	48	2.88	-8.76
5	25	9.67	44	20.06	6.50
6	10	1.41	51	12.69	-5.05
7	18	1.88	27	18.01	-1.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.23	71	2.21	-9.11
2	11	5.66	78	2.61	-1.61
3	18	2.33	69	5.16	-2.09
4	14	1.54	80	9.72	-6.50
5	25	2.06	83	14.67	-9.26
6	10	1.42	58	11.82	-8.27
7	18	1.76	56	21.87	6.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.98	67	8.10	-2.68
2	10	1.60	96	8.65	-2.89
3	18	2.26	93	8.62	3.06
4	14	2.78	58	5.93	-2.61
5	25	2.01	52	15.95	-0.93
6	10	1.01	91	13.49	0.36
7	18	4.04	98	16.20	6.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	98	7.77	2.93
2	11	1.08	90	10.60	-2.42
3	18	3.19	95	8.57	-3.06
4	14	1.78	93	10.80	-1.98
5	25	3.93	55	16.93	6.35
6	10	3.25	86	12.77	5.45
7	18	1.97	95	13.84	0.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.30	92	9.44	2.88
2	11	1.01	99	11.29	0.65
3	18	2.00	94	13.11	-2.77
4	14	2.26	99	12.98	-1.50
5	25	3.89	78	12.12	6.06
6	10	2.75	82	13.21	5.88
7	18	2.02	98	17.63	2.83

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.16	48	8.77	-1.22
2	11	1.06	36	10.17	-2.21
3	18	2.10	52	14.62	-2.26
4	14	1.87	48	8.84	-1.88
5	25	1.80	86	17.58	1.66
6	10	2.21	57	10.55	3.34
7	18	2.20	86	25.30	8.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.08	57	6.99	-0.22
2	10	1.72	60	7.21	0.16
3	18	1.57	27	13.85	-7.09
4	14	1.82	35	10.20	0.67
5	25	1.96	20	21.50	2.81
6	10	1.81	51	20.10	2.66
7	18	2.19	56	20.52	10.56

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.36	56	7.88	-1.38
2	11	2.02	42	12.52	-0.56
3	18	2.11	56	18.42	2.31
4	14	1.56	35	15.68	-0.36
5	25	2.13	33	22.56	5.46
6	10	5.02	53	21.30	11.38
7	18	2.24	42	26.48	10.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.52	58	9.10	1.22
2	11	6.46	78	11.71	7.87
3	18	2.52	58	9.68	0.29
4	14	1.60	41	8.40	-4.52
5	25	3.07	68	21.32	13.48
6	10	2.76	79	17.77	13.71
7	18	3.19	85	21.91	3.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.27	91	11.66	10.93
2	11	2.78	73	10.45	5.80
3	18	2.22	66	5.52	-0.33
4	14	1.83	52	5.64	-3.51
5	25	1.69	96	20.21	7.77
6	10	2.25	53	11.38	0.38
7	18	1.66	26	21.45	-0.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.27	48	10.98	0.93
2	10	1.63	51	8.16	-1.08
3	18	2.16	61	5.62	-1.97
4	14	1.68	38	7.09	0.97
5	25	1.68	96	16.88	1.51
6	10	1.48	97	12.88	-1.08
7	18	1.68	52	17.58	0.07

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.26	48	10.77	-1.22
2	11	1.08	55	7.67	-1.26
3	18	1.05	52	6.16	-3.02
4	14	1.54	24	11.22	-8.25
5	25	2.06	35	17.21	0.48
6	10	1.60	31	16.88	-2.54
7	16	1.68	51	17.75	-0.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.50	91	8.77	-1.77
2	11	1.51	46	7.21	-3.88
3	18	1.78	50	10.67	-5.78
4	14	1.54	28	11.70	-7.17
5	25	1.70	33	16.66	0.15
6	10	1.55	28	16.52	-3.53
7	16	1.79	40	17.68	2.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	60	7.77	-2.85
2	11	2.76	57	6.60	-3.07
3	18	1.63	51	7.76	-5.51
4	14	1.80	28	17.00	-4.18
5	25	2.08	28	17.86	-1.73
6	10	1.57	25	15.96	-5.52
7	16	1.70	81	20.20	0.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.29	46	8.21	-4.10
2	10	1.69	45	8.77	-2.66
3	18	2.02	27	17.45	-2.18
4	14	1.96	28	17.68	-3.72
5	25	1.62	26	18.17	-2.98
6	10	1.69	28	18.99	0.98
7	16	1.86	45	19.69	8.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.49	48	10.10	-3.39
2	11	1.68	40	11.00	-2.67
3	18	1.87	52	7.69	-1.98
4	14	2.18	48	0.42	-5.87
5	25	1.85	32	22.37	4.86
6	10	1.69	43	19.16	6.27
7	16	2.61	69	20.55	11.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	10.20	66	2.77	0.33
2	11	2.01	63	6.51	-0.20
3	18	1.87	40	8.72	-6.07
4	14	3.33	48	4.60	-6.18
5	29	2.31	36	19.81	4.19
6	10	1.40	91	15.60	2.92
7	16	2.08	58	20.55	10.51

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	48	8.80	-4.00
2	11	2.51	46	7.81	-4.40
3	18	2.07	38	7.82	-5.00
4	14	1.80	36	8.88	-6.11
5	25	3.60	57	10.04	8.70
6	10	2.66	55	14.49	4.00
7	18	2.12	61	18.00	11.21

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	38	8.77	-4.00
2	10	2.17	36	10.56	-8.00
3	18	3.57	66	9.46	1.41
4	14	2.04	62	9.00	1.70
5	25	2.06	64	18.10	8.17
6	10	1.77	47	21.21	8.21
7	18	1.84	48	24.81	12.40



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.70	78	6.10	1.84
2	11	3.23	64	8.22	6.60
3	18	4.18	66	12.21	6.07
4	14	2.02	60	16.87	6.11
5	25	2.46	60	23.40	14.76
6	10	2.49	57	22.85	14.05
7	18	1.50	48	26.56	13.83



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.50	48	13.69	2.21
2	11	4.03	57	15.85	7.21
3	18	3.08	59	22.77	14.13
4	14	4.16	64	12.38	4.44
5	25	2.48	54	25.10	15.30
6	10	1.52	48	27.71	14.49
7	18	1.05	52	26.97	15.23

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.20	69	10.22	11.21
2	11	3.23	61	22.11	14.18
3	18	3.10	77	12.98	8.80
4	14	5.01	72	3.40	-1.38
5	25	1.65	52	27.64	16.75
6	10	1.48	52	27.21	18.44
7	18	2.04	54	26.83	16.17



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.05	84	7.88	4.8[illegible]
2	10	4.52	71	10.90	12.4[illegible]
3	18	2.65	80	15.14	9.85
4	14	1.97	67	2.87	-2.97
5	25	1.71	56	27.59	17.70
6	10	1.71	63	24.52	15.62
7	18	2.06	54	21.87	11.53

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	66	18.77	4.30
2	11	1.68	69	18.17	8.47
3	18	2.10	65	7.63	0.39
4	15	2.00	80	0.78	-1.31
5	25	1.81	62	26.99	16.17
6	10	2.41	68	20.81	13.33
7	18	1.91	64	21.72	14.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.00	80	11.00	-0.00
2	11	2.01	92	10.00	0.00
3	18	2.00	90	19.15	2.05
4	14	6.00	72	7.00	2.07
5	25	2.42	62	22.26	15.07
6	10	2.54	65	22.05	15.46
7	18	2.20	71	22.60	16.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	87	14.01	-0.04
2	11	3.01	88	14.30	6.04
3	18	5.40	77	14.22	10.11
4	14	1.00	00	13.42	6.11
5	25	6.30	76	21.50	16.15
6	10	3.20	72	22.77	17.10
7	18	3.03	71	21.07	16.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.19	61	14.42	6.48
2	10	3.66	56	16.98	7.60
3	18	2.25	50	16.20	5.64
4	16	5.40	73	9.20	4.32
5	25	3.42	70	24.50	18.50
6	10	3.02	72	22.05	18.66
7	18	1.76	56	24.85	14.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.54	84	13.10	9.31
2	11	4.05	89	13.12	7.16
3	18	2.05	57	11.29	2.98
4	16	1.82	50	10.82	0.75
5	25	2.27	59	26.25	17.55
6	10	2.23	58	24.18	15.27
7	18	1.83	56	26.69	16.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	93	15.77	0.55
2	11	1.90	90	15.95	1.81
3	18	3.50	58	14.80	5.62
4	16	2.68	63	15.50	7.77
5	25	2.63	56	23.35	13.55
6	10	2.72	57	25.60	15.71
7	18	1.69	47	27.98	15.61

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.90	71	13.85	8.03
2	11	2.88	81	18.71	9.08
3	18	9.52	72	18.72	13.32
4	14	1.98	89	15.76	8.84
5	25	3.75	68	26.60	18.66
6	10	1.87	89	25.10	18.99
7	16	1.84	84	27.88	18.38

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.98	41	8.82	-9.84
2	10	2.52	87	10.88	1.08
3	18	1.88	48	12.88	-0.15
4	14	8.08	48	18.10	8.87
5	25	9.32	68	24.28	18.17
6	10	1.81	87	22.32	15.88
7	16	1.82	84	28.28	18.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	58	8.88	-7.18
2	11	1.81	28	11.85	-6.45
3	18	1.81	52	13.78	-2.37
4	14	8.25	48	17.78	8.81
5	25	1.88	48	19.81	7.88
6	10	1.87	48	21.88	10.05
7	16	1.78	88	28.84	18.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.29	58	15.89	-1.77
2	11	2.11	41	18.71	2.47
3	18	4.05	78	17.95	12.18
4	14	2.34	68	22.81	12.19
5	25	1.78	48	21.98	9.80
6	10	1.98	58	22.17	11.68
7	18	1.98	48	28.92	15.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	88	18.10	8.44
2	11	2.65	87	17.31	10.00
3	18	7.48	83	18.75	13.92
4	14	2.88	88	17.88	11.34
5	25	1.72	62	25.58	14.88
6	10	1.73	58	25.38	16.16
7	18	2.08	48	28.58	15.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	48	16.77	1.10
2	10	1.76	48	17.38	8.38
3	18	2.23	55	28.89	18.93
4	14	1.78	41	23.24	8.78
5	25	2.06	51	26.13	15.58
6	10	1.58	58	28.05	16.68
7	16	1.58	48	29.28	15.72

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.52	67	23.10	12.21
2	11	2.48	56	25.78	15.26
3	18	2.25	60	27.43	16.62
4	14	1.78	48	24.67	10.83
5	25	1.61	46	26.28	17.46
6	10	1.44	51	25.94	16.21
7	18	1.64	58	30.20	17.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.59	48	25.10	10.92
2	11	2.46	56	26.81	17.06
3	18	2.36	58	26.81	17.80
4	14	2.04	47	17.08	10.47
5	25	1.60	46	31.20	17.56
6	10	1.54	53	29.52	18.00
7	18	1.61	46	30.97	16.54



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.48	81	10.98	9.08
2	11	2.10	68	22.26	13.42
3	18	1.57	55	17.98	8.42
4	14	1.54	44	18.54	4.12
5	25	1.66	45	31.93	17.66
6	10	1.73	53	28.32	17.86
7	18	1.68	57	25.48	16.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.38	98	18.21	9.44
2	10	2.16	96	19.21	6.03
3	18	3.08	71	14.77	9.18
4	14	1.00	49	14.63	1.58
5	26	2.38	47	27.93	15.21
6	10	1.85	62	25.10	16.38
7	18	1.77	47	24.47	11.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.20	76	13.44	8.77
2	11	1.76	66	12.72	9.23
3	18	1.57	38	9.77	3.73
4	14	1.98	37	16.79	2.69
5	25	1.76	38	24.97	9.65
6	10	1.38	36	19.84	3.22
7	18	1.81	32	25.93	7.49

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.38	98	13.77	9.31
2	11	2.13	44	10.80	1.61
3	18	2.98	61	14.50	6.18
4	14	1.54	30	22.82	3.02
5	25	1.71	26	22.70	6.13
6	10	1.48	36	24.55	8.44
7	18	1.58	27	23.40	7.81

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	53	11.00	1.00
2	11	3.60	64	12.31	5.60
3	18	1.88	40	18.00	4.10
4	14	1.54	28	26.50	4.00
5	25	1.67	34	25.75	8.37
6	10	1.39	32	25.05	7.32
7	18	1.86	27	31.10	8.05



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.98	64	14.00	7.00
2	10	2.13	51	17.00	7.66
3	18	1.57	41	18.29	2.77
4	14	1.60	28	20.51	0.05
5	25	1.63	37	28.00	12.17
6	10	1.69	37	28.04	10.77
7	18	1.81	28	31.10	9.62



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	32	19.00	-2.77
2	11	1.62	34	15.44	-0.90
3	18	1.61	34	18.05	2.15
4	14	1.63	40	23.92	8.16
5	25	1.72	44	25.20	11.55
6	10	1.63	40	28.30	11.30
7	18	1.63	33	30.44	11.52



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	32	17.77	0.77
2	11	1.60	38	20.39	5.45
3	18	1.97	51	24.13	13.14
4	14	1.90	41	28.70	10.50
5	25	1.91	45	27.26	13.60
6	10	1.91	46	28.77	15.94
7	18	1.59	39	29.30	13.81



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	44	23.00	11.10
2	11	2.38	54	23.60	13.30
3	18	1.90	50	27.49	15.70
4	14	1.82	41	25.55	10.66
5	25	2.40	50	28.60	16.06
6	10	1.85	43	30.99	16.80
7	18	1.58	41	30.44	15.20



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.80	77	15.32	11.21
2	10	4.60	74	14.49	9.66
3	18	1.59	53	14.31	4.87
4	14	1.60	38	19.20	3.96
5	25	1.85	40	29.50	16.57
6	10	1.83	40	29.49	16.80
7	18	1.81	45	29.90	18.38

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.38	86	10.44	-0.00
2	11	1.61	28	12.11	-5.24
3	18	1.86	52	14.31	-1.87
4	14	2.23	48	16.48	5.48
5	25	1.93	45	24.16	11.02
6	10	2.17	50	22.27	10.95
7	18	2.26	60	24.62	16.51

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.38	86	10.44	-0.00
2	11	1.78	28	15.18	-8.49
3	18	1.88	28	18.87	0.81
4	14	2.18	66	20.78	10.28
5	25	2.08	48	23.84	9.86
6	10	2.24	57	22.80	12.82
7	18	2.42	54	27.77	18.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.81	81	17.77	0.44
2	11	1.97	48	18.43	6.86
3	18	2.88	73	19.80	14.13
4	14	2.00	87	20.66	16.82
5	25	1.82	60	24.08	12.91
6	10	2.41	72	22.32	18.82
7	18	2.01	81	28.81	17.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.40	80	11.08	10.21
2	10	5.07	90	16.66	15.10
3	18	4.11	77	21.84	17.40
4	14	2.67	82	23.32	15.23
5	25	1.87	55	25.55	15.35
6	10	2.47	68	24.88	16.44
7	18	2.61	59	27.06	16.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.24	55	13.52	4.52
2	11	1.68	50	16.76	5.80
3	18	4.20	68	20.87	13.80
4	14	2.36	68	22.88	16.42
5	25	2.13	58	26.77	17.17
6	10	1.79	59	26.99	17.99
7	18	1.84	57	29.28	18.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	20	21.22	2.21
2	11	2.02	38	21.56	5.80
3	18	2.57	62	26.81	18.97
4	14	1.78	70	23.36	17.97
5	25	2.31	53	25.80	15.21
6	10	1.57	50	29.60	17.99
7	18	1.75	58	29.92	18.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.26	78	19.00	10.44
2	11	3.26	71	22.11	10.40
3	10	1.87	60	27.74	10.34
4	14	1.83	62	25.19	10.50
5	25	2.21	64	20.40	10.14
6	10	1.85	53	29.00	10.10
7	10	1.77	50	29.04	10.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.48	66	27.00	17.77
2	10	2.27	57	27.71	10.44
3	10	1.87	65	21.50	19.82
4	14	1.57	58	15.31	8.00
5	25	1.00	47	30.00	10.57
6	10	1.50	50	20.55	10.99
7	10	2.81	64	20.00	10.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.48	66	26.48	17.66
2	11	2.00	72	10.02	12.77
3	10	1.85	62	11.52	6.44
4	14	1.59	48	10.40	4.47
5	25	2.44	62	26.26	10.06
6	10	1.75	61	21.55	19.00
7	10	1.72	47	20.45	19.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.11	89	20.89	18.89
2	11	6.70	78	13.07	9.49
3	10	1.74	51	14.28	4.13
4	14	1.50	38	22.05	8.25
5	25	2.69	61	21.72	13.08
6	10	1.64	47	17.71	5.77
7	10	1.55	40	27.25	12.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.18	80	20.77	17.16
2	11	2.64	69	18.63	12.47
3	10	3.02	57	15.52	8.01
4	14	1.60	45	24.46	11.38
5	25	1.97	48	23.26	11.30
6	10	1.65	42	20.33	6.86
7	10	1.72	52	27.77	15.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.66	70	21.00	15.77
2	10	3.36	60	18.96	10.77
3	10	1.87	47	21.19	8.63
4	14	2.60	56	24.43	15.19
5	25	2.32	47	25.57	13.50
6	10	1.05	40	23.94	9.49
7	10	1.83	51	28.64	16.69

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.56	88	22.10	12.10
2	11	2.00	66	21.15	11.46
3	18	2.46	51	22.09	11.10
4	14	1.84	64	20.76	10.54
5	25	2.13	46	26.05	14.37
6	10	1.85	58	26.65	11.46
7	16	1.91	47	30.00	10.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.06	46	22.00	6.00
2	11	2.67	66	23.60	10.75
3	18	2.62	45	25.21	11.56
4	14	2.13	81	24.71	10.50
5	25	2.32	60	26.46	14.60
6	10	1.95	58	27.60	12.45
7	16	1.04	42	31.00	15.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	84	26.60	10.92
2	11	3.17	48	25.75	10.70
3	18	5.50	48	25.75	13.45
4	14	1.80	60	24.67	10.46
5	25	3.31	46	26.67	13.60
6	10	2.21	58	28.90	12.40
7	16	1.75	43	31.20	10.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	81	19.60	11.43
2	10	4.62	48	20.83	13.60
3	18	3.13	51	23.62	14.40
4	14	1.57	48	27.20	12.21
5	25	2.73	37	29.52	12.07
6	10	2.48	48	29.43	15.27
7	16	1.74	41	31.83	16.45



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.44	81	11.21	8.10
2	11	4.47	67	20.55	13.98
3	18	1.70	52	27.83	9.90
4	14	1.57	36	30.38	12.65
5	25	3.07	46	29.17	14.75
6	10	2.30	38	30.18	14.38
7	16	1.71	45	30.82	17.01

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.75	78	14.77	11.21
2	11	5.00	64	22.26	14.38
3	18	1.65	35	30.42	12.92
4	14	1.64	38	32.38	18.04
5	25	3.13	51	28.80	17.24
6	10	2.46	43	30.71	16.55
7	16	1.93	43	30.34	16.10

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.58	48	20.10	8.48
2	11	1.68	38	26.10	10.60
3	18	1.87	32	31.81	12.81
4	14	1.87	44	31.10	18.01
5	25	2.18	63	30.76	18.16
6	10	2.20	48	30.77	17.18
7	18	2.17	58	31.52	18.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	86	29.21	12.80
2	10	1.08	45	29.26	14.16
3	18	2.50	58	32.31	16.98
4	14	1.71	86	32.60	16.40
5	25	2.22	46	31.08	16.98
6	10	2.53	51	29.38	17.38
7	18	2.38	47	30.68	18.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	46	31.77	18.18
2	11	2.61	43	31.61	17.62
3	18	2.47	58	32.22	18.80
4	14	1.78	48	31.07	18.47
5	25	2.63	47	31.61	18.65
6	10	3.53	60	27.55	18.38
7	18	3.31	84	26.08	17.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.38	48	31.86	18.55
2	11	3.01	39	32.98	16.06
3	18	2.09	48	30.12	16.28
4	14	1.88	48	28.09	15.51
5	25	3.21	52	30.79	19.48
6	10	2.23	67	28.49	19.83
7	18	1.84	58	29.85	18.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.27	38	33.89	18.96
2	11	2.78	43	31.91	17.51
3	18	3.01	58	28.51	18.72
4	14	1.56	51	27.09	16.71
5	25	3.20	58	30.26	19.68
6	10	2.21	68	27.05	19.80
7	18	2.01	53	30.34	18.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.43	53	27.77	18.68
2	10	3.03	56	27.27	17.43
3	18	2.86	63	27.58	19.47
4	14	1.98	68	26.08	17.45
5	25	2.74	55	29.68	19.41
6	10	2.91	62	25.21	18.93
7	18	2.12	48	31.28	17.73



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	40	24.39	8.77
2	11	2.36	52	25.24	14.44
3	18	2.83	71	28.69	20.81
4	14	2.77	61	28.08	17.37
5	26	2.00	62	30.30	18.24
6	10	2.03	63	28.05	20.10
7	18	1.72	52	31.00	18.09



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	86	18.39	2.89
2	11	1.95	39	21.15	6.16
3	18	4.38	73	24.67	19.58
4	14	2.97	62	27.19	18.72
5	26	2.18	56	28.86	19.66
6	10	2.25	60	28.77	20.18
7	18	1.72	52	30.88	18.29



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	87	18.88	3.89
2	11	1.70	48	21.15	7.77
3	18	3.24	63	25.86	18.23
4	14	2.58	48	30.15	17.89
5	26	2.00	58	24.80	15.58
6	10	2.08	57	29.95	20.18
7	18	1.79	48	31.91	18.18



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	44	20.68	8.10
2	10	1.69	49	21.15	9.99
3	18	3.57	66	27.03	20.05
4	14	1.67	52	28.58	17.53
5	26	2.05	69	24.10	17.88
6	10	2.31	71	28.49	20.66
7	18	1.63	48	31.90	18.57

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.71	65	18.44	15.88
2	11	7.25	70	22.87	18.32
3	18	2.49	60	29.81	21.10
4	14	1.68	51	29.88	18.44
5	26	2.82	65	28.17	20.77
6	10	1.99	65	29.18	21.77
7	18	1.62	44	32.38	18.29



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.40	46	28.80	18.88
2	11	3.42	49	29.59	17.47
3	18	2.81	69	27.31	20.92
4	14	1.83	53	24.69	14.04
5	26	2.24	62	31.91	20.60
6	10	3.55	63	29.46	21.10
7	18	1.92	45	32.81	18.43

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	48	24.21	12.48
2	11	4.78	68	25.48	18.36
3	18	2.38	60	28.97	20.58
4	14	1.54	46	28.19	14.55
5	25	1.82	51	32.86	21.08
6	10	1.78	57	31.95	21.21
7	18	1.60	50	31.80	18.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	78	18.10	15.10
2	10	6.04	67	26.68	18.94
3	18	2.34	55	28.97	18.85
4	14	1.58	48	27.97	14.55
5	25	1.86	53	31.55	20.63
6	10	1.52	51	32.30	20.98
7	18	1.68	50	31.42	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	62	24.77	13.84
2	11	1.68	62	24.84	14.18
3	18	1.93	57	29.82	18.78
4	14	1.80	56	28.22	18.75
5	25	1.71	48	32.24	19.98
6	10	1.56	51	30.83	19.80
7	18	1.84	46	32.26	18.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	53	26.53	8.68
2	11	2.16	48	26.61	12.77
3	18	2.04	68	28.50	19.93
4	14	1.57	50	24.75	13.13
5	25	1.84	51	32.84	20.39
6	10	1.58	58	30.46	20.66
7	18	1.66	47	31.34	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.77	82	21.89	18.88
2	11	2.93	68	24.18	17.77
3	18	1.57	48	28.19	14.48
4	14	1.67	48	25.15	11.78
5	25	2.16	64	31.43	20.61
6	10	1.45	46	30.35	18.68
7	18	1.63	43	33.33	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	43	25.77	11.93
2	10	1.76	55	22.46	12.68
3	18	1.61	42	21.63	8.74
4	14	1.54	41	28.10	11.74
5	25	1.72	52	29.68	18.32
6	10	1.48	42	30.72	18.27
7	18	1.58	49	30.90	18.43

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	50	20.10	11.77
2	11	1.62	46	22.01	9.68
3	18	1.61	50	25.51	10.08
4	14	1.54	45	28.52	16.43
5	25	1.71	50	29.57	17.50
6	10	1.65	44	30.44	18.82
7	18	1.60	42	32.48	17.20

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	45	23.60	10.80
2	11	2.48	44	27.31	13.88
3	18	1.80	46	28.68	15.52
4	14	1.57	52	29.72	17.40
5	25	2.09	56	29.68	18.76
6	10	1.73	52	30.94	19.82
7	18	2.06	57	33.28	16.72



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	48	20.80	10.86
2	11	3.28	50	20.50	20.86
3	18	1.81	48	32.50	20.18
4	14	1.67	54	26.76	16.27
5	25	1.78	53	31.68	20.81
6	10	1.67	55	30.68	20.88
7	18	2.18	46	32.48	18.71



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.57	53	28.89	18.53
2	11	1.83	55	29.10	19.43
3	18	2.01	51	29.34	17.98
4	14	2.10	61	23.40	14.91
5	25	1.81	53	32.11	21.17
6	10	1.95	61	29.66	21.21
7	18	1.61	48	32.11	19.61

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	49	26.68	12.77
2	10	2.62	48	27.71	15.94
3	18	3.45	62	24.68	16.10
4	14	2.27	60	22.37	18.14
5	25	2.72	56	31.08	20.97
6	10	1.89	53	31.63	20.94
7	18	1.50	47	32.25	19.05



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	42	22.77	9.22
2	11	2.07	64	21.45	13.83
3	18	3.86	75	22.09	17.43
4	14	1.08	58	23.92	15.39
5	25	2.40	65	29.17	21.61
6	10	1.93	49	32.94	20.77
7	18	1.56	48	31.67	19.05

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.87	60	18.00	11.56
2	11	7.02	61	18.81	16.20
3	18	5.25	74	22.98	17.06
4	14	1.87	66	24.60	15.61
5	25	3.60	64	29.26	21.40
6	10	2.33	60	29.99	21.05
7	16	1.58	44	33.18	18.06



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.17	60	14.99	13.10
2	11	7.26	62	17.67	14.33
3	18	2.60	60	24.43	15.95
4	14	1.70	61	27.18	15.60
5	25	3.17	61	29.26	20.78
6	10	2.72	63	28.77	20.62
7	16	1.66	43	33.22	18.67



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	65	18.00	12.00
2	10	3.65	60	23.82	15.48
3	18	2.85	53	27.77	17.40
4	14	1.73	62	24.88	16.10
5	25	2.48	60	29.18	20.43
6	10	2.01	62	29.21	20.99
7	16	1.68	40	34.08	18.15



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.21	60	24.21	15.77
2	11	4.29	57	28.02	18.38
3	18	2.00	53	27.68	17.21
4	14	2.61	60	22.87	10.78
5	25	2.11	66	29.13	21.79
6	10	2.16	71	27.60	21.38
7	16	1.87	42	33.61	18.05



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.13	74	24.59	19.44
2	11	2.64	65	25.14	17.87
3	18	2.12	60	21.32	12.52
4	14	1.54	44	23.48	10.39
5	25	1.73	65	28.93	21.41
6	10	1.52	61	27.38	18.71
7	16	1.74	48	30.83	17.98



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.22	57	26.21	18.08
2	11	1.81	57	23.22	14.13
3	18	1.57	40	24.99	10.36
4	14	1.64	38	28.61	12.29
5	25	1.79	56	27.32	18.26
6	10	1.37	46	27.05	14.33
7	16	1.75	48	30.27	17.32

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	47	28.77	15.48
2	10	1.76	46	28.30	13.55
3	18	1.59	41	27.76	13.45
4	14	1.54	43	28.04	15.10
5	25	1.60	48	28.19	15.00
6	10	1.67	38	28.32	12.71
7	18	1.69	46	31.42	18.32

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	65	25.00	18.05
2	11	2.46	66	24.39	16.56
3	18	2.51	62	25.42	17.09
4	14	1.57	67	28.62	17.17
5	25	1.81	46	30.01	16.75
6	10	1.62	47	29.00	17.10
7	18	1.70	42	33.22	18.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.90	68	23.77	18.54
2	11	5.87	80	22.67	18.88
3	18	2.82	68	25.70	18.16
4	14	1.87	53	28.61	18.10
5	25	2.05	54	29.03	20.08
6	10	2.07	65	28.55	20.71
7	18	1.84	43	33.02	18.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.88	73	21.77	18.32
2	11	1.67	61	23.02	14.78
3	18	1.78	49	25.15	13.32
4	14	1.66	47	29.84	18.74
5	25	1.69	54	30.62	18.44
6	10	1.73	60	29.46	20.71
7	18	1.67	45	33.12	18.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.54	48	25.77	13.77
2	10	1.77	51	25.49	14.55
3	18	1.88	59	27.49	18.29
4	14	1.68	51	28.78	18.01
5	25	1.98	51	30.86	18.03
6	10	1.85	57	31.33	21.77
7	18	1.88	40	33.43	17.59



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	52	29.21	12.59
2	11	6.26	72	22.62	16.71
3	18	2.79	67	25.92	19.22
4	14	1.54	46	27.69	15.27
5	25	2.12	56	30.97	21.12
6	10	2.52	64	29.49	21.49
7	18	1.88	40	35.57	17.59

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.10	47	20.55	8.99
2	11	1.86	47	22.77	10.29
3	18	2.52	62	22.80	16.81
4	14	1.88	86	24.85	16.85
5	25	2.29	66	29.84	19.86
6	10	1.79	51	30.86	19.43
7	18	2.06	42	32.84	17.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.18	37	24.21	8.48
2	11	1.69	37	26.84	9.29
3	18	2.01	48	24.90	12.40
4	14	1.54	84	25.31	15.15
5	25	2.41	67	28.80	19.30
6	10	1.79	47	28.88	17.32
7	18	1.88	40	32.57	16.69



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.58	38	25.89	10.56
2	10	2.72	61	25.21	18.88
3	18	3.47	84	24.15	18.78
4	14	1.80	55	29.20	19.20
5	25	2.64	61	28.57	18.78
6	10	1.87	49	30.88	18.55
7	18	1.72	45	33.08	17.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.49	92	20.68	18.21
2	11	3.31	73	22.26	17.16
3	18	2.78	69	23.42	17.28
4	14	1.67	55	23.74	13.60
5	25	2.52	67	28.53	21.55
6	10	2.17	59	28.86	19.55
7	18	1.71	46	31.77	17.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	62	20.88	12.88
2	11	3.26	79	21.05	17.06
3	18	2.13	56	25.39	15.82
4	14	1.63	51	24.90	13.40
5	25	2.28	56	30.79	20.86
6	10	1.81	53	29.38	18.32
7	18	1.88	39	32.58	16.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.73	78	20.49	18.54
2	11	3.67	62	26.15	18.31
3	18	1.89	53	25.58	15.29
4	14	1.71	52	25.07	13.88
5	25	2.59	56	30.84	20.89
6	10	1.58	56	29.05	19.05
7	18	1.72	41	32.15	15.98

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.29	69	24.77	18.00
2	10	2.65	56	27.22	17.44
3	18	2.09	50	26.30	14.77
4	14	1.73	48	27.60	16.07
5	25	1.68	54	31.13	20.50
6	10	1.82	56	28.60	19.00
7	18	1.72	48	30.93	17.63



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.36	58	26.21	17.88
2	11	2.76	60	25.29	17.06
3	18	2.74	55	28.72	16.56
4	14	1.88	45	28.98	16.59
5	25	2.06	62	29.15	20.57
6	10	1.61	65	29.10	20.55
7	18	1.67	48	31.36	18.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.61	46	27.99	16.00
2	11	3.31	67	27.10	17.77
3	18	2.88	58	27.52	18.63
4	14	1.59	41	26.18	14.04
5	25	1.06	67	30.35	20.77
6	10	1.85	64	29.80	21.10
7	18	1.54	48	32.81	17.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.48	48	25.33	10.77
2	11	2.48	53	27.01	16.50
3	18	2.50	57	29.03	19.25
4	14	1.57	42	32.08	16.08
5	25	1.93	52	31.65	20.57
6	10	1.83	56	32.18	22.30
7	18	1.68	48	32.30	17.63

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.81	57	24.80	15.55
2	10	3.02	66	29.10	20.00
3	18	2.21	53	31.51	20.67
4	14	1.54	43	29.57	15.03
5	25	1.93	57	31.64	22.01
6	10	1.91	51	33.83	22.21
7	18	1.58	48	32.84	18.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.01	49	28.21	19.99
2	11	2.67	53	28.55	16.90
3	18	1.98	69	25.83	17.38
4	14	1.80	60	24.87	15.88
5	25	2.58	56	31.54	21.61
6	10	1.77	52	33.33	22.38
7	18	1.58	42	33.30	18.23

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	48	21.49	0.83
2	11	1.51	46	22.36	10.04
3	18	1.94	56	22.58	13.02
4	14	2.02	66	26.07	18.88
5	25	2.06	66	28.77	19.04
6	10	2.05	61	29.95	20.71
7	16	1.60	42	32.01	17.01

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	48	21.22	0.00
2	11	1.60	46	22.11	0.63
3	18	1.92	48	23.70	11.53
4	14	2.01	62	26.00	17.00
5	25	1.60	64	28.62	18.17
6	10	1.95	53	29.77	18.02
7	16	1.60	42	33.12	19.26



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.24	48	23.21	10.21
2	10	1.72	46	23.00	11.16
3	18	3.22	64	24.53	17.12
4	14	1.67	61	26.10	17.88
5	25	2.20	66	28.26	18.37
6	10	2.40	57	29.88	20.21
7	16	1.60	42	33.40	18.63

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.05	48	25.43	13.88
2	11	2.01	55	25.59	16.00
3	18	3.48	59	24.28	18.08
4	14	1.84	59	26.62	17.43
5	25	2.20	57	30.53	20.66
6	10	2.44	60	30.49	21.55
7	16	2.24	51	31.31	18.96



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	38	22.21	8.55
2	11	1.60	40	24.00	9.84
3	18	2.78	53	25.58	14.93
4	14	2.69	60	25.27	18.72
5	25	2.56	58	30.44	21.23
6	10	2.47	61	29.83	21.44
7	16	1.72	40	31.25	19.02



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	30	23.88	5.44
2	11	1.66	36	24.04	8.88
3	18	2.05	55	26.32	16.29
4	14	2.64	60	29.40	18.40
5	25	2.96	60	28.44	19.32
6	10	2.82	51	31.88	20.38
7	16	1.64	42	32.88	17.80

CAPITA



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.24	88	20.21	11.21
2	10	1.01	80	20.66	11.33
3	18	4.93	81	20.87	20.95
4	14	2.20	66	20.40	18.88
5	26	2.38	58	20.10	19.24
6	10	2.00	81	30.39	21.88
7	18	1.81	98	34.18	17.04



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.70	42	27.22	18.10
2	11	4.43	75	23.17	17.87
3	18	3.60	83	29.89	21.83
4	14	1.84	48	30.11	17.86
5	26	2.36	60	30.66	21.81
6	10	2.49	53	33.05	22.27
7	18	1.71	96	35.31	18.10

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.10	80	25.10	18.77
2	11	4.36	70	22.16	18.27
3	18	2.86	88	24.82	17.80
4	14	1.86	48	28.60	19.83
5	26	2.24	53	32.20	20.96
6	10	1.73	48	33.38	20.94
7	18	1.83	94	35.87	18.24

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.43	59	24.44	15.77
2	11	2.32	59	25.45	16.71
3	18	2.57	53	27.27	16.78
4	14	1.00	54	27.81	16.74
5	26	2.44	54	30.60	19.61
6	10	1.71	47	30.99	18.05
7	18	1.65	38	34.89	18.06



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	48	27.10	14.21
2	10	2.48	49	28.10	16.18
3	18	2.48	58	27.52	18.20
4	14	1.67	56	26.58	18.54
5	26	2.51	50	31.20	18.62
6	10	2.09	41	31.72	16.99
7	18	1.66	99	34.78	18.38

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	43	29.43	15.66
2	11	2.51	48	29.43	17.67
3	18	3.31	68	28.32	19.13
4	14	1.00	47	27.81	15.47
5	26	2.37	48	32.10	19.57
6	10	2.00	41	32.83	17.83
7	18	1.65	97	34.89	17.87

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	5.01	80	28.89	17.88
2	11	1.87	50	27.62	16.20
3	18	1.78	48	27.58	15.42
4	14	1.71	58	29.81	18.16
5	25	2.07	60	32.82	20.75
6	10	2.10	48	32.83	18.77
7	18	1.79	38	34.97	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.26	48	28.10	16.46
2	11	1.83	46	28.07	16.08
3	18	2.15	58	27.71	17.43
4	14	1.68	52	25.88	16.91
5	25	2.02	48	32.15	20.10
6	10	2.29	48	32.55	19.08
7	18	1.78	87	34.44	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.08	80	28.85	18.21
2	10	1.86	65	26.55	18.65
3	18	1.90	58	27.85	17.98
4	14	1.88	87	27.26	17.59
5	25	2.01	63	32.22	21.41
6	10	2.06	48	32.96	19.39
7	18	1.71	80	33.68	17.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	43	25.26	11.99
2	11	3.50	68	24.54	18.22
3	18	2.00	68	25.98	19.56
4	14	1.80	41	28.04	14.29
5	25	2.22	53	32.66	21.52
6	10	2.05	46	33.50	20.38
7	18	1.68	38	34.72	17.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	48	27.21	15.92
2	11	1.58	49	27.62	15.65
3	18	1.63	48	27.80	15.86
4	14	1.54	62	29.38	19.03
5	25	1.84	55	31.35	20.92
6	10	1.95	88	29.35	20.60
7	18	1.74	39	34.41	17.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	40	28.89	12.22
2	11	1.67	48	26.86	16.78
3	18	1.81	50	28.39	18.84
4	14	1.66	62	31.38	18.50
5	25	1.84	50	31.51	19.61
6	10	1.73	47	30.60	17.82
7	18	1.61	57	35.28	17.59

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.10	88	20.81	11.94
2	10	2.81	48	28.27	16.44
3	18	2.27	58	26.87	17.80
4	14	1.67	81	28.65	16.82
5	25	2.10	68	28.72	19.80
6	10	1.73	88	31.85	18.38
7	18	1.81	84	30.80	18.46

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.15	94	20.68	19.88
2	11	3.62	68	26.68	17.67
3	18	3.81	55	29.81	19.10
4	14	1.88	80	28.68	17.68
5	25	2.78	60	31.28	18.38
6	10	2.28	67	31.83	18.58
7	18	1.87	84	34.78	18.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.88	88	32.69	18.77
2	11	5.08	61	28.83	18.88
3	18	4.58	78	28.15	21.52
4	14	2.31	88	28.38	18.68
5	25	2.08	68	32.67	20.81
6	10	1.77	85	35.38	18.27
7	18	1.88	81	34.18	18.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.13	58	27.68	17.88
2	11	2.28	56	25.65	16.25
3	18	2.16	63	28.58	12.88
4	14	1.71	51	17.83	7.01
5	25	1.85	56	31.26	21.28
6	10	2.41	52	29.85	20.48
7	18	2.60	58	28.19	18.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	41	22.68	8.88
2	10	2.78	63	18.94	12.55
3	18	1.61	58	19.77	9.07
4	14	1.57	48	19.61	7.25
5	25	2.60	68	28.30	20.48
6	10	2.25	62	25.18	18.08
7	18	2.08	81	25.98	17.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.38	78	18.77	11.55
2	11	2.60	65	18.68	11.25
3	18	1.57	48	21.83	7.55
4	14	1.84	68	24.74	8.80
5	25	2.58	68	23.12	18.26
6	10	1.81	82	21.88	13.88
7	18	1.78	67	20.20	18.71

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.01	56	20.77	10.66
2	11	2.66	61	21.78	11.25
3	18	1.88	46	25.28	10.10
4	14	1.56	57	28.89	11.62
5	25	2.08	61	25.86	10.86
6	10	1.68	46	25.10	12.05
7	10	1.77	66	28.62	12.36

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.68	60	23.96	10.44
2	11	2.67	67	21.00	12.77
3	18	2.08	55	24.76	14.75
4	14	1.56	59	28.21	10.23
5	25	1.78	58	27.15	10.61
6	10	1.46	43	28.21	14.30
7	10	1.78	62	32.00	12.63

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.48	78	18.88	14.68
2	10	1.58	66	21.88	9.56
3	18	1.57	45	21.60	9.25
4	14	1.08	58	25.88	8.43
5	25	1.68	48	26.66	10.72
6	10	1.56	58	30.10	14.55
7	10	1.77	26	33.22	11.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.38	95	23.21	8.99
2	11	1.61	62	22.62	9.08
3	18	1.67	42	25.32	9.78
4	14	1.56	61	27.33	12.77
5	25	1.86	59	28.99	17.08
6	10	1.85	43	29.10	15.05
7	10	1.88	40	31.21	14.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.58	56	22.10	11.68
2	11	2.01	49	24.33	12.77
3	18	2.08	55	24.59	14.65
4	14	1.57	40	29.78	13.32
5	25	2.21	55	20.73	19.79
6	10	1.91	48	29.21	16.08
7	10	1.83	48	30.20	15.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.68	47	24.81	12.32
2	11	2.36	57	24.69	15.24
3	18	2.45	51	29.59	17.92
4	14	1.57	38	30.75	14.59
5	25	2.14	52	30.68	19.46
6	10	1.87	56	29.21	19.38
7	10	1.83	51	30.51	18.57

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	62	27.66	19.84
2	10	2.00	67	28.00	18.40
3	18	2.26	55	29.26	18.73
4	14	1.94	48	28.68	18.00
5	25	2.26	61	29.44	20.06
6	10	1.83	69	28.68	20.32
7	18	1.68	48	32.06	18.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	67	30.77	16.21
2	11	2.00	63	28.81	18.08
3	18	2.20	61	29.11	19.99
4	14	1.66	48	28.50	16.16
5	25	2.07	67	30.06	20.37
6	10	1.66	57	28.94	20.48
7	18	1.68	47	32.60	18.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.09	71	28.77	19.21
2	11	7.82	77	24.78	20.36
3	18	2.58	71	25.78	20.18
4	14	1.78	68	23.68	18.48
5	25	2.06	85	21.37	20.08
6	10	1.68	58	30.18	21.05
7	18	2.20	48	29.60	18.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.03	91	17.21	15.66
2	11	3.11	68	27.02	21.51
3	18	1.62	58	28.16	19.08
4	14	2.58	50	19.67	8.21
5	25	2.55	66	31.77	21.68
6	10	1.48	58	30.27	21.10
7	18	2.04	45	31.18	17.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.50	82	20.09	17.66
2	10	3.25	72	27.38	21.77
3	18	2.08	64	22.71	15.12
4	14	1.54	37	22.03	8.58
5	25	1.79	59	30.84	21.70
6	10	1.69	59	28.77	19.66
7	18	1.77	41	29.82	14.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.27	76	25.21	20.08
2	11	3.23	71	24.69	18.88
3	18	1.81	41	24.81	10.55
4	14	1.94	38	27.29	10.31
5	24	1.73	58	24.80	20.06
6	10	1.48	45	26.21	14.77
7	18	1.58	42	31.38	10.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	46	25.00	10.21
2	11	1.76	43	26.06	12.52
3	18	1.83	43	28.75	12.95
4	14	1.88	45	22.61	9.83
5	25	2.22	61	27.05	19.50
6	10	1.58	48	29.05	18.05
7	18	1.88	42	31.60	16.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.26	48	25.80	10.98
2	11	2.36	63	26.01	18.20
3	18	2.35	59	28.01	15.15
4	14	1.82	56	17.48	8.17
5	25	2.13	64	28.50	20.00
6	10	1.83	58	29.30	19.10
7	18	1.88	47	33.26	17.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.88	48	27.21	15.77
2	10	3.10	62	28.55	17.82
3	18	2.77	52	28.52	17.52
4	14	2.27	68	15.23	8.00
5	25	2.17	64	27.81	21.26
6	10	1.88	80	28.88	20.18
7	18	1.81	48	31.82	18.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.52	99	25.96	17.88
2	11	5.49	76	23.47	18.42
3	18	1.77	53	15.45	8.68
4	14	1.58	49	15.51	2.97
5	25	2.70	66	28.76	21.77
6	10	3.90	77	24.10	19.82
7	18	1.68	58	26.00	15.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	88	19.10	10.88
2	11	1.55	53	19.53	8.68
3	18	1.57	48	17.48	5.65
4	14	1.54	58	18.40	5.88
5	25	2.53	71	25.59	19.62
6	10	2.85	61	22.96	14.27
7	18	1.78	48	26.94	13.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	48	17.89	8.92
2	11	1.55	43	17.57	6.69
3	18	1.84	44	19.10	5.95
4	14	1.54	38	19.95	5.99
5	25	1.81	52	24.30	13.58
6	10	1.81	45	23.88	10.99
7	18	1.77	38	28.45	10.27

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	48	18.86	9.06
2	10	1.50	48	18.04	8.16
3	18	1.81	40	21.10	8.61
4	14	1.60	36	24.20	7.61
5	25	1.80	46	22.61	9.00
6	10	1.30	50	26.27	8.48
7	18	1.80	30	27.20	11.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	48	17.80	6.00
2	11	1.71	61	18.88	6.00
3	18	2.48	47	22.40	10.59
4	14	1.60	46	20.30	10.70
5	25	1.75	46	22.03	9.60
6	10	1.48	50	24.27	9.71
7	18	1.80	36	29.84	11.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.97	60	19.77	10.99
2	11	3.41	63	19.23	11.88
3	18	2.98	58	25.08	15.63
4	14	1.70	46	28.30	12.90
5	25	1.83	46	25.61	12.77
6	10	1.81	41	25.80	11.48
7	18	1.80	30	30.89	11.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.22	60	23.10	15.00
2	11	3.08	62	23.12	15.28
3	18	3.08	46	27.40	14.44
4	14	1.77	47	28.74	13.62
5	25	1.99	46	28.05	15.13
6	10	1.93	40	28.27	13.40
7	18	1.60	37	31.20	14.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.92	62	24.55	18.88
2	10	3.41	58	26.27	17.55
3	18	2.43	43	29.85	15.08
4	14	1.38	53	24.95	13.21
5	25	2.06	44	30.32	16.40
6	10	2.27	39	30.16	14.77
7	18	1.70	30	31.38	15.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.68	65	25.99	18.77
2	11	3.00	62	29.99	15.60
3	18	1.98	53	21.91	13.32
4	14	1.63	53	18.76	7.02
5	25	1.78	41	31.52	16.45
6	10	1.85	41	31.18	16.55
7	18	1.75	42	32.98	17.42

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	58	16.00	5.10
2	11	3.10	62	18.15	8.63
3	18	2.56	68	19.56	13.42
4	14	1.60	50	22.20	9.70
5	25	2.10	51	20.03	17.72
6	10	1.87	48	30.10	17.30
7	18	1.60	38	32.50	18.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	7.08	81	10.55	8.10
2	11	4.88	81	18.88	16.24
3	18	2.85	54	24.22	13.48
4	14	1.54	42	24.18	8.51
5	25	1.75	47	31.46	18.41
6	10	1.67	48	29.66	15.93
7	18	1.66	38	32.82	14.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	5.88	81	19.88	12.66
2	10	5.20	68	21.55	15.44
3	18	1.58	46	19.28	8.63
4	14	1.54	48	18.68	4.95
5	25	1.86	67	28.86	18.77
6	10	1.71	47	28.27	15.06
7	18	1.81	41	31.00	15.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	50	14.44	3.88
2	11	1.58	43	16.65	3.17
3	18	1.57	43	17.61	4.40
4	14	1.54	37	23.89	7.37
5	25	1.63	49	25.88	12.97
6	10	1.34	40	23.71	8.83
7	18	1.61	36	31.84	16.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.24	45	15.88	3.88
2	11	1.66	48	17.67	7.06
3	18	1.69	52	16.50	6.35
4	14	1.56	58	18.01	9.60
5	25	1.76	50	25.88	14.55
6	10	1.68	46	24.10	10.88
7	18	1.70	31	32.39	11.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	78	11.39	8.33
2	11	2.43	56	11.81	2.11
3	18	1.57	38	12.08	-2.00
4	14	1.54	59	10.36	2.53
5	25	1.71	41	25.30	11.06
6	10	1.47	37	22.27	6.60
7	18	1.78	33	31.82	12.35

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	15.52	1.77
2	10	1.50	58	14.63	1.27
3	18	1.87	53	18.96	2.40
4	14	2.01	26	26.40	0.74
5	26	1.75	46	23.60	10.46
6	10	1.58	59	25.52	7.48
7	18	2.04	84	42.52	19.13



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	45	17.80	5.80
2	11	2.06	66	18.80	9.50
3	18	2.25	44	25.75	12.24
4	14	1.84	41	20.27	5.40
5	26	1.88	64	26.77	16.46
6	10	1.96	49	28.80	10.71
7	18	1.88	40	31.42	15.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.43	68	14.68	8.30
2	11	2.72	63	22.87	14.06
3	18	3.01	54	20.74	9.47
4	14	1.83	30	21.08	2.48
5	26	1.87	63	29.06	18.40
6	10	2.35	68	25.38	18.1[illegible]
7	18	2.14	44	29.40	15.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.13	72	14.44	9.44
2	11	1.82	58	18.22	7.67
3	18	1.61	23	22.65	0.52
4	14	1.57	28	24.67	3.84
5	25	3.67	78	22.46	17.15
6	10	3.33	66	21.44	13.55
7	18	1.58	42	29.18	14.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	62	12.89	5.55
2	10	1.56	61	16.27	6.99
3	18	1.73	31	25.73	5.09
4	14	1.64	28	25.08	6.06
5	25	3.56	69	21.46	14.99
6	10	1.83	49	22.32	9.99
7	18	1.58	32	28.33	10.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	47	12.32	1.44
2	11	1.69	48	15.50	4.64
3	18	2.33	42	21.78	7.69
4	14	1.77	32	27.53	7.73
5	26	4.40	71	19.21	13.19
6	10	1.97	55	23.43	7.77
7	18	1.63	28	29.05	7.95

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.84	58	18.32	9.00
2	11	1.62	68	14.29	6.00
3	18	1.78	58	20.05	5.08
4	14	1.74	28	28.04	7.60
5	26	4.01	71	18.72	12.46
6	10	1.69	45	21.32	7.55
7	18	1.75	25	30.44	7.73

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.62	63	14.89	7.44
2	11	9.38	72	16.20	10.04
3	18	2.08	41	22.05	7.55
4	14	2.04	32	24.49	6.31
5	26	2.64	68	20.86	14.36
6	10	1.73	47	25.60	11.27
7	18	2.00	28	31.21	7.34



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	41	18.77	8.92
2	10	2.40	58	20.40	12.16
3	18	2.18	42	24.15	9.70
4	14	1.73	52	14.28	9.60
5	26	2.33	64	23.39	16.21
6	10	1.71	42	27.38	12.99
7	18	1.85	27	31.17	8.50

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	65	18.00	12.09
2	11	3.67	68	17.07	11.81
3	18	1.71	52	16.81	8.78
4	14	1.77	37	17.63	2.57
5	26	2.13	59	25.04	17.24
6	10	2.45	50	26.88	15.18
7	18	2.12	39	27.88	10.89



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.12	61	13.68	9.00
2	11	1.75	50	15.55	5.09
3	18	1.98	42	22.37	8.02
4	14	2.09	37	23.25	8.54
5	26	1.99	48	26.87	14.80
6	10	2.68	58	28.49	17.10
7	18	2.38	53	27.14	15.62

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.29	62	16.33	9.21
2	11	4.25	63	18.07	10.65
3	18	2.08	44	23.69	9.53
4	14	1.60	28	23.40	2.97
5	26	2.42	57	27.01	17.66
6	10	2.62	78	25.18	19.21
7	18	1.77	48	28.74	15.20

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.38	48	18.44	5.48
2	10	2.35	48	19.66	8.32
3	18	2.02	41	20.58	8.41
4	14	1.77	28	24.10	6.66
5	25	2.66	64	25.94	18.08
6	10	5.22	77	22.85	18.48
7	16	1.78	43	29.75	15.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	5.22	77	14.55	10.84
2	11	7.20	80	18.25	12.42
3	18	2.25	47	21.15	8.57
4	14	1.64	33	19.97	2.86
5	25	3.60	78	24.18	18.83
6	10	5.08	79	22.80	17.66
7	16	1.56	58	30.44	19.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.18	48	19.77	1.64
2	11	1.69	47	15.24	3.73
3	18	1.75	43	18.85	6.04
4	14	1.77	30	22.77	4.20
5	25	2.41	63	25.66	18.03
6	10	2.69	62	24.48	15.44
7	16	1.81	34	29.89	12.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.18	48	14.44	2.77
2	11	2.12	60	16.20	8.22
3	18	3.67	47	21.07	8.28
4	14	1.71	36	18.66	-0.35
5	25	5.67	68	22.01	18.40
6	10	2.01	53	26.77	16.32
7	16	1.54	30	30.89	10.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	4.11	68	18.88	8.88
2	10	1.58	56	14.55	5.33
3	18	1.71	45	15.54	1.78
4	14	1.63	20	20.39	-8.32
5	25	1.68	48	23.48	11.72
6	10	1.38	33	20.83	4.05
7	16	1.68	26	27.33	6.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.38	48	18.10	4.43
2	11	1.75	42	18.32	6.99
3	18	1.78	25	21.68	0.30
4	14	1.64	24	16.96	-4.00
5	25	1.69	58	23.92	10.57
6	10	1.38	32	22.80	4.01
7	16	1.66	26	28.92	8.49

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	38	10.00	1.77
2	11	1.61	36	14.40	-0.04
3	18	1.61	35	19.02	-2.52
4	14	1.54	33	12.19	-4.00
5	25	1.67	40	25.23	10.59
6	10	1.67	38	23.30	7.30
7	16	1.80	33	27.00	9.06



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	40	9.00	-2.44
2	11	1.64	40	11.10	-1.06
3	18	1.74	37	19.20	-1.29
4	14	1.60	29	17.02	-1.98
5	25	1.67	40	21.59	10.04
6	10	1.65	38	21.99	8.33
7	16	1.80	32	27.66	9.02



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	38	8.77	-9.21
2	10	1.64	40	11.30	-1.82
3	18	2.32	42	14.40	1.20
4	14	2.54	28	22.79	9.44
5	25	1.65	45	19.61	7.70
6	10	1.69	44	22.21	9.21
7	16	1.85	38	27.30	11.55

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	39	11.65	-1.77
2	11	2.00	46	14.09	3.43
3	18	2.49	36	23.66	7.06
4	14	2.25	27	27.01	5.75
5	25	1.66	51	20.32	9.59
6	10	1.65	42	21.71	8.27
7	16	2.12	47	27.70	14.03



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.61	40	14.99	4.33
2	11	2.40	51	18.40	8.12
3	18	2.52	42	24.44	10.42
4	14	2.74	43	23.08	10.67
5	25	1.91	54	21.50	11.77
6	10	1.71	42	22.59	9.27
7	16	1.84	52	26.52	15.51



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.77	58	18.88	9.99
2	11	4.57	48	22.57	11.35
3	18	2.05	38	24.40	8.82
4	14	1.60	52	17.21	6.70
5	25	1.91	53	23.06	12.59
6	10	1.66	38	24.66	9.32
7	16	2.21	55	25.98	15.58

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.63	49	24.89	11.06
2	10	0.61	43	26.77	12.49
3	18	0.71	45	24.90	11.04
4	14	1.68	81	20.88	8.48
5	25	2.91	86	23.99	19.48
6	10	1.75	35	25.71	8.85
7	8	1.68	61	24.47	16.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.61	40	26.89	11.88
2	11	0.47	43	26.84	11.81
3	18	2.48	38	26.15	10.18
4	14	1.84	47	25.26	10.01
5	25	0.51	63	22.29	16.08
6	10	1.07	38	25.83	8.43
7	18	1.62	66	24.08	16.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.71	50	24.88	11.86
2	11	0.68	50	23.85	12.82
3	18	2.50	38	20.87	8.57
4	14	1.68	48	22.88	8.20
5	25	0.61	71	21.85	15.32
6	10	1.78	40	24.48	8.53
7	18	1.67	86	24.48	16.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.68	57	18.56	7.08
2	11	2.58	58	18.87	8.58
3	18	3.71	48	22.37	10.93
4	14	1.88	48	21.86	8.20
5	25	2.57	58	24.17	13.58
6	10	3.04	58	23.71	11.98
7	18	2.28	59	23.38	13.05

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.18	47	10.77	-0.55
2	10	1.05	37	16.05	-0.61
3	18	3.08	48	19.58	8.29
4	14	2.68	42	21.42	7.77
5	25	3.50	65	21.39	14.41
6	10	2.17	53	23.88	13.55
7	18	2.51	61	23.19	14.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	48	13.10	2.52
2	11	2.28	58	15.85	7.77
3	18	5.30	68	13.80	12.98
4	14	2.21	52	18.14	5.59
5	25	2.90	75	19.61	14.90
6	10	5.10	87	23.22	19.33
7	18	1.83	58	20.82	14.92

CAPITA

REGION	# STNS	MEXT	RH %	TEMPERATURE, C	DEWPOINT, C
1	9	1.77	84	17.00	8.06
2	11	3.23	61	18.00	11.01
3	10	5.40	57	21.91	12.91
4	15	2.30	86	18.76	9.53
5	25	6.02	86	20.29	17.52
6	10	2.96	77	19.58	14.96
7	10	1.77	46	21.86	7.07

REGION	# STNS	MEXT	RH %	TEMPERATURE, C	DEWPOINT, C
1	9	6.84	71	18.86	12.77
2	11	8.68	76	18.17	13.68
3	10	5.84	58	20.80	12.12
4	15	1.87	88	17.46	8.36
5	25	9.81	76	22.85	17.50
6	10	2.65	72	19.82	14.88
7	10	1.85	86	20.96	8.05



REGION	# STNS	MEXT	RH %	TEMPERATURE, C	DEWPOINT, C
1	9	8.48	67	18.88	14.88
2	10	8.47	81	16.85	14.77
3	10	4.80	51	18.79	8.08
4	15	1.98	94	15.12	0.88
5	25	2.34	65	23.26	18.12
6	10	2.25	58	22.60	15.27
7	10	1.84	86	20.62	10.10



REGION	# STNS	MEXT	RH %	TEMPERATURE, C	DEWPOINT, C
1	9	1.19	39	19.32	0.23
2	11	1.88	51	13.99	3.73
3	10	9.59	80	15.83	7.07
4	15	5.22	49	17.83	6.66
5	25	2.60	61	23.15	15.03
6	10	2.68	52	22.98	14.49
7	10	2.30	42	25.75	11.80



REGION	# STNS	MEXT	RH %	TEMPERATURE, C	DEWPOINT, C
1	9	1.10	92	8.93	-0.99
2	11	1.55	98	12.57	1.81
3	10	3.60	50	20.87	9.53
4	15	3.15	81	12.58	8.72
5	25	2.18	62	19.26	11.83
6	10	2.27	57	22.80	13.55
7	10	1.79	93	21.97	8.40

REGION	# STNS	MEXT	RH %	TEMPERATURE, C	DEWPOINT, C
1	5	1.28	57	9.55	1.55
2	11	3.38	68	13.22	6.29
3	10	5.43	82	12.80	5.24
4	15	1.63	91	19.76	0.03
5	25	8.20	48	17.59	13.57
6	10	9.01	72	16.77	11.30
7	10	1.75	93	21.52	9.61

CAPITA



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.77	72	18.68	7.04
2	10	5.60	80	19.27	8.83
3	18	1.88	45	15.31	3.26
4	14	1.70	80	14.81	0.98
5	25	3.27	71	18.86	19.21
6	10	2.05	52	17.77	7.40
7	16	1.84	41	23.80	7.80

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	48	18.96	8.04
2	11	1.70	61	18.16	9.80
3	18	2.42	54	17.77	8.28
4	14	1.73	42	18.42	8.26
5	25	2.11	63	18.87	12.58
6	10	1.88	51	20.88	10.33
7	16	1.88	61	20.60	12.40

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.82	61	14.88	4.44
2	11	2.16	60	17.18	8.20
3	18	2.39	47	20.81	8.80
4	14	2.04	61	16.71	8.08
5	25	2.62	72	18.70	10.67
6	10	1.99	65	21.77	11.71
7	16	2.62	68	25.28	10.41



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.95	46	17.89	5.98
2	11	2.05	65	18.88	11.91
3	18	2.19	54	21.75	11.72
4	14	2.04	69	12.25	6.34
5	25	5.46	79	19.92	15.97
6	10	1.63	61	21.49	13.68
7	16	2.42	55	19.85	9.89



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.19	62	20.10	12.43
2	10	5.67	84	18.32	15.55
3	18	3.10	67	19.74	13.39
4	14	2.97	67	10.43	3.92
5	25	2.16	70	22.88	16.89
6	10	4.24	71	20.65	14.49
7	16	1.63	39	20.44	5.27



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.75	83	20.44	17.92
2	11	6.29	77	20.05	16.30
3	18	5.59	74	18.29	13.54
4	14	4.44	72	12.09	7.02
5	25	2.88	72	23.01	18.39
6	10	2.03	63	19.02	12.43
7	16	1.71	46	23.29	8.50

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.22	70	11.77	7.00
2	11	6.30	83	18.17	16.20
3	18	8.04	85	18.00	11.84
4	14	5.82	73	18.00	8.82
5	25	2.70	86	24.40	16.72
6	10	2.09	51	22.99	12.30
7	18	2.70	48	18.82	8.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	80	8.21	3.00
2	11	1.90	85	15.00	8.54
3	18	5.54	82	18.50	11.72
4	14	4.90	83	10.80	3.57
5	25	2.33	86	22.21	16.09
6	10	1.04	51	24.44	13.77
7	18	9.80	87	18.98	8.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	40	10.33	8.77
2	10	2.00	84	17.68	10.44
3	18	8.40	77	18.88	12.10
4	14	8.78	82	8.40	5.11
5	25	2.26	68	18.88	13.87
6	10	2.58	50	22.10	13.45
7	18	4.29	70	19.00	9.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	29	15.32	-3.22
2	11	1.85	37	17.46	2.11
3	18	5.08	84	19.28	12.06
4	14	3.78	83	8.44	5.63
5	25	1.00	58	20.72	11.95
6	10	2.13	60	21.85	12.83
7	18	2.59	71	15.23	8.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	53	16.66	7.10
2	11	2.47	48	17.47	6.35
3	18	2.40	62	15.50	7.99
4	14	1.68	66	7.45	1.24
5	25	2.05	47	20.43	8.39
6	10	2.46	67	18.88	12.60
7	18	9.76	87	17.70	10.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.10	65	16.43	7.10
2	11	3.45	57	15.20	6.66
3	18	2.23	50	12.90	2.00
4	14	2.70	62	9.80	-2.81
5	25	1.00	47	21.70	10.04
6	10	3.42	68	18.77	11.93
7	18	1.82	50	18.00	11.10

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.22	67	14.44	8.21
2	10	6.00	78	10.56	5.77
3	10	1.74	58	5.80	-4.06
4	14	1.54	57	2.88	-6.03
5	25	4.14	67	10.50	11.00
6	10	2.08	80	10.95	9.05
7	10	1.87	47	12.10	1.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	40	6.32	-8.21
2	11	1.51	48	6.71	-3.60
3	10	1.65	38	7.71	-6.57
4	14	1.84	53	8.34	-2.87
5	25	1.84	46	10.00	-1.02
6	10	1.52	43	8.39	-3.21
7	10	1.58	38	12.11	-1.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	40	-0.90	-12.00
2	11	1.62	44	1.76	-8.28
3	10	1.78	48	5.87	-4.74
4	14	1.73	48	11.58	0.47
5	25	1.62	38	14.28	-1.04
6	10	1.83	35	13.55	-1.94
7	10	1.84	32	10.12	1.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	42	9.33	-0.44
2	11	1.83	43	7.87	-2.37
3	10	1.87	42	15.70	2.83
4	14	1.57	41	15.11	1.28
5	25	1.62	38	18.55	2.10
6	10	1.50	35	15.99	4.16
7	10	1.08	33	21.90	4.59



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.00	58	15.00	8.77
2	10	2.78	56	13.38	4.38
3	10	1.67	44	7.71	-4.20
4	14	1.54	43	6.50	-9.47
5	25	1.67	40	21.10	6.00
6	10	1.42	35	18.32	2.05
7	10	1.58	33	21.35	8.45



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	48	3.00	-0.44
2	11	2.17	47	6.61	-4.13
3	10	1.75	32	10.92	-5.64
4	14	1.57	41	14.00	0.53
5	25	1.65	32	15.09	-1.02
6	10	1.63	23	15.33	-4.88
7	10	1.87	45	22.98	9.85

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.48	48	13.00	-0.88
2	11	3.00	38	15.45	1.86
3	18	2.30	54	18.85	9.40
4	14	0.48	84	8.88	5.25
5	25	1.00	66	20.07	6.08
6	10	2.55	48	20.80	8.10
7	18	3.01	47	24.78	12.31

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.88	68	17.94	9.89
2	11	5.02	48	18.88	6.88
3	18	4.58	78	19.71	9.58
4	14	7.81	88	-2.68	-4.88
5	25	1.84	47	28.80	11.38
6	10	1.78	88	18.98	11.71
7	18	2.87	44	18.88	8.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.88	71	17.88	12.44
2	10	2.18	88	13.48	7.66
3	18	1.57	53	2.80	-5.78
4	14	1.80	88	-0.47	-8.58
5	26	2.06	68	21.80	14.21
6	10	2.11	86	9.88	2.72
7	18	1.77	88	8.88	-0.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.58	68	7.98	-2.89
2	11	2.38	52	5.85	-3.33
3	18	2.31	98	3.79	-6.26
4	14	1.68	68	3.88	-3.86
5	25	6.18	75	15.32	10.32
6	10	2.58	58	11.10	1.77
7	18	1.88	38	13.08	-4.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.52	88	0.33	-2.22
2	11	1.38	58	5.84	-2.72
3	18	3.18	91	7.71	-4.38
4	14	1.87	58	7.17	1.88
5	25	1.88	98	15.78	8.82
6	10	1.55	38	15.85	-4.33
7	18	1.57	28	18.22	-1.83

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.77	88	2.77	-5.88
2	11	3.13	48	7.81	3.78
3	18	3.88	58	11.53	2.37
4	14	1.87	81	2.81	0.55
5	25	2.18	48	16.68	3.68
6	10	1.85	57	17.85	1.58
7	18	2.43	81	21.88	12.48

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.48	68	7.10	-0.77
2	10	4.11	60	0.52	2.10
3	18	9.30	66	7.24	5.52
4	14	8.60	78	-0.84	-4.61
5	25	2.40	63	10.16	0.17
6	10	2.40	68	10.10	9.40
7	18	1.00	84	10.20	0.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.21	67	11.38	0.10
2	11	2.76	74	13.17	0.40
3	18	2.04	78	2.21	-1.96
4	14	3.54	87	-2.87	-7.80
5	25	2.30	60	21.37	16.30
6	10	5.04	82	9.52	0.27
7	16	1.00	20	12.10	-0.00

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	48	0.60	-9.21
2	11	2.50	68	3.32	-4.00
3	18	6.48	68	-4.08	-10.18
4	14	2.54	68	-4.26	-9.00
5	25	1.04	44	10.68	-1.52
6	10	1.54	49	2.44	-7.88
7	16	1.50	20	12.14	-0.91



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	40	0.33	-9.33
2	11	2.33	52	-3.12	-11.66
3	18	1.81	53	-4.99	-12.58
4	14	1.68	65	-2.34	-7.04
5	25	1.70	36	0.32	-6.44
6	10	1.35	45	0.08	-5.27
7	16	1.90	32	15.83	-1.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	94	1.11	-14.71
2	10	3.46	58	0.89	-8.44
3	18	2.27	59	-2.24	-9.40
4	14	2.50	50	0.90	-2.10
5	25	2.26	44	0.58	-3.15
6	10	2.51	55	4.22	-4.49
7	16	1.50	30	13.60	-0.76



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	47	2.56	7.55
2	11	4.03	60	1.31	-4.08
3	18	7.59	82	0.15	-2.49
4	14	2.25	65	1.30	-4.87
5	25	3.36	50	0.80	-0.55
6	10	1.57	47	9.08	-1.33
7	16	1.55	27	10.40	-2.53

CAPITA

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.72	60	5.89	5.00
2	11	6.45	60	3.52	0.16
3	18	4.00	70	-0.21	-3.54
4	14	1.80	61	-5.70	-7.00
5	26	2.18	64	10.00	1.00
6	10	4.00	80	5.10	-2.06
7	18	1.60	56	0.00	-6.41



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.50	66	5.10	-0.77
2	11	3.30	64	1.66	-4.23
3	18	2.50	66	-0.30	-5.00
4	14	2.43	63	5.00	-4.47
5	26	2.04	47	7.30	-3.60
6	10	2.10	61	2.45	-5.50
7	18	1.81	27	12.04	-5.00

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	64	9.10	-8.44
2	10	2.16	59	9.40	-5.83
3	18	2.20	60	1.60	-5.51
4	14	2.04	62	-4.40	-10.03
5	26	2.00	36	11.17	-3.70
6	10	1.80	40	10.80	-2.21
7	18	1.81	38	19.57	-0.96

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.72	64	5.32	-1.10
2	11	3.12	62	2.97	-3.73
3	18	1.74	61	-3.25	-5.60
4	14	1.63	64	0.15	-0.52
5	26	2.00	50	14.10	3.35
6	10	2.70	58	4.99	-2.10
7	18	1.72	34	7.21	-7.87



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	91	-0.77	-9.55
2	11	2.43	56	-0.50	-8.78
3	18	3.17	66	-1.32	-6.04
4	14	1.54	62	6.74	-3.52
5	26	1.05	46	8.40	-1.53
6	10	1.98	45	4.93	-6.10
7	18	2.18	20	15.00	-2.07



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	45	0.22	-10.60
2	11	2.01	63	0.05	-5.19
3	18	3.51	68	1.00	-3.72
4	14	1.70	52	7.00	-2.71
5	26	1.86	36	11.21	-3.44
6	10	2.50	44	9.93	-1.94
7	18	2.91	28	17.07	-0.90

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	47	-0.11	-10.00
2	10	4.40	79	1.00	-2.56
3	18	4.00	67	8.52	-0.67
4	14	1.00	56	11.10	-0.44
5	25	1.67	80	14.85	-0.11
6	10	1.50	57	15.10	0.55
7	18	1.00	84	20.00	-0.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.12	84	-2.00	-8.00
2	11	8.06	88	0.00	0.70
3	18	1.02	80	10.07	0.40
4	14	1.00	68	0.10	-2.06
5	25	1.74	82	20.72	3.60
6	10	1.00	52	19.60	2.30
7	18	2.11	86	20.05	5.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	61	0.00	-0.46
2	11	1.76	62	7.47	-1.06
3	18	4.03	54	12.00	2.00
4	14	4.47	60	4.62	-1.00
5	25	2.87	80	21.00	5.17
6	10	2.75	43	18.62	0.00
7	18	2.12	60	20.00	0.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	54	-1.77	-9.66
2	11	3.04	56	7.42	-1.21
3	18	3.52	71	14.28	8.72
4	14	4.09	77	-2.57	-5.98
5	25	2.45	45	19.88	6.04
6	10	2.09	58	19.60	10.44
7	18	1.05	46	22.04	8.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.00	84	7.10	4.55
2	10	6.39	75	14.27	9.60
3	18	6.16	78	11.69	7.71
4	14	4.70	67	-8.00	-11.04
5	25	2.21	52	22.08	11.64
6	10	2.43	71	20.10	14.60
7	18	2.27	68	20.69	13.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.89	86	8.66	8.22
2	11	7.32	80	12.47	8.03
3	18	9.47	50	4.50	9.05
4	14	2.06	62	-9.79	-13.94
5	25	1.93	59	23.32	12.39
6	10	3.75	72	19.49	13.93
7	18	3.53	73	15.03	9.92

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.87	86	8.88	-1.22
2	11	9.40	84	6.05	-0.26
3	18	7.84	88	0.45	-1.45
4	14	8.76	88	-0.80	-12.36
5	25	2.68	83	22.88	12.66
6	10	5.92	72	18.05	12.55
7	18	8.41	77	10.70	8.48



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	16.18	81	-2.88	-6.10
2	11	7.20	87	-0.05	-2.77
3	18	8.40	73	-2.36	-6.58
4	14	1.76	83	-1.88	-7.48
5	25	2.81	83	20.81	12.06
6	10	9.55	86	8.88	5.66
7	18	1.76	88	4.78	-4.06



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.77	78	-0.66	-6.66
2	10	2.28	68	1.62	-6.62
3	18	8.82	76	-0.68	-6.56
4	15	1.76	88	4.66	-4.08
5	26	1.82	66	18.26	1.63
6	10	1.88	81	7.71	-1.88
7	18	8.87	68	8.40	-8.06

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.84	69	8.88	1.55
2	11	2.88	67	7.31	1.58
3	18	1.83	65	5.86	-0.29
4	14	1.82	51	-5.88	-9.98
5	25	2.88	61	15.21	7.61
6	10	3.13	70	11.15	5.60
7	18	1.80	58	10.35	5.41



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.72	56	10.10	1.84
2	11	2.86	61	7.87	0.95
3	18	5.62	65	0.88	-6.66
4	14	8.88	68	-8.87	-10.62
5	25	8.05	68	19.58	13.17
6	10	7.51	68	15.32	12.68
7	18	2.77	58	18.53	9.18



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	4.43	82	4.11	1.21
2	11	3.88	78	2.83	0.00
3	18	3.53	73	2.65	-0.75
4	14	2.53	78	5.83	0.82
5	25	3.95	78	21.91	15.32
6	10	4.28	87	11.88	9.66
7	18	2.88	82	7.78	0.38

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.46	81	-2.11	-5.00
2	10	8.08	82	0.00	-0.27
3	18	10.50	80	1.44	0.88
4	14	8.84	80	-9.40	-8.47
5	25	7.62	81	17.00	14.46
6	10	7.01	80	14.00	12.58
7	18	6.00	86	18.00	4.70

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.00	67	-0.00	-2.77
2	11	6.83	66	4.48	3.77
3	18	13.18	69	5.05	4.00
4	14	8.81	60	-2.78	-5.67
5	25	7.04	64	17.26	14.10
6	10	8.50	65	17.71	10.10
7	18	8.00	66	12.00	9.67



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.82	83	6.00	3.00
2	11	6.44	80	7.62	4.00
3	18	8.42	80	1.00	0.00
4	14	8.40	78	1.00	-2.01
5	25	2.04	71	20.10	14.70
6	10	2.74	68	15.10	8.00
7	18	3.12	40	14.12	2.01

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.60	61	8.77	-0.22
2	11	5.17	70	7.82	2.52
3	18	4.75	74	5.49	1.14
4	14	1.67	61	-8.19	-11.78
5	25	4.38	66	20.50	13.93
6	10	2.98	64	17.18	10.05
7	18	2.92	63	15.72	8.90

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.26	54	-1.77	-9.88
2	10	1.63	51	-0.88	-10.10
3	18	1.81	60	-1.57	-8.26
4	14	1.80	58	-0.83	-8.17
5	25	2.36	57	18.66	9.82
6	10	2.29	61	13.55	8.16
7	18	4.92	78	8.01	3.64



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	37	-0.33	-13.21
2	11	2.87	52	3.12	-5.70
3	18	5.97	68	4.08	-1.32
4	14	2.93	67	3.98	-1.08
5	25	3.12	61	15.75	8.21
6	10	3.93	67	15.10	9.18
7	16	6.88	88	9.68	7.70

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.11	86	5.00	-0.77
2	11	4.00	80	7.87	1.46
3	18	13.00	83	4.50	3.00
4	14	6.00	74	8.00	-0.00
5	25	8.02	72	17.81	12.00
6	10	3.41	88	16.00	14.32
7	18	2.00	77	10.04	7.07

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.07	78	0.10	1.00
2	11	12.28	81	7.70	6.40
3	18	14.37	88	6.70	3.00
4	14	6.70	77	0.10	-0.01
5	25	8.07	71	20.01	16.10
6	10	2.27	73	10.00	14.10
7	18	3.76	77	10.02	6.06

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.17	74	0.00	-4.00
2	11	7.00	81	5.00	4.00
3	18	6.00	80	6.30	3.00
4	14	11.00	82	0.00	-0.07
5	25	4.00	70	10.00	16.00
6	10	4.00	85	15.30	12.00
7	18	4.00	70	10.66	11.17



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.43	83	-1.88	-4.10
2	11	4.25	83	5.49	2.62
3	18	11.54	91	0.81	5.55
4	14	4.40	78	-1.78	-5.23
5	25	4.49	82	18.90	15.43
6	10	3.59	84	16.35	14.38
7	18	2.73	60	10.20	2.49



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.15	84	1.22	0.22
2	11	7.87	87	5.80	3.78
3	18	5.53	85	1.01	-1.14
4	14	2.02	70	-2.97	-7.93
5	25	3.58	74	16.30	11.39
6	10	1.83	68	6.77	1.16
7	18	1.58	42	10.08	-2.39

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.39	72	2.77	-1.68
2	11	2.22	71	1.51	-3.27
3	18	4.94	79	-1.29	-4.34
4	14	1.57	59	2.18	-5.43
5	25	1.57	43	9.41	-2.50
6	10	1.65	54	4.27	-4.49
7	16	1.55	37	11.24	-3.12

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.88	89	-8.98	-10.88
2	10	2.88	86	0.66	-5.21
3	18	4.85	81	-0.15	-5.11
4	14	1.84	48	7.63	-4.24
5	25	1.87	48	8.28	-1.38
6	10	1.82	56	7.80	-1.38
7	18	1.83	84	14.12	-1.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.88	78	-3.77	-8.86
2	11	0.58	83	1.86	-0.80
3	18	2.42	78	4.40	-0.82
4	14	1.84	48	7.68	-4.78
5	25	1.71	41	18.57	0.08
6	10	1.41	48	15.10	0.86
7	18	1.80	90	18.88	-2.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.84	78	2.88	-0.88
2	11	6.87	72	3.27	-1.46
3	18	7.88	82	-0.40	-5.17
4	14	1.83	68	2.02	-8.88
5	25	1.81	41	16.85	3.26
6	10	2.01	51	12.44	1.88
7	18	1.72	98	18.58	-1.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	19.08	92	1.10	0.11
2	11	5.58	88	-1.91	-4.98
3	18	3.35	88	-3.52	-8.45
4	14	1.78	58	4.75	-4.00
5	25	2.32	47	6.66	-4.17
6	10	1.63	56	2.60	-5.09
7	18	1.81	96	14.81	-1.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.38	95	-12.88	-18.31
2	10	3.75	58	-9.89	-15.15
3	18	2.22	67	-2.62	-7.85
4	14	2.70	78	0.78	-8.25
5	25	1.58	41	8.41	-4.10
6	10	2.08	52	9.10	-0.22
7	18	1.73	98	10.80	0.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.98	78	-10.99	-12.91
2	11	2.06	64	1.51	-4.68
3	18	2.08	85	1.50	-4.40
4	14	1.78	58	0.87	-8.48
5	25	1.71	42	17.67	4.28
6	10	1.56	48	14.88	2.55
7	18	1.71	98	17.28	8.05

CAPITA


REGION 1, QTR 1 1956
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 1, QTR 2 1956
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 1, QTR 3 1956
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 1, QTR 4 1956
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITA


REGION 2, QTR 1 1956
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 2, QTR 2 1956
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 2, QTR 3 1956
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 2, QTR 4 1956
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 3, QTR 1 1956
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1956
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1956
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1956
100 15
30
RH
BEXT
TEMP
0 0
OCT
NOV

COPITO


REGION 4, QTR 1 1956
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1956
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1956
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1956
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 5, QTR 1 1956
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 5, QTR 2 1956
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 5, QTR 3 1956
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 5, QTR 4 1956
100 15
30
RH
BEXT
TEMP
0 0
OCT
NOV
DEC

COPITO


REGION 6, QTR 1 1956
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 6, QTR 2 1956
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 6, QTR 3 1956
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 6, QTR 4 1956
100 15
30
RH
BEXT
TEMP
0 0
OCT
NOV
DEC

COPITA


REGION 7, QTR 1 1956
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1956
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1956
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1956
100 15
30
RH
BEXT
TEMP
0 0
OCT
NOV
DEC

COPITO


EUS MEAN, QTR 1 1956
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
EUS MEAN, QTR 2 1956
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
EUS MEAN, QTR 3 1956
100 15
50
RH
BEXT
TEMP
0 0
JUL
AUG
SEP
EUS MEAN, QTR 4 1956
100 15
30
RH
BEXT
TEMP
0 0
OCT
NOV
DEC

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.80	67	-10.00	-10.00
2	11	4.17	66	-7.67	-16.00
3	18	3.60	69	-6.01	-15.70
4	14	2.74	68	-6.60	-0.00
5	25	1.78	68	10.00	0.00
6	10	1.40	44	6.60	-2.00
7	16	1.07	47	14.61	0.10



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.80	61	-11.00	-10.00
2	11	2.67	66	-6.06	-10.00
3	18	2.50	67	-5.27	-12.40
4	14	1.60	64	-2.67	-0.70
5	25	1.66	67	6.70	-7.00
6	10	1.70	57	0.50	-12.21
7	16	1.74	60	6.61	0.07



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	60	-6.00	-10.77
2	11	2.04	64	-3.66	-10.00
3	18	3.00	62	-0.06	-7.40
4	14	2.00	61	1.60	-0.00
5	25	1.06	60	0.20	-4.00
6	10	2.11	58	6.60	-7.71
7	16	2.04	60	10.67	0.00



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.60	66	0.44	-5.22
2	11	3.38	54	3.87	-5.04
3	18	3.64	70	-0.95	-5.67
4	14	3.98	70	-6.33	-11.42
5	25	2.42	53	13.44	3.91
6	10	7.55	87	8.10	6.05
7	16	3.06	67	16.80	10.26



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.74	55	-4.72	-12.10
2	11	2.53	58	-2.22	-9.59
3	18	2.50	65	-2.63	-7.60
4	14	2.78	71	-3.09	-7.05
5	25	2.60	67	13.97	7.75
6	10	3.69	75	8.32	3.99
7	16	2.61	74	12.18	7.42



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.18	60	-6.88	-12.07
2	11	4.17	65	-3.17	-8.98
3	18	7.76	76	-0.86	-4.59
4	14	3.97	73	0.07	-4.68
5	25	3.93	63	10.50	3.93
6	10	8.08	64	6.27	3.71
7	16	4.58	73	15.09	10.06

CAPITA



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.48	78	-2.77	-6.21
2	10	8.27	78	-0.33	-3.82
3	18	4.01	71	0.98	-3.78
4	14	1.80	58	-0.27	-8.21
5	25	2.27	52	13.04	3.72
6	10	1.72	50	8.71	-0.98
7	18	2.38	84	14.90	7.20



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.21	80	-0.77	-8.10
2	11	2.39	58	1.36	-6.25
3	18	4.04	71	0.24	-4.44
4	14	4.58	68	-0.30	-4.59
5	25	1.96	40	11.61	-1.60
6	10	2.46	57	9.49	1.93
7	18	2.82	86	20.51	19.50



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.08	78	0.88	-2.86
2	11	6.36	78	3.81	-1.61
3	18	8.78	85	0.15	-1.97
4	19	8.48	72	-11.98	-8.85
5	25	4.17	68	16.90	10.52
6	10	8.43	78	18.77	12.55
7	18	4.48	68	21.78	12.80

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	16.21	80	-6.10	-4.02
2	11	5.75	78	-4.69	-8.02
3	18	9.11	87	-0.43	-10.97
4	14	1.68	55	-13.11	-17.78
5	25	2.00	51	16.86	6.78
6	10	2.32	85	5.43	-0.58
7	18	2.[illegible]	46	6.26	-5.43

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	43	-4.99	-17.21
2	11	2.[illegible]	53	-5.10	-12.16
3	18	3.[illegible]	69	-6.23	-10.68
4	14	1.[illegible]	65	-7.53	-10.65
5	25	2.29	53	0.55	-0.48
6	10	2.42	53	[illegible]	-3.05
7	18	2.02	53	[illegible]	-2.18



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.04	64	-1.55	-7.44
2	11	4.07	67	-0.55	-6.05
3	18	6.15	77	-1.69	-5.19
4	14	3.64	66	-9.83	-13.05
5	25	4.03	59	11.15	3.14
6	10	3.41	52	9.99	0.55
7	18	3.07	52	15.34	5.17

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	67	-8.27	-12.96
2	11	2.43	67	-8.06	-12.64
3	18	5.82	89	-10.50	-12.47
4	14	9.11	82	-19.21	-14.09
5	25	2.58	84	10.01	4.23
6	10	4.80	88	7.84	1.55
7	16	3.97	81	14.00	8.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.47	46	-11.84	-100.00
2	11	5.36	65	-10.24	-16.84
3	18	2.21	58	-12.12	-18.57
4	14	9.01	69	-12.38	-15.55
5	25	2.30	55	9.48	1.85
6	10	3.19	82	2.85	-9.77
7	16	2.58	81	7.81	0.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	48	-14.72	-100.00
2	10	3.22	60	-12.70	-15.73
3	18	7.38	80	-9.22	-15.32
4	14	2.87	59	-14.30	-18.10
5	25	6.08	70	5.81	0.28
6	10	7.25	78	5.03	0.27
7	16	5.81	84	4.88	-0.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	12.98	79	-11.10	-13.99
2	11	7.75	72	-7.97	-12.71
3	18	3.87	60	-13.80	-15.59
4	14	4.21	58	-12.55	-13.99
5	25	4.78	71	6.50	1.87
6	10	3.63	59	-2.99	-6.33
7	16	2.78	81	-2.50	-9.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.26	52	-13.21	-16.66
2	11	2.78	67	-10.78	-14.60
3	18	5.31	84	-10.76	-15.79
4	14	6.78	65	-6.46	-11.74
5	25	4.57	61	1.63	-3.12
6	10	1.78	37	-3.27	-14.36
7	16	1.76	35	3.96	-10.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	49	-9.99	-18.86
2	11	3.63	61	-7.31	-13.05
3	18	3.35	62	-8.90	-14.20
4	14	1.72	57	-2.41	-8.56
5	25	1.75	75	2.84	-10.05
6	10	1.45	39	0.22	-12.38
7	16	1.00	28	0.38	-8.81

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	80	-8.86	-14.56
2	10	2.08	54	-3.66	-11.40
3	18	2.56	61	-0.30	-7.15
4	14	1.88	60	0.70	-6.80
5	25	1.72	38	8.12	-5.40
6	10	1.72	50	7.85	-9.05
7	18	2.26	48	8.87	-0.87



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	84	-2.08	-8.84
2	11	1.96	55	2.87	-5.40
3	18	3.43	80	2.90	-0.80
4	14	2.28	80	-1.39	-8.90
5	25	1.88	40	12.35	1.77
6	10	2.18	50	8.88	0.88
7	18	2.91	51	10.20	7.84



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.62	84	6.77	0.22
2	11	5.95	78	6.28	2.67
3	18	7.75	88	8.63	7.18
4	14	4.73	76	-0.81	-8.88
5	25	4.08	76	15.37	11.40
6	10	2.43	68	17.38	10.88
7	18	2.04	68	20.48	19.57

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.64	83	9.99	7.32
2	11	8.00	83	9.83	6.25
3	18	7.62	83	5.45	3.92
4	14	2.20	64	-11.33	-13.92
5	25	5.29	79	18.92	15.38
6	10	4.55	88	18.05	15.94
7	18	2.02	57	12.93	9.18

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	67	3.93	-1.89
2	11	4.55	55	-1.55	-7.84
3	18	2.14	61	-7.15	-12.77
4	14	2.30	59	-9.74	-15.95
5	25	1.97	68	17.24	8.33
6	10	1.31	68	3.49	-2.27
7	18	1.54	63	2.49	-4.16



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	80	-8.55	-17.77
2	11	3.64	49	-6.00	-14.62
3	18	3.08	63	-4.10	-10.33
4	14	4.09	63	-9.38	-10.71
5	25	2.11	52	8.88	-0.32
6	10	2.21	58	5.77	-2.18
7	18	3.62	70	7.58	2.04

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.87	84	-4.00	-10.00
2	11	8.40	74	-2.82	-8.71
3	18	7.00	77	-2.00	-8.41
4	14	1.81	80	-10.00	-8.11
5	25	7.87	80	8.00	8.20
6	10	11.79	80	7.00	8.00
7	18	7.00	78	8.87	8.10

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	80	-8.00	-10.44
2	11	8.00	80	-1.00	-7.00
3	18	3.30	83	-7.00	-10.87
4	14	4.47	82	-14.81	-10.00
5	25	8.47	87	10.41	7.47
6	10	9.81	78	6.77	8.87
7	18	11.07	80	4.00	1.40



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.87	86	0.44	-7.00
2	10	4.27	84	-0.00	-8.27
3	18	2.31	83	-7.10	-10.00
4	14	1.88	80	-8.00	-14.87
5	25	4.00	74	10.20	11.00
6	10	8.45	80	8.00	8.00
7	18	8.00	84	8.00	8.04



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	56	-1.66	-9.21
2	11	6.38	64	-0.35	-1.61
3	18	10.02	78	-3.26	-6.63
4	14	5.91	77	-6.93	-9.78
5	25	5.28	74	18.10	13.14
6	10	7.44	85	14.38	11.03
7	18	8.77	80	10.41	6.62



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.76	57	-6.55	-8.21
2	11	12.01	68	0.10	-1.01
3	18	6.75	73	-3.39	-8.47
4	14	1.79	60	-11.38	-12.77
5	25	3.87	71	20.84	14.03
6	10	3.02	83	14.71	11.77
7	18	4.83	80	10.41	6.77

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	55	-3.44	-11.21
2	11	4.02	62	-1.31	-7.77
3	18	2.99	63	-6.01	-10.09
4	14	3.21	61	-8.88	-12.47
5	25	2.91	69	14.59	8.79
6	10	4.44	77	8.10	4.22
7	18	10.20	87	7.63	5.27

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.24	78	-1.11	-6.40
2	10	10.04	81	1.05	-1.00
3	18	11.41	80	-1.38	-4.47
4	14	9.16	70	-6.07	-7.02
5	25	6.06	76	16.60	13.08
6	10	10.05	80	12.60	10.00
7	18	4.40	70	12.18	7.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	84	-0.00	-0.44
2	11	10.07	80	-1.01	-4.00
3	18	9.54	83	-0.67	-3.17
4	14	4.04	74	-4.67	-7.42
5	25	6.20	74	10.55	13.12
6	10	8.05	86	12.21	8.21
7	18	9.14	76	12.50	7.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	88	-0.77	-7.10
2	11	8.17	66	0.10	-6.05
3	18	7.04	79	-0.06	-4.10
4	14	8.40	81	-0.80	-6.70
5	25	2.51	84	14.62	7.52
6	10	9.85	82	11.66	6.80
7	18	4.42	76	11.66	8.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.92	75	1.80	-1.77
2	11	9.07	78	3.83	0.45
3	18	7.69	84	3.51	0.98
4	14	3.98	74	-6.73	-8.48
5	25	7.31	81	15.26	11.93
6	10	5.03	78	16.65	12.82
7	18	3.88	66	10.60	11.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.31	68	5.55	0.00
2	10	7.32	79	4.88	1.38
3	18	2.93	62	0.24	-6.13
4	14	2.06	58	-1.98	-9.20
5	25	2.00	62	22.17	14.55
6	10	3.93	79	15.66	11.77
7	18	4.36	72	16.24	10.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	49	0.66	-8.99
2	11	3.49	58	1.21	-6.05
3	18	7.37	71	0.70	-4.10
4	14	3.29	66	-0.99	-6.90
5	25	4.08	65	15.55	8.67
6	10	9.09	64	13.88	10.66
7	16	5.06	74	15.72	10.55

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.48	48	8.49	-0.21
2	11	5.33	66	9.00	-1.61
3	18	10.87	61	3.32	0.00
4	14	8.29	67	8.04	-2.01
5	25	6.00	70	14.10	9.16
6	10	5.50	80	14.60	12.10
7	18	6.00	80	16.29	11.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	68	4.00	-0.77
2	11	8.60	70	4.10	0.00
3	18	8.71	67	1.75	-0.03
4	14	6.70	68	-0.10	-8.46
5	25	5.00	70	10.10	11.06
6	10	5.50	80	10.60	12.35
7	18	5.40	70	10.50	16.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	38	0.11	-10.00
2	10	2.06	50	4.10	-6.30
3	18	10.79	64	2.74	0.50
4	14	10.00	60	1.00	0.10
5	25	6.40	71	16.02	11.20
6	10	6.70	80	17.21	13.21
7	18	2.01	67	21.07	16.10



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.57	61	1.91	-0.77
2	11	10.02	87	5.44	3.72
3	18	8.27	91	8.57	7.74
4	14	3.83	75	5.31	0.37
5	25	4.07	72	18.73	12.91
6	10	1.88	73	21.10	16.10
7	18	1.68	50	24.75	13.50



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	65	3.88	-2.55
2	11	3.26	63	2.02	-4.49
3	18	4.02	77	3.11	-0.52
4	14	2.16	57	4.20	-4.59
5	25	1.52	52	19.30	9.20
6	10	1.31	59	17.21	9.10
7	18	1.55	51	21.83	11.03

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	50	-3.88	-9.57
2	11	2.89	52	-1.86	-10.34
3	18	2.04	62	0.33	-6.13
4	14	2.98	58	9.98	-4.44
5	25	2.51	59	13.55	5.20
6	10	1.87	51	9.83	-0.33
7	16	1.64	44	18.28	5.79

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	47	-8.88	-10.89
2	10	1.81	48	-0.11	-8.55
3	18	5.07	75	2.77	-1.05
4	14	1.94	43	5.71	-6.82
5	25	2.06	47	10.81	-1.06
6	10	1.76	65	10.93	-0.94
7	18	2.24	57	18.43	8.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.02	62	-9.88	-10.10
2	11	7.26	78	0.85	-3.43
3	18	2.04	58	5.81	-3.17
4	14	1.80	44	7.78	-6.11
5	25	1.86	42	18.21	0.30
6	10	1.46	29	11.60	-5.66
7	18	3.10	54	18.88	7.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	87	0.00	-5.44
2	11	3.43	66	2.77	-3.07
3	18	2.01	62	-1.28	-7.83
4	14	1.80	48	0.75	-7.85
5	25	2.06	37	14.30	-0.02
6	10	1.80	57	11.88	-2.80
7	18	2.91	81	19.71	11.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	78	0.77	-1.11
2	11	3.18	68	2.65	-4.59
3	18	2.67	85	0.80	-5.05
4	14	2.42	58	3.37	-4.97
5	25	2.09	38	14.57	-1.01
6	10	1.87	48	11.18	-1.77
7	18	2.38	58	20.29	11.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.19	65	3.53	-4.21
2	11	6.75	78	3.33	-1.66
3	18	2.50	95	0.17	-3.21
4	14	1.03	46	0.06	-10.02
5	25	1.84	62	13.94	5.69
6	10	1.01	45	8.38	-2.36
7	18	2.07	68	12.25	3.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.46	78	0.84	-0.09
2	11	2.18	68	-0.85	-7.77
3	18	2.48	61	-1.68	-8.42
4	14	2.17	92	3.25	-0.41
5	25	1.61	38	11.84	-3.57
6	10	1.42	52	3.18	-6.60
7	18	2.35	52	12.25	1.84

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	44	8.95	-7.77
2	11	3.75	51	3.28	-6.05
3	18	2.88	58	5.70	-4.22
4	14	1.84	53	-2.77	-7.18
5	25	1.81	36	16.30	0.86
6	10	1.95	41	12.13	-1.18
7	18	4.88	86	10.44	7.87



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	41	4.10	-8.77
2	11	2.69	48	2.67	-8.17
3	18	1.86	58	-4.59	-11.58
4	14	2.70	51	-7.59	-12.77
5	25	4.64	70	15.52	9.74
6	10	8.15	77	5.88	1.94
7	18	2.94	80	8.18	5.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	46	-2.22	-12.21
2	10	3.24	58	-1.77	-9.44
3	18	2.20	55	-1.94	-8.88
4	14	4.18	58	-4.04	-11.38
5	25	2.47	56	9.80	1.20
6	10	2.09	47	5.18	-5.22
7	18	2.47	87	8.94	8.87



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	42	1.80	-9.02
2	11	1.84	51	2.01	-7.21
3	18	2.69	47	9.00	-6.50
4	14	2.68	73	-5.19	-7.47
5	25	2.18	52	9.57	-6.41
6	10	1.95	37	10.32	-3.77
7	18	1.78	56	13.03	4.44



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	43	3.89	-6.21
2	11	3.58	58	5.96	-3.03
3	18	5.96	51	5.55	-3.02
4	14	4.77	63	-10.05	-12.44
5	25	2.24	44	14.83	1.05
6	10	2.05	38	14.38	-0.22
7	18	6.17	77	11.40	7.11



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	69	7.32	-2.89
2	11	6.68	64	5.80	-0.58
3	18	7.19	55	9.38	-0.77
4	14	3.73	32	-7.60	-8.77
5	25	2.41	65	17.59	5.52
6	10	3.76	58	15.49	4.93
7	18	4.92	69	9.47	8.52

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	38	0.88	-12.88
2	10	3.91	50	6.16	-3.44
3	18	4.74	82	12.55	5.99
4	14	6.25	80	4.95	1.07
5	25	2.43	48	18.79	7.72
6	10	2.20	58	18.84	9.49
7	18	4.98	78	14.47	10.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.43	85	10.10	1.22
2	11	6.26	63	13.53	6.10
3	18	4.83	87	15.78	8.85
4	14	7.08	77	8.87	1.82
5	25	4.41	76	17.64	13.51
6	10	2.19	74	17.05	12.27
7	18	2.45	87	17.21	10.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.84	88	19.21	8.44
2	11	7.56	84	12.06	9.44
3	18	5.48	83	8.44	3.87
4	14	1.70	48	1.30	-7.21
5	25	3.53	78	21.08	15.08
6	10	1.85	68	17.77	11.55
7	18	1.87	54	15.27	5.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.22	71	5.45	0.66
2	11	2.54	73	2.11	-2.27
3	18	2.38	67	-0.47	-6.35
4	14	2.64	48	2.43	-7.09
5	25	2.30	66	13.97	13.46
6	10	4.22	78	11.21	7.38
7	18	1.61	45	12.14	-0.20

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.33	53	-2.64	-11.44
2	11	2.72	61	-0.73	-7.47
3	18	3.32	62	1.50	-5.21
4	14	1.73	53	6.13	-1.78
5	25	4.97	76	11.70	7.29
6	10	5.15	85	6.05	3.60
7	18	1.63	44	15.03	2.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.75	81	-1.44	-4.32
2	11	10.98	86	0.77	-1.33
3	18	2.45	49	5.86	-4.00
4	14	1.57	46	3.09	-7.77
5	25	3.31	81	11.49	3.81
6	10	2.53	47	10.77	-0.22
7	18	1.63	44	17.80	5.34

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.26	36	0.88	-12.66
2	10	3.91	53	4.16	-3.44
3	18	4.79	62	12.55	5.39
4	14	6.25	80	4.66	1.07
5	25	2.43	69	10.79	7.72
6	10	2.20	56	15.04	8.49
7	10	4.58	76	14.47	10.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.43	55	10.10	1.29
2	11	6.26	63	19.53	6.16
3	18	4.83	67	15.75	8.85
4	14	7.09	77	8.87	1.82
5	25	6.41	78	17.64	13.61
6	10	2.19	76	17.05	12.27
7	10	2.45	87	17.21	10.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.96	66	19.21	8.46
2	11	7.58	86	12.06	9.46
3	18	5.48	69	8.96	3.87
4	14	1.70	48	1.80	-7.21
5	25	3.53	78	21.08	15.08
6	10	1.95	88	17.77	11.55
7	10	1.87	94	10.87	9.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.72	71	9.96	0.68
2	11	2.55	73	2.11	-2.27
3	18	2.18	67	-0.82	-6.35
4	14	2.09	68	2.93	-7.08
5	25	2.30	86	15.97	13.46
6	10	4.22	78	11.21	7.38
7	10	1.61	93	12.14	-0.20

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.39	55	-2.88	-11.98
2	11	2.72	61	-0.70	-7.47
3	18	3.32	62	1.50	-5.21
4	14	1.79	56	0.18	-1.78
5	25	4.07	76	11.70	7.29
6	10	8.16	85	8.85	3.88
7	10	1.69	66	10.09	2.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	11.73	84	-1.96	-4.92
2	11	10.98	86	0.77	-1.33
3	18	2.45	69	5.86	-4.06
4	14	1.57	48	3.09	-7.77
5	25	3.31	61	11.98	3.81
6	10	2.56	47	10.17	-0.22
7	10	1.63	44	17.80	5.39

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.08	66	4.10	-8.90
2	11	3.63	67	2.08	-9.73
3	18	2.72	58	-1.45	-8.63
4	14	1.04	48	-8.88	-11.08
5	25	1.08	66	18.80	0.76
6	10	1.77	39	14.77	0.80
7	18	2.08	70	18.88	0.70



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	41	0.88	-10.88
2	11	2.51	54	-0.88	-8.88
3	18	2.10	48	-2.37	-11.38
4	14	1.57	44	1.15	-8.28
5	25	2.06	52	12.23	2.28
6	10	1.91	48	9.27	-1.18
7	18	2.08	72	18.81	0.71



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.27	58	-2.22	-14.44
2	11	2.54	51	-0.26	-8.48
3	18	2.23	45	1.78	-9.09
4	14	2.14	68	1.78	-8.40
5	25	3.28	66	11.38	4.88
6	10	3.73	55	8.83	0.38
7	18	2.48	61	18.48	0.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	58	1.10	-10.98
2	10	2.09	44	2.43	-9.77
3	18	2.67	40	5.11	-7.40
4	14	4.10	62	0.31	-6.42
5	25	3.04	63	10.75	3.51
6	10	3.01	68	10.55	4.33
7	18	2.11	60	13.33	5.27



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	52	4.22	-10.66
2	11	2.95	45	5.24	-5.95
3	18	4.84	60	4.07	-2.71
4	14	2.15	60	-5.23	-11.08
5	25	3.62	73	10.66	5.85
6	10	8.55	85	9.55	7.18
7	18	3.83	66	11.94	4.99



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	58	4.77	-3.11
2	11	7.73	72	3.58	-1.36
3	18	4.47	64	0.24	-5.92
4	14	1.60	54	-4.00	-12.09
5	25	5.12	72	11.70	6.91
6	10	7.84	68	6.88	4.60
7	18	2.14	55	7.48	-1.14

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.88	87	4.99	-1.86
2	11	8.73	91	2.57	1.10
3	18	4.88	82	1.35	-5.48
4	14	5.07	83	0.81	-5.75
5	25	4.02	78	8.06	2.68
6	10	4.58	88	2.45	-5.18
7	18	1.58	49	10.80	-2.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.88	81	9.10	1.88
2	10	4.47	85	1.77	-0.50
3	18	1.80	94	2.80	-8.55
4	14	1.68	88	0.87	-8.28
5	25	1.67	46	8.81	-1.61
6	10	1.91	48	8.71	-4.18
7	18	1.86	46	16.48	9.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	94	0.88	-7.88
2	11	1.55	95	1.61	-6.88
3	18	2.51	48	4.99	-5.27
4	14	2.08	88	9.88	0.81
5	25	1.87	32	12.38	-3.58
6	10	1.83	41	10.96	-1.77
7	18	1.88	84	21.82	11.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.94	28	3.77	-18.38
2	11	2.78	48	4.79	-5.78
3	18	7.08	78	12.48	7.08
4	14	2.58	48	9.61	-2.81
5	25	1.88	28	18.57	1.28
6	10	1.81	52	20.33	9.98
7	18	2.08	58	21.17	11.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.66	65	4.32	-1.06
2	11	4.19	53	11.10	1.41
3	18	1.63	41	12.63	-8.46
4	14	2.55	37	10.63	-4.87
5	25	1.77	47	21.28	9.48
6	10	1.37	48	17.99	5.38
7	18	3.95	47	19.02	5.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	46	12.99	0.77
2	10	2.03	16	15.38	0.11
3	18	1.88	27	17.86	-1.84
4	14	2.12	47	9.87	-2.82
5	25	2.28	47	19.32	6.46
6	10	2.37	53	18.18	7.05
7	18	1.88	53	21.27	9.99

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	9.02	95	10.99	1.06
2	11	3.12	39	18.73	9.48
3	18	2.49	56	18.49	9.15
4	14	10.01	79	-0.59	-4.16
5	25	9.02	63	21.30	13.86
6	10	2.25	88	20.38	15.77
7	18	9.80	46	17.89	9.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.01	81	7.55	0.44
2	11	6.56	74	8.89	3.43
3	18	5.00	69	5.15	-0.59
4	14	5.47	86	-0.81	-2.48
5	25	3.21	68	20.80	14.32
6	10	1.45	91	15.80	-1.81
7	18	2.50	39	16.97	-0.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.48	77	6.77	2.77
2	11	1.57	38	8.06	-4.56
3	18	1.68	36	7.81	-4.50
4	14	1.78	48	9.39	-4.62
5	25	1.69	32	19.66	1.13
6	10	1.58	23	15.58	-5.06
7	18	1.68	42	17.61	5.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.73	93	0.55	-5.08
2	11	1.68	42	8.49	-4.21
3	18	2.02	41	9.25	-3.78
4	14	1.94	62	4.12	-2.97
5	25	1.67	28	21.15	1.71
6	10	1.58	22	15.68	-2.55
7	18	4.12	69	18.54	11.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.32	38	4.22	-8.89
2	11	2.28	51	6.35	-3.48
3	18	7.20	78	4.78	0.58
4	14	6.58	79	1.03	-2.25
5	25	2.67	52	19.01	8.46
6	10	6.08	82	14.10	11.05
7	18	1.98	56	18.08	10.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.08	98	4.77	-5.99
2	11	5.03	83	3.78	1.10
3	18	9.08	87	4.36	2.40
4	14	1.71	83	3.81	-3.48
5	25	3.84	65	18.66	11.35
6	10	2.53	68	15.27	9.32
7	18	2.01	59	15.49	8.67

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.85	88	2.10	-4.88
2	11	0.84	81	2.62	-0.40
3	18	2.19	85	2.77	-3.09
4	14	1.83	82	0.58	-0.86
5	25	2.42	48	15.83	4.44
6	10	2.06	47	9.77	-1.18
7	18	0.76	78	14.71	9.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	40	8.82	-4.88
2	10	2.40	63	6.21	-0.16
3	18	2.92	52	8.58	-2.82
4	14	2.08	58	0.38	1.54
5	25	2.53	48	15.01	3.70
6	10	3.50	81	9.27	1.81
7	18	2.02	62	18.00	7.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.84	82	10.88	-4.88
2	11	2.01	88	10.86	-0.82
3	18	3.01	48	8.72	-1.57
4	14	3.84	71	8.14	1.14
5	25	5.34	78	13.70	8.72
6	10	5.53	80	10.18	8.71
7	18	2.41	84	17.88	7.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	29	11.10	-6.10
2	11	1.92	34	12.97	-2.72
3	18	3.11	42	11.81	-0.98
4	14	5.17	70	6.14	0.93
5	25	1.97	50	17.23	6.59
6	10	2.48	58	10.44	7.00
7	18	3.43	50	15.93	3.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	33	6.99	-8.72
2	11	1.51	37	8.69	-5.44
3	18	2.02	50	6.94	-3.02
4	14	0.72	74	3.90	-1.94
5	25	3.35	65	17.95	10.32
6	10	3.30	70	15.88	10.16
7	18	4.90	51	10.51	-0.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	39	7.10	-6.21
2	10	1.80	40	5.88	-6.94
3	18	2.35	77	1.17	-2.71
4	14	4.90	67	2.73	-3.58
5	25	4.12	68	15.75	8.26
6	10	2.68	52	14.99	4.83
7	18	2.83	51	10.62	-0.38

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.11	45	7.44	-4.77
2	11	3.36	72	5.75	1.05
3	18	6.89	81	4.87	1.11
4	14	2.72	58	4.40	-5.64
5	25	4.77	64	14.15	7.03
6	10	1.98	69	9.88	2.88
7	18	1.78	49	12.80	-0.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.02	45	8.22	-8.10
2	11	3.56	67	5.80	0.04
3	18	3.07	85	4.76	-1.51
4	14	1.70	62	8.78	-2.88
5	25	2.06	47	14.80	3.18
6	10	3.20	57	8.77	0.33
7	18	2.08	53	18.41	8.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	41	8.77	-8.77
2	11	3.23	48	9.38	-1.21
3	18	3.16	61	8.78	-0.70
4	14	1.87	58	8.22	-2.93
5	25	2.83	46	15.86	3.68
6	10	2.95	45	12.10	0.80
7	18	2.25	58	14.94	6.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.79	44	7.77	-5.44
2	10	2.83	58	7.93	-2.10
3	18	2.43	51	7.24	-3.17
4	14	1.63	46	8.50	-4.87
5	25	2.10	37	16.59	1.20
6	10	1.58	48	15.66	1.11
7	18	1.83	48	18.64	6.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.48	57	2.69	-8.33
2	11	3.12	43	6.96	-5.50
3	18	1.91	48	8.17	-3.85
4	14	1.72	58	7.59	-1.62
5	25	1.65	33	17.75	0.93
6	10	1.69	32	16.88	0.11
7	18	2.47	57	19.23	9.64

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	23	8.10	-11.88
2	11	1.51	21	9.84	-10.82
3	18	2.04	37	11.47	-2.93
4	14	2.49	71	7.61	2.45
5	25	1.66	26	17.70	2.37
6	10	1.88	48	15.55	8.32
7	18	2.53	69	19.71	12.94

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.02	23	12.86	-7.55
2	11	1.77	42	19.83	0.60
3	18	7.92	62	11.18	8.05
4	14	5.40	70	8.60	9.21
5	25	3.26	70	17.52	11.68
6	10	2.43	75	17.38	12.55
7	18	1.84	68	21.28	11.24



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.96	82	0.33	8.10
2	10	3.26	81	9.27	6.10
3	18	3.55	89	5.52	-0.08
4	14	3.91	81	9.80	-3.80
5	25	1.71	53	23.99	13.66
6	10	1.95	59	21.44	12.88
7	18	2.29	66	22.79	15.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	86	3.98	-11.08
2	11	1.51	34	6.75	-8.88
3	18	4.87	71	1.69	-3.11
4	14	7.83	74	2.85	-2.41
5	25	1.06	48	21.67	6.81
6	10	2.13	58	22.55	13.71
7	18	2.36	71	17.87	11.68



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	27	5.21	-12.21
2	11	11.62	85	2.81	-0.06
3	18	8.27	90	7.83	5.52
4	14	7.04	80	1.70	-1.62
5	25	4.50	71	18.75	12.88
6	10	4.04	83	18.60	15.44
7	18	2.72	55	17.07	6.68



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.09	92	3.44	0.55
2	11	7.02	87	7.16	4.99
3	18	6.27	65	8.33	5.79
4	14	2.73	73	1.78	-2.61
5	25	4.11	71	22.17	16.19
6	10	1.38	52	17.88	7.88
7	18	1.58	55	15.89	8.09



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.85	65	6.44	3.99
2	11	2.32	55	7.87	-0.90
3	18	2.67	65	4.74	-1.60
4	14	2.71	59	5.82	-1.04
5	25	1.62	35	17.12	1.48
6	10	1.33	56	14.77	-0.72
7	18	1.69	38	22.07	5.72

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.29	94	6.10	-5.44
2	10	1.68	90	10.27	-0.88
3	18	5.22	76	9.66	2.05
4	14	2.87	83	9.78	-2.87
5	25	1.63	36	23.66	6.17
6	10	1.31	36	22.27	6.49
7	18	5.82	85	20.80	12.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.02	48	5.55	-5.77
2	11	4.25	76	4.33	-0.10
3	18	5.71	78	1.85	-2.56
4	14	1.84	82	6.87	-9.80
5	25	3.73	68	22.10	15.64
6	10	5.29	79	17.88	15.86
7	18	1.87	48	14.05	2.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.10	80	1.77	-5.96
2	11	1.60	88	4.69	-0.10
3	18	2.72	53	0.68	-2.85
4	14	1.84	46	5.59	-5.49
5	25	1.63	36	15.41	-0.41
6	10	1.48	57	12.77	-1.08
7	18	1.83	88	10.20	1.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	20	9.22	-8.46
2	11	1.68	45	7.82	-4.13
3	18	1.75	42	6.82	-4.31
4	14	3.31	97	6.40	-0.09
5	25	1.65	36	18.15	2.42
6	10	1.56	33	16.65	0.43
7	18	1.67	47	20.20	7.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.99	93	9.21	-7.55
2	10	3.72	56	9.66	-0.16
3	18	1.27	50	8.79	-1.60
4	14	4.04	78	-2.37	-8.92
5	25	2.16	47	20.77	7.48
6	10	2.21	42	19.21	5.05
7	18	2.36	65	20.30	12.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.79	47	15.08	3.77
2	11	3.18	58	9.59	0.00
3	18	1.93	57	0.98	-6.58
4	14	1.57	47	-0.69	-10.61
5	25	1.70	58	22.47	11.10
6	10	2.15	75	14.95	9.18
7	18	2.58	71	10.20	6.82

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	87	8.92	-7.48
2	11	1.76	47	6.88	-5.70
3	18	2.37	48	4.18	-8.88
4	14	1.71	49	9.48	-8.88
5	25	2.01	62	14.68	4.82
6	10	1.81	46	9.99	-1.83
7	16	2.40	87	8.22	1.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.73	42	4.88	-7.21
2	11	1.60	43	6.18	-6.81
3	18	1.72	50	4.47	-5.50
4	14	1.56	41	8.21	-4.40
5	25	1.86	42	14.85	1.80
6	10	1.38	52	12.38	-3.88
7	16	2.65	64	12.38	2.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.82	20	7.88	-10.44
2	10	1.64	28	8.83	-8.77
3	18	1.88	38	10.11	-3.29
4	14	1.87	54	10.88	1.80
5	25	1.72	36	16.48	1.31
6	10	1.48	28	15.21	-3.10
7	16	2.80	68	17.14	8.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.94	20	14.43	-8.33
2	11	2.72	42	13.17	-0.45
3	18	5.51	73	10.73	5.76
4	14	3.44	61	13.60	5.93
5	25	1.70	39	19.55	5.09
6	10	2.33	53	17.16	7.18
7	16	4.43	75	20.23	14.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.20	51	13.77	3.88
2	11	4.02	73	11.76	8.12
3	18	6.62	65	13.26	10.52
4	14	2.40	67	12.65	6.14
5	25	1.08	51	21.75	10.99
6	10	3.57	73	18.99	13.43
7	16	2.86	67	23.50	15.65



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.16	44	14.99	2.55
2	11	6.01	69	15.34	8.83
3	18	7.10	61	16.38	12.89
4	14	4.04	71	18.30	10.70
5	25	3.28	68	22.46	15.92
6	10	1.83	62	23.27	15.44
7	16	1.78	61	26.31	17.32

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	48	17.88	6.55
2	10	3.37	68	18.55	10.10
3	18	2.40	58	24.22	15.11
4	14	3.00	70	18.88	12.57
5	25	2.55	68	24.30	16.86
6	10	1.63	53	27.05	18.55
7	16	1.72	81	23.84	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	47	18.77	8.88
2	11	3.50	80	21.40	12.62
3	18	1.76	57	24.37	14.96
4	14	2.84	66	15.88	8.58
5	25	1.83	66	25.09	16.23
6	10	1.80	60	25.34	17.27
7	16	1.84	80	24.09	17.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	28	28.77	8.66
2	11	1.72	48	24.08	12.11
3	18	1.72	55	18.88	9.59
4	14	1.88	68	17.21	8.01
5	25	1.62	67	28.81	16.30
6	10	2.38	64	26.27	18.55
7	16	1.84	78	23.48	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.82	31	18.89	-0.06
2	11	1.68	41	20.29	6.15
3	18	4.34	71	18.20	12.68
4	14	1.69	58	20.15	11.34
5	25	1.76	52	26.26	15.26
6	10	1.62	65	25.82	18.60
7	18	3.06	68	24.50	17.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	40	23.33	8.48
2	11	4.63	69	19.93	12.71
3	18	2.91	84	23.85	16.47
4	14	1.68	57	19.20	10.55
5	25	2.38	66	25.83	15.96
6	10	1.53	59	25.38	17.99
7	16	2.43	66	23.03	13.15

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	59	19.72	5.10
2	11	4.33	57	24.08	14.58
3	18	1.97	63	28.22	18.23
4	14	1.73	88	20.19	7.28
5	25	1.78	75	28.35	15.50
6	10	1.88	58	27.82	18.43
7	16	2.98	69	23.60	14.82

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	80	10.21	2.99
2	11	3.06	87	18.08	11.06
3	18	5.03	82	23.29	15.29
4	14	1.54	58	21.62	8.22
5	26	3.23	62	26.57	14.95
6	10	1.44	45	27.21	14.27
7	16	1.82	86	24.71	16.55

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.68	76	14.44	9.43
2	11	5.67	58	24.28	15.34
3	18	2.39	80	24.87	18.46
4	14	1.60	50	15.38	4.78
5	26	2.66	48	27.68	15.43
6	10	1.47	46	28.10	14.55
7	16	1.84	87	23.81	15.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.81	58	18.55	10.44
2	10	3.15	56	25.71	14.32
3	18	3.08	64	21.10	15.20
4	14	1.66	59	17.05	2.34
5	25	1.80	45	29.30	15.80
6	10	1.46	45	27.98	14.99
7	16	2.00	71	21.34	15.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.62	55	21.21	11.72
2	11	3.81	58	21.55	12.37
3	18	3.38	65	18.86	9.43
4	14	2.03	57	20.15	9.01
5	25	2.41	46	29.21	16.09
6	10	1.61	48	28.60	16.43
7	16	2.86	76	21.83	15.93



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	32	13.63	1.09
2	11	1.51	30	21.56	3.32
3	18	2.12	35	21.66	5.05
4	14	1.03	32	20.81	3.92
5	25	2.19	51	26.81	14.77
6	10	2.11	52	27.55	15.48
7	16	2.23	75	20.69	15.93



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.93	28	18.10	-4.99
2	11	1.51	29	18.42	-0.70
3	18	2.07	38	22.55	8.13
4	14	1.98	38	22.97	8.27
5	25	1.82	50	26.35	14.48
6	10	2.03	43	28.49	14.98
7	16	2.90	50	22.42	10.38

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	38	10.60	0.00
2	10	1.68	32	23.55	5.46
3	18	1.86	51	25.62	7.12
4	14	1.83	45	23.13	8.80
5	25	2.42	58	25.81	15.48
6	10	1.79	57	25.71	15.77
7	18	2.05	88	22.66	16.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.90	27	11.48	-8.48
2	11	1.51	28	12.72	-5.60
3	18	1.61	38	18.44	1.82
4	14	1.84	44	21.22	7.73
5	25	2.33	56	29.88	13.84
6	10	2.24	60	25.18	16.71
7	18	2.68	88	23.15	16.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	58	7.00	-2.55
2	11	1.51	41	8.53	-4.34
3	18	1.57	48	9.28	-3.68
4	14	2.12	49	13.32	2.14
5	25	2.57	62	19.15	10.88
6	10	1.98	53	20.49	10.05
7	18	2.20	64	23.87	15.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	37	15.21	0.89
2	11	1.68	51	10.95	0.70
3	18	1.67	47	9.59	-1.16
4	14	1.89	37	12.41	-2.97
5	25	2.70	64	16.17	9.59
6	10	1.69	43	18.10	7.93
7	18	2.24	81	18.80	10.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	33	15.21	-0.21
2	10	1.60	45	15.77	0.00
3	18	1.61	23	19.94	-3.66
4	14	1.54	28	16.97	-2.18
5	25	2.42	52	18.97	8.32
6	10	1.77	37	16.99	2.38
7	18	1.66	48	17.04	8.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	54	17.55	-0.10
2	11	2.16	25	19.98	-1.71
3	18	1.69	22	19.62	-2.21
4	14	1.58	32	20.78	2.26
5	25	1.68	48	21.50	6.66
6	10	1.36	28	19.71	0.55
7	18	1.67	45	20.13	7.77

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	81	25.44	1.77
2	11	1.68	26	24.35	2.82
3	18	1.85	25	25.75	5.02
4	14	2.09	87	25.88	8.17
5	25	1.84	33	24.63	6.80
6	10	1.48	56	23.68	6.84
7	18	1.81	48	21.48	10.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	80	27.88	9.21
2	11	1.88	28	26.10	5.28
3	18	1.67	52	24.84	8.87
4	14	1.72	89	20.68	10.18
5	25	1.88	36	26.06	9.37
6	10	1.77	41	25.58	10.71
7	18	2.48	69	23.49	15.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	23	28.49	8.21
2	10	2.11	32	27.06	8.80
3	18	3.33	55	23.47	12.55
4	14	2.20	83	19.68	9.78
5	25	1.88	46	26.68	13.03
6	10	1.79	48	25.55	13.43
7	18	1.88	60	24.50	15.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.20	58	21.60	10.55
2	11	4.08	61	22.67	13.73
3	18	2.89	78	18.63	12.58
4	14	2.22	83	14.75	9.52
5	25	2.64	61	27.20	15.59
6	10	3.74	70	22.96	16.60
7	18	1.88	83	24.05	16.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.78	51	13.77	5.77
2	11	4.72	83	14.84	11.96
3	13	5.59	91	17.12	13.60
4	14	1.83	57	16.58	6.34
5	25	3.35	76	24.06	19.41
6	10	1.75	58	26.32	17.32
7	19	2.21	67	29.32	16.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.83	77	12.89	8.99
2	11	5.41	89	20.24	19.83
3	18	4.18	71	20.18	14.94
4	14	2.98	83	19.12	10.63
5	25	2.58	80	27.28	18.66
6	10	1.73	59	29.10	17.33
7	16	1.76	63	25.75	17.84

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	67	20.83	13.89
2	10	4.27	68	23.49	14.60
3	10	4.83	60	22.03	13.94
4	14	2.24	70	17.25	11.28
5	25	1.77	60	30.12	18.23
6	10	1.73	48	29.54	17.82
7	18	2.01	66	22.84	15.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.26	87	17.22	8.10
2	11	5.30	71	20.26	14.64
3	10	2.11	70	25.02	17.00
4	14	2.94	70	14.70	10.07
5	25	2.08	66	29.10	18.78
6	10	1.52	62	27.66	19.30
7	18	1.65	48	27.80	16.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.85	84	21.21	19.06
2	11	2.32	68	29.88	15.30
3	10	1.92	65	18.78	11.72
4	14	2.26	66	12.67	8.96
5	25	1.76	60	30.60	18.21
6	10	1.75	58	28.21	16.77
7	18	2.03	67	28.22	18.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.82	97	12.44	-3.10
2	11	1.51	42	14.09	1.11
3	10	1.81	53	12.71	2.53
4	14	2.73	80	11.20	4.08
5	25	1.02	52	26.77	15.90
6	10	2.25	53	28.80	16.21
7	18	1.05	94	27.63	16.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.32	89	13.66	-0.55
2	10	2.27	85	16.55	4.55
3	10	6.29	79	14.65	10.92
4	14	2.37	70	12.69	7.19
5	25	2.06	63	25.10	17.37
6	10	1.09	53	28.38	17.55
7	18	1.93	80	26.45	17.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	92	14.99	1.93
2	11	2.97	80	16.41	9.38
3	10	7.13	79	16.35	12.48
4	14	2.62	71	12.37	7.09
5	25	2.12	55	28.37	18.35
6	10	1.56	60	27.48	16.66
7	18	1.01	69	21.90	15.19

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.84	48	18.82	0.77
2	11	3.48	78	11.61	8.27
3	18	5.80	91	12.85	11.44
4	14	3.52	78	12.84	7.08
5	25	2.45	68	26.84	19.10
6	10	1.87	75	23.89	18.55
7	18	1.61	95	24.66	18.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.37	90	7.46	6.10
2	11	4.18	88	9.28	7.52
3	18	5.12	78	12.21	8.54
4	14	2.88	68	15.11	8.88
5	25	3.19	59	26.48	17.38
6	10	2.62	50	25.88	15.10
7	18	2.76	55	27.77	17.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.82	48	18.88	4.77
2	10	2.58	58	16.21	6.48
3	18	4.10	77	17.55	13.45
4	14	3.22	61	18.48	10.15
5	25	2.61	58	25.77	16.50
6	10	1.76	55	29.05	18.99
7	18	2.84	62	28.88	17.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.38	30	21.32	3.48
2	11	3.42	71	18.02	12.72
3	18	1.62	61	24.07	15.87
4	14	1.58	63	14.00	6.38
5	25	2.03	68	25.96	19.35
6	10	1.83	71	24.43	18.71
7	18	2.09	80	27.32	17.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.41	69	23.88	18.21
2	11	4.79	85	23.47	16.35
3	19	2.03	70	19.07	15.17
4	14	1.67	88	15.74	6.88
5	25	2.02	59	29.65	20.50
6	10	1.78	59	27.32	18.33
7	18	2.13	68	24.30	17.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.18	58	23.32	5.99
2	11	1.60	43	20.65	7.67
3	18	1.64	43	20.36	7.40
4	14	2.38	40	20.51	8.20
5	25	1.79	54	28.59	18.06
6	10	1.69	48	25.10	16.10
7	18	2.03	69	26.58	18.71

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	55	24.00	8.99
2	10	1.70	33	22.66	5.55
3	18	4.21	69	20.95	14.62
4	14	2.70	68	19.28	13.17
5	25	2.00	94	20.12	17.75
6	10	1.47	59	29.10	20.05
7	16	1.79	87	20.60	18.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.78	88	18.77	13.77
2	11	3.76	82	25.40	17.26
3	18	1.57	55	22.58	12.95
4	14	1.80	58	15.47	6.10
5	25	1.68	54	29.86	19.46
6	10	1.57	66	28.18	19.21
7	18	2.78	94	27.04	18.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.72	74	20.46	15.44
2	11	1.84	56	21.10	11.46
3	18	1.83	61	13.97	6.56
4	14	1.54	45	19.80	8.58
5	25	1.84	50	27.57	18.63
6	10	1.40	49	25.88	12.44
7	18	3.48	87	24.71	16.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.26	55	16.80	7.21
2	11	1.95	48	16.41	5.04
3	18	1.65	45	19.03	8.04
4	14	1.60	49	23.05	11.06
5	25	1.63	48	25.73	13.09
6	10	1.54	48	22.94	11.44
7	18	1.83	52	26.34	15.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.42	92	20.46	2.08
2	10	1.68	38	19.99	5.21
3	18	1.81	46	22.71	10.30
4	14	1.64	52	24.55	13.68
5	25	2.06	57	25.00	15.75
6	10	1.65	47	26.27	13.93
7	18	1.63	52	28.08	18.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	40	23.21	8.33
2	11	2.36	45	23.53	10.55
3	18	2.20	50	25.18	13.66
4	14	1.57	55	24.00	13.88
5	25	2.53	69	23.52	17.17
6	10	1.81	51	27.05	16.27
7	18	1.98	59	27.28	18.05

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	50	29.55	12.52
2	11	2.32	46	24.13	11.81
3	18	4.08	69	23.32	17.00
4	14	1.87	52	25.80	18.01
5	25	1.93	60	26.61	17.12
6	10	1.85	56	28.55	16.86
7	16	2.56	84	25.62	18.43

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	59	24.39	13.77
2	11	1.98	56	23.88	14.10
3	18	3.34	63	21.69	13.94
4	14	1.67	58	19.12	6.18
5	25	1.72	58	26.26	17.60
6	10	1.75	58	27.27	17.99
7	16	2.80	72	24.26	18.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.08	75	20.10	15.21
2	10	2.00	69	19.43	13.10
3	18	1.85	44	18.94	4.34
4	14	1.58	42	20.09	6.28
5	25	1.76	58	27.78	18.17
6	10	2.05	61	25.82	17.27
7	16	1.95	79	21.68	16.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	48	17.87	5.32
2	11	1.82	49	21.80	9.79
3	18	1.95	43	21.97	8.05
4	14	1.58	44	24.12	10.97
5	25	2.89	67	26.81	19.12
6	10	2.23	58	27.77	18.44
7	16	3.10	76	23.94	17.34

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	59	20.10	10.10
2	11	2.19	52	22.42	11.91
3	18	2.19	47	25.83	10.69
4	14	1.70	44	24.67	11.34
5	25	2.04	71	26.04	20.19
6	10	2.06	71	26.10	20.33
7	16	1.77	68	24.23	17.56

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	59	20.32	9.21
2	11	2.76	65	23.53	10.80
3	18	2.50	49	24.53	12.43
4	14	1.67	47	26.50	13.68
5	25	3.67	71	26.88	20.76
6	10	2.65	71	25.32	19.49
7	16	2.10	66	25.30	17.87

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.55	88	17.66	8.88
2	10	3.05	82	23.44	12.88
3	18	5.00	94	20.52	16.55
4	14	1.57	47	26.85	12.25
5	25	2.73	66	27.04	20.16
6	10	1.95	84	28.16	18.71
7	18	1.76	94	20.15	17.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.66	87	18.85	12.88
2	11	2.47	87	22.10	11.86
3	18	5.88	74	17.60	12.74
4	14	2.72	85	18.47	11.88
5	25	2.20	68	28.88	20.32
6	10	2.40	84	27.84	18.77
7	18	1.82	94	20.28	18.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.00	40	19.35	4.88
2	11	2.30	51	17.62	6.81
3	18	5.96	72	17.43	11.97
4	14	5.26	70	19.04	13.17
5	25	3.02	76	24.07	20.32
6	10	2.19	85	25.44	20.36
7	18	1.76	84	20.44	19.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.62	29	22.13	2.11
2	11	1.51	40	22.26	7.07
3	18	4.33	69	20.64	14.59
4	14	5.58	78	22.23	16.42
5	25	3.22	76	22.52	17.72
6	10	5.18	71	25.81	19.08
7	18	1.84	89	30.76	19.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.24	36	25.66	4.21
2	10	1.65	48	24.10	10.88
3	18	3.46	63	20.26	10.57
4	14	3.47	75	21.66	16.97
5	25	2.47	68	24.24	17.78
6	10	1.85	78	23.82	19.27
7	18	1.75	58	30.27	19.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.85	46	29.55	18.88
2	11	1.92	58	26.96	15.40
3	18	3.35	75	24.72	20.08
4	14	1.99	69	23.50	15.47
5	25	1.60	53	26.48	18.80
6	10	1.95	70	27.18	21.16
7	18	1.74	53	30.83	19.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.08	88	25.89	17.55
2	11	2.31	56	27.47	17.92
3	18	2.61	66	25.17	18.50
4	14	1.60	58	22.25	15.48
5	25	1.87	55	30.66	20.55
6	10	1.77	56	30.99	21.21
7	18	1.92	58	27.48	18.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.11	54	22.77	12.88
2	11	2.20	53	28.47	18.07
3	18	3.19	74	24.54	19.18
4	14	1.63	61	23.80	15.19
5	25	1.85	52	32.08	20.84
6	10	1.68	61	29.80	21.10
7	18	2.05	57	29.85	19.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.27	74	22.77	17.77
2	10	2.72	61	27.55	18.44
3	18	2.51	72	25.52	20.02
4	14	2.72	61	21.50	13.33
5	25	2.16	56	30.80	20.97
6	10	1.61	60	30.10	21.55
7	18	1.68	55	30.38	19.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.50	54	31.33	21.10
2	11	2.77	60	29.94	21.25
3	18	1.72	60	28.83	19.31
4	14	1.93	63	21.94	13.08
5	25	1.81	50	32.37	20.79
6	10	1.50	56	31.10	21.16
7	15	1.83	58	29.64	19.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	37	31.66	15.10
2	11	2.92	52	31.31	20.39
3	13	1.02	60	30.13	21.75
4	14	2.19	78	23.89	17.13
5	25	2.13	58	32.52	21.79
6	10	1.58	50	32.55	20.82
7	15	1.73	52	30.65	19.33

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	38	31.44	14.68
2	11	2.66	49	32.47	20.24
3	18	2.32	53	32.08	21.13
4	14	1.78	72	22.13	18.54
5	25	2.40	55	31.51	21.24
6	10	1.95	53	32.22	21.49
7	18	1.82	58	29.78	19.85

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	59	27.44	18.55
2	10	3.29	48	32.00	20.04
3	18	2.08	63	27.95	20.08
4	14	1.54	54	30.63	18.86
5	25	2.25	53	31.40	20.66
6	10	2.01	59	30.44	21.27
7	18	2.62	60	27.56	18.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.32	65	28.44	21.98
2	11	2.38	57	26.41	17.21
3	18	1.57	48	23.42	11.13
4	14	1.54	42	25.88	12.08
5	25	1.83	54	30.64	20.17
6	10	2.14	57	27.55	17.83
7	18	1.81	55	28.28	15.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	52	24.77	19.88
2	11	1.60	51	23.12	12.06
3	18	1.63	42	20.84	12.18
4	14	1.54	50	26.50	18.11
5	25	1.75	51	28.78	17.52
6	10	1.71	45	28.44	15.88
7	18	2.08	53	28.38	18.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	95	25.99	9.22
2	11	2.00	38	27.47	11.86
3	18	1.77	48	28.38	13.32
4	14	2.17	61	26.00	17.57
5	25	2.14	52	30.24	18.03
6	10	1.60	50	30.49	18.39
7	18	1.81	60	29.12	19.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	40	28.10	15.68
2	10	2.42	42	29.77	15.21
3	19	1.32	52	30.70	19.78
4	14	2.81	62	21.28	13.39
5	25	1.97	58	30.06	20.78
6	10	1.57	66	29.27	21.60
7	18	1.58	59	29.33	19.37



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	58	29.77	18.10
2	11	2.06	63	27.82	20.50
3	18	1.65	58	25.49	15.33
4	14	1.54	60	19.32	10.08
5	25	2.17	57	30.12	20.44
6	10	1.83	71	27.88	21.82
7	18	1.72	68	28.32	18.71

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.30	81	31.11	10.88
2	11	3.09	60	28.32	19.84
3	18	4.68	78	19.25	15.05
4	14	1.84	49	21.74	10.47
5	25	2.10	60	29.10	20.26
6	10	2.52	81	25.89	20.43
7	18	2.65	68	28.59	17.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.69	88	22.43	15.44
2	11	3.47	66	24.89	17.82
3	18	1.74	53	22.80	12.52
4	14	1.63	80	21.78	19.52
5	25	2.40	68	27.32	20.52
6	10	1.71	56	26.05	18.49
7	18	1.78	50	28.71	17.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.80	78	20.77	18.10
2	10	3.18	58	25.88	16.66
3	18	1.74	53	24.81	14.34
4	14	2.08	82	20.75	9.71
5	25	2.32	66	27.88	20.68
6	10	1.93	53	28.10	17.43
7	18	1.84	53	29.56	18.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.53	76	23.83	18.77
2	11	2.84	56	28.67	18.88
3	18	3.87	64	29.01	16.38
4	14	1.68	68	20.51	14.29
5	25	1.76	58	30.10	21.01
6	10	1.65	58	29.38	20.55
7	18	1.81	52	30.86	18.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.71	61	27.99	19.43
2	11	2.31	65	27.47	20.14
3	13	2.53	50	21.73	13.01
4	14	1.60	49	24.00	12.65
5	25	2.58	65	29.14	22.19
6	10	4.41	82	24.55	21.32
7	18	1.72	52	32.39	20.39



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.55	57	29.88	15.77
2	11	1.68	58	23.53	14.18
3	18	1.61	58	26.13	14.96
4	14	1.63	59	26.70	16.18
5	25	1.62	52	29.75	18.58
6	10	1.64	57	29.83	19.99
7	18	1.89	53	33.02	21.55

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	51	29.00	12.66
2	11	1.56	51	24.64	13.17
3	18	1.58	45	25.95	12.83
4	14	1.57	48	27.09	14.67
5	26	1.76	57	30.64	20.72
6	10	1.65	71	27.80	21.93
7	16	1.87	94	52.44	21.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.88	44	21.10	7.33
2	10	1.58	38	22.68	7.88
3	18	1.67	48	25.15	12.71
4	14	1.88	64	25.74	18.17
5	26	1.65	51	29.37	17.81
6	10	1.58	55	27.99	17.68
7	16	1.87	96	31.80	20.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	46	20.49	7.44
2	11	1.60	36	23.12	6.40
3	18	1.84	45	27.06	14.18
4	14	1.74	63	27.97	20.07
5	26	1.71	48	28.07	15.65
6	10	1.78	58	28.99	17.82
7	16	1.73	50	33.23	20.93



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.94	38	29.99	8.10
2	11	1.08	45	26.86	13.03
3	18	2.27	62	26.89	18.95
4	14	1.62	52	29.93	17.01
5	26	2.08	52	29.18	17.58
6	10	1.75	58	28.99	18.49
7	16	1.84	48	33.47	19.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	49	28.52	18.33
2	11	2.21	55	28.22	19.12
3	18	3.23	71	27.39	21.57
4	14	1.83	47	23.72	11.42
5	26	1.88	54	30.48	20.01
6	10	2.03	58	30.55	21.38
7	16	2.05	45	33.50	19.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.08	60	28.32	17.55
2	10	1.54	49	27.55	15.71
3	18	1.57	42	24.74	10.92
4	14	1.54	36	27.29	10.47
5	26	1.87	53	31.66	20.46
6	10	2.06	50	30.16	18.60
7	16	1.73	48	31.97	17.91

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.86	96	25.44	8.95
2	11	1.51	90	26.10	10.29
3	18	1.57	67	27.71	15.05
4	14	1.57	61	30.87	16.02
5	26	1.71	60	29.59	16.66
6	10	1.35	61	29.10	14.58
7	16	1.82	62	33.80	18.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.02	62	27.52	19.44
2	11	3.23	81	27.01	15.70
3	18	1.78	68	29.58	17.18
4	14	1.57	68	31.16	18.80
5	26	1.64	65	31.38	17.87
6	10	1.36	63	31.27	17.18
7	16	1.83	68	33.47	17.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.05	68	28.10	15.55
2	11	2.63	80	28.22	15.80
3	18	2.57	73	25.98	20.48
4	14	1.54	65	27.08	14.00
5	26	1.72	68	32.08	18.86
6	10	1.50	68	32.05	18.99
7	16	1.73	68	32.95	18.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.43	81	22.10	19.77
2	10	3.28	58	27.10	18.38
3	18	1.64	49	25.89	12.58
4	14	1.60	44	27.45	13.05
5	26	1.98	48	32.61	20.19
6	10	1.93	49	32.15	20.21
7	16	1.71	47	32.25	18.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	52	22.77	12.31
2	11	1.51	49	21.25	10.09
3	18	1.51	43	24.53	11.19
4	14	1.39	53	28.60	17.77
5	26	1.73	47	30.49	17.90
6	10	1.46	43	29.77	15.99
7	16	1.69	47	32.35	18.37

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.09	48	22.10	8.03
2	11	1.61	47	23.63	11.56
3	18	2.30	59	27.15	15.67
4	14	1.73	52	31.38	20.23
5	26	2.08	56	29.59	17.73
6	10	1.49	39	29.77	14.32
7	16	1.59	40	32.99	17.60

CAPITA

Reproduced from
best available copy.



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.98	56	24.00	8.00
2	11	2.26	47	26.30	13.60
3	18	2.65	57	28.65	19.10
4	14	1.57	48	31.06	18.88
5	26	1.03	61	30.51	19.02
6	10	1.67	59	31.99	16.52
7	18	1.55	57	33.47	16.60



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.60	54	25.60	15.77
2	10	3.65	76	23.71	18.00
3	18	5.82	77	24.50	20.05
4	14	1.86	65	28.60	18.32
5	26	2.04	62	31.30	19.81
6	10	1.91	46	31.61	18.49
7	18	1.64	40	33.64	17.00

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.99	56	28.10	18.44
2	11	2.72	55	27.67	17.82
3	18	3.03	61	27.85	19.40
4	14	1.98	60	28.17	19.92
5	26	2.31	48	32.37	20.03
6	10	2.78	55	30.72	20.55
7	18	1.72	40	33.43	17.04

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	47	23.99	11.77
2	11	1.57	46	23.70	11.56
3	18	2.58	59	26.23	17.37
4	14	2.21	62	27.65	19.20
5	26	2.29	51	31.04	20.50
6	10	3.16	59	30.49	21.55
7	18	1.77	42	32.81	18.15



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	51	23.77	12.66
2	11	1.51	44	24.13	11.10
3	18	2.59	57	24.87	15.33
4	14	1.62	55	30.51	19.99
5	26	2.07	53	30.53	19.67
6	10	2.57	58	30.68	20.82
7	18	1.76	42	33.12	18.12

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	33	28.21	9.77
2	10	1.52	48	26.66	12.10
3	18	3.09	55	26.78	16.66
4	14	2.11	52	30.71	18.92
5	26	2.52	57	30.04	20.42
6	10	3.74	57	31.05	21.43
7	18	1.79	42	33.23	18.57

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.88	38	28.10	11.44
2	10	2.01	35	26.18	12.06
3	18	5.57	50	28.97	17.27
4	14	2.26	80	31.35	19.06
5	26	2.54	69	28.54	20.60
6	10	2.74	56	29.99	20.62
7	16	1.70	48	28.02	19.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.24	38	30.68	19.88
2	11	2.68	37	30.40	16.54
3	18	5.40	48	30.82	18.54
4	14	2.25	65	30.80	19.68
5	26	1.85	56	26.26	18.84
6	10	1.97	58	30.33	20.96
7	16	2.52	48	28.26	18.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.58	58	32.69	18.77
2	11	3.36	48	32.12	18.86
3	18	5.58	48	32.28	20.02
4	14	3.26	68	28.65	20.03
5	26	2.33	62	30.18	18.68
6	10	2.25	58	30.10	20.10
7	16	1.60	61	32.08	20.46

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	58	28.10	15.66
2	10	3.42	63	33.27	18.09
3	18	2.58	58	31.10	21.13
4	14	1.80	66	26.80	19.75
5	26	2.12	68	31.90	18.68
6	10	1.97	55	30.94	20.49
7	16	1.84	62	32.82	20.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	58	27.48	18.69
2	11	2.77	68	30.85	19.19
3	19	3.78	65	28.29	20.98
4	14	1.73	68	26.56	18.28
5	25	2.19	68	32.45	20.27
6	10	2.78	58	31.55	20.60
7	16	1.87	59	30.48	21.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.56	53	24.10	19.52
2	11	2.79	61	22.82	16.84
3	18	2.18	63	25.82	15.84
4	14	1.67	55	28.14	18.22
5	26	3.25	70	30.36	21.72
6	10	3.17	76	30.05	22.16
7	16	1.83	57	30.72	21.37

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.26	66	23.77	12.95
2	11	1.53	42	24.33	10.70
3	18	1.57	46	23.69	12.05
4	14	1.67	68	24.75	15.56
5	26	2.22	82	26.00	18.86
6	10	2.86	65	28.39	18.55
7	16	2.01	59	30.24	21.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	48	22.00	11.88
2	10	1.78	48	25.44	10.71
3	18	1.84	48	25.08	12.81
4	14	2.27	66	26.70	17.01
5	26	2.28	65	27.81	17.30
6	10	1.81	52	28.77	18.05
7	16	1.92	66	30.44	20.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	48	25.77	13.44
2	11	2.33	43	26.91	13.02
3	18	3.44	55	25.79	18.04
4	14	2.89	88	28.48	13.08
5	26	1.81	64	28.26	17.80
6	10	2.82	57	28.21	18.68
7	16	1.79	48	31.77	18.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	58	29.10	19.08
2	11	2.32	59	26.81	15.14
3	18	3.77	57	27.55	17.68
4	14	2.16	80	29.80	20.88
5	26	2.10	68	27.85	18.67
6	10	2.85	63	27.82	19.03
7	16	1.78	48	33.28	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.56	68	29.10	18.68
2	11	2.53	58	26.66	17.46
3	18	4.27	59	29.10	19.26
4	14	2.05	64	29.80	21.88
5	26	2.16	62	28.62	20.33
6	10	2.63	60	28.60	19.89
7	16	1.78	37	34.78	17.70

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	73	22.69	17.08
2	10	3.10	62	27.32	19.10
3	18	4.31	59	28.60	19.53
4	14	5.05	80	28.78	19.59
5	26	2.48	58	29.26	19.08
6	10	2.48	58	29.66	19.55
7	16	1.75	35	35.66	17.56

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.08	48	28.93	18.35
2	11	3.01	53	29.69	19.18
3	18	3.78	55	29.87	19.68
4	14	1.86	61	29.80	19.40
5	26	2.21	67	30.01	20.16
6	10	2.25	60	28.82	19.96
7	16	1.77	48	84.09	19.57

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.09	66	27.45	19.86
2	11	2.83	53	28.63	17.77
3	18	2.16	45	29.09	15.98
4	14	1.07	48	33.42	18.28
5	26	2.68	52	31.36	19.03
6	10	2.08	54	31.10	20.80
7	16	1.78	66	31.80	21.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	48	27.10	16.43
2	11	1.62	40	28.17	13.58
3	18	2.49	49	29.58	17.85
4	14	2.07	48	32.94	18.18
5	26	2.24	50	31.75	18.66
6	10	2.13	50	32.39	20.27
7	16	2.70	55	31.87	20.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.62	38	28.10	11.98
2	10	2.00	41	28.93	14.27
3	18	3.24	52	30.92	19.53
4	14	2.04	53	29.87	18.92
5	26	2.10	49	31.94	19.65
6	10	2.72	50	32.66	20.71
7	18	1.08	52	32.06	20.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.85	48	29.77	16.21
2	11	2.30	43	31.91	17.26
3	18	3.39	61	29.81	21.09
4	14	1.68	58	29.63	19.95
5	26	2.47	51	32.84	20.72
6	10	2.72	49	33.22	21.05
7	18	1.68	49	32.77	20.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.[illegible]	75	23.99	19.10
2	11	4.21	70	24.38	18.27
3	18	1.64	53	24.71	14.59
4	14	1.54	48	22.65	11.22
5	26	2.61	61	31.06	22.32
6	10	2.73	73	27.80	22.38
7	16	1.72	58	31.11	21.03

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.92	48	22.68	11.68
2	11	1.51	66	21.96	9.33
3	18	1.57	44	20.27	7.46
4	14	1.56	66	23.66	11.26
5	26	2.23	58	26.82	18.39
6	10	1.46	58	25.94	15.60
7	18	1.72	64	90.10	18.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.82	97	22.52	7.10
2	10	1.52	38	22.82	7.66
3	18	1.71	58	24.05	9.18
4	14	1.60	46	27.37	18.82
5	26	1.71	51	27.29	15.63
6	10	1.52	40	27.85	12.55
7	18	1.64	50	29.39	17.77

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.82	[illegible]	22.21	8.52
2	11	1.53	[illegible]	24.96	9.18
3	18	1.84	38	26.52	11.13
4	14	1.8	45	28.18	14.67
5	26	1.82	46	28.92	14.18
6	10	1.73	37	29.36	13.10
7	18	2.51	51	28.88	18.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.19	48	25.32	12.21
2	11	2.59	46	27.06	13.43
3	18	2.12	42	29.29	14.31
4	14	1.88	58	27.81	18.79
5	26	1.92	46	28.22	15.72
6	10	1.82	48	30.16	16.38
7	18	1.90	47	31.45	18.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.48	52	22.10	10.43
2	11	2.10	49	27.82	15.65
3	18	2.46	52	29.93	18.29
4	14	1.94	56	26.90	17.29
5	26	2.10	49	30.12	17.70
6	10	2.15	42	31.16	16.27
7	18	1.90	48	31.85	18.46

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.20	69	21.32	19.55
2	10	3.93	73	23.39	17.88
3	18	2.78	62	27.18	18.97
4	14	2.18	58	27.37	17.53
5	26	2.56	51	30.89	19.09
6	10	2.17	43	31.46	17.22
7	18	1.63	45	32.32	18.57

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.15	58	28.60	16.22
2	11	1.01	48	28.27	15.60
3	18	2.75	58	28.68	18.94
4	14	2.18	54	29.08	18.58
5	26	2.27	48	31.53	19.38
6	10	2.85	52	31.38	19.83
7	16	1.84	49	31.87	19.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	50	22.94	11.44
2	11	1.87	55	22.92	13.17
3	18	2.09	55	28.29	18.55
4	14	2.14	53	29.44	18.56
5	26	2.41	48	32.80	20.01
6	10	1.91	58	30.94	20.77
7	16	1.88	47	33.02	19.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	48	30.56	7.77
2	11	1.56	41	32.31	8.47
3	18	1.81	48	26.38	14.28
4	14	1.87	57	28.41	18.84
5	26	2.22	50	30.78	18.82
6	10	2.03	58	30.94	20.21
7	16	1.69	47	33.12	18.75

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	63	21.77	11.88
2	10	2.23	61	25.96	14.98
3	18	3.06	63	26.76	20.30
4	14	1.60	56	28.20	17.41
5	26	3.32	50	30.44	21.57
6	10	2.41	61	30.44	21.60
7	16	1.56	46	33.54	19.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.42	68	24.77	17.68
2	11	2.82	58	26.86	17.77
3	18	2.78	59	30.02	21.35
4	14	1.77	53	28.01	17.65
5	26	3.14	62	30.61	22.38
6	10	2.68	63	30.44	22.27
7	16	1.75	52	31.59	20.24

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	48	29.33	11.55
2	11	1.78	48	25.98	12.62
3	18	1.84	53	24.65	16.49
4	14	1.79	62	23.48	18.65
5	26	2.16	60	32.54	20.67
6	10	2.21	56	31.77	21.16
7	16	1.63	48	32.63	19.92

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.82	52	22.88	5.93
2	11	1.51	38	23.12	7.82
3	18	1.88	44	24.88	11.89
4	14	1.75	54	23.58	13.80
5	26	2.84	53	30.02	18.88
6	10	3.22	66	27.77	19.99
7	16	2.18	58	30.18	20.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	58	24.21	8.21
2	10	1.77	48	24.32	10.10
3	18	1.76	46	24.88	12.00
4	14	1.57	53	24.00	13.78
5	26	3.76	68	27.19	20.16
6	10	3.88	68	28.43	18.55
7	18	2.26	61	28.15	20.13

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	44	24.88	11.88
2	11	1.96	49	24.18	12.52
3	18	2.17	51	23.28	12.08
4	14	1.57	46	25.78	12.88
5	26	3.74	77	24.76	20.25
6	10	2.07	53	27.99	17.44
7	16	1.98	50	28.68	17.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.09	59	23.91	13.68
2	11	2.10	42	25.50	11.56
3	18	1.81	53	25.27	10.36
4	14	1.81	57	24.71	15.23
5	26	2.32	62	25.87	18.15
6	10	1.77	41	27.80	12.93
7	16	1.81	48	30.62	17.95



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.12	43	21.44	8.93
2	11	1.97	48	23.73	11.51
3	18	2.12	49	26.07	12.31
4	14	1.30	57	25.43	15.06
5	26	2.03	49	28.39	16.27
6	10	2.33	46	27.60	14.66
7	16	1.31	40	31.55	16.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	49	21.55	8.99
2	10	1.68	43	23.27	10.10
3	18	1.68	40	26.13	11.38
4	14	2.26	55	26.74	16.62
5	26	2.62	55	27.38	17.28
6	10	2.36	42	28.32	13.94
7	16	1.96	43	30.79	16.68

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.82	96	28.88	7.21
2	11	1.77	57	25.55	9.88
3	18	2.87	41	27.15	12.12
4	14	1.67	66	22.87	14.67
5	26	2.28	63	26.21	16.60
6	10	2.67	41	28.38	14.05
7	16	2.17	45	30.83	16.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	43	24.55	11.10
2	11	2.03	38	26.10	10.20
3	18	4.91	66	25.20	15.95
4	14	1.67	48	29.88	12.81
5	26	2.38	58	25.03	15.70
6	10	3.58	43	28.48	14.38
7	16	2.21	43	30.72	15.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	76	20.88	15.86
2	11	2.21	66	23.32	16.10
3	18	2.28	59	25.05	14.94
4	14	1.67	43	27.48	10.72
5	26	2.26	64	26.27	17.45
6	10	2.80	51	27.10	15.93
7	16	1.88	34	32.38	16.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.58	89	19.77	18.10
2	10	0.68	73	22.77	17.49
3	18	2.13	58	26.23	16.90
4	14	1.63	54	22.57	12.98
5	26	2.59	54	28.17	17.63
6	10	2.09	46	28.16	15.38
7	16	1.77	41	33.16	17.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.75	93	25.21	13.21
2	11	2.91	62	23.32	12.97
3	18	2.13	62	21.47	13.68
4	14	2.07	71	20.23	14.55
5	26	2.48	63	29.56	17.15
6	10	1.79	59	29.99	14.55
7	16	1.74	42	33.33	18.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.98	42	19.44	8.30
2	11	1.05	46	20.19	8.32
3	18	5.47	72	22.12	16.28
4	14	2.93	76	19.52	15.15
5	26	3.53	55	27.94	17.62
6	10	1.99	41	31.10	16.49
7	16	1.97	48	31.77	18.18

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.26	48	18.21	7.88
2	11	3.15	58	22.26	12.97
3	18	5.14	62	27.49	18.76
4	14	2.79	76	22.49	17.37
5	26	3.71	56	28.44	18.46
6	10	2.57	63	31.88	17.55
7	16	1.88	44	31.40	17.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.08	88	23.21	19.77
2	10	6.23	89	22.04	16.08
3	18	6.97	81	27.98	19.25
4	14	2.56	84	25.88	18.25
5	26	3.06	63	31.32	20.36
6	10	2.58	48	31.35	18.71
7	16	2.19	59	28.82	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.40	38	24.88	8.66
2	11	3.38	58	25.45	14.08
3	18	4.75	62	27.89	19.50
4	14	2.83	84	28.48	18.48
5	26	3.84	51	31.70	19.80
6	10	2.67	48	31.88	18.94
7	18	1.85	68	28.84	20.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.22	36	24.84	8.66
2	11	2.83	38	27.41	11.71
3	18	5.52	58	30.30	20.02
4	14	2.60	61	27.45	19.28
5	26	2.77	48	31.85	19.09
6	10	2.48	48	32.84	17.82
7	18	1.78	52	31.17	19.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.01	51	25.10	14.10
2	11	4.09	63	26.10	18.27
3	18	2.31	59	28.57	19.68
4	14	2.00	56	22.91	12.93
5	26	2.95	53	31.62	20.42
6	10	2.57	48	32.64	18.38
7	18	1.96	48	31.80	19.09

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.91	69	27.55	19.66
2	10	2.36	53	28.88	18.49
3	18	1.57	43	26.56	12.92
4	14	1.77	51	29.13	11.30
5	26	2.58	49	32.60	20.40
6	10	1.95	48	30.77	18.05
7	16	2.07	50	31.00	18.23

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.52	69	28.52	19.44
2	11	2.48	62	25.70	14.23
3	18	2.81	65	18.5%	11.53
4	14	1.54	67	20.11	11.14
5	26	2.06	57	30.12	20.38
6	10	1.69	49	28.99	17.16
7	18	1.68	48	30.86	17.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	48	[illegible]7.77	7.52
2	11	1.51	42	20.60	6.01
3	18	1.64	46	19.28	7.21
4	14	1.76	65	20.68	11.80
5	26	1.83	63	29.08	18.07
6	10	1.48	45	28.52	16.43
7	18	1.75	48	30.85	17.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.05	50	20.98	9.98
2	11	1.69	41	22.47	8.32
3	18	1.77	41	20.82	7.08
4	14	1.96	80	19.26	10.96
5	26	2.98	68	27.98	18.50
6	10	1.75	38	28.88	12.99
7	18	1.70	48	30.10	17.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.09	58	22.21	13.66
2	10	2.76	64	20.32	13.21
3	18	1.92	50	26.19	9.97
4	14	1.60	46	23.02	8.92
5	26	2.78	69	27.11	20.16
6	10	1.83	42	27.77	13.05
7	18	2.17	67	23.05	16.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.01	59	18.88	11.55
2	11	1.09	45	21.71	9.18
3	13	1.54	42	21.50	7.95
4	14	1.57	43	22.21	8.84
5	26	4.36	79	28.48	20.33
6	10	3.65	62	23.55	14.99
7	15	1.97	58	23.71	14.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	28	20.21	5.55
2	11	1.99	47	22.06	9.64
3	18	2.79	55	21.32	11.47
4	14	2.51	62	18.58	10.11
5	26	3.47	75	26.68	21.55
6	10	4.65	74	23.71	18.71
7	16	1.91	48	26.38	13.84

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	43	18.88	8.30
2	11	2.84	68	20.80	14.74
3	18	5.18	72	21.47	15.79
4	14	3.07	87	18.54	11.58
5	26	2.16	70	28.34	22.28
6	10	2.08	82	25.71	17.82
7	16	1.74	48	27.89	15.41

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.42	72	21.55	15.98
2	10	3.77	80	24.89	18.55
3	18	5.95	80	24.47	15.82
4	14	2.94	80	20.19	11.82
5	26	2.32	82	28.74	21.60
6	10	1.95	85	27.88	20.58
7	16	2.59	87	28.06	17.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.31	84	29.68	18.43
2	11	5.03	62	26.66	18.68
3	18	5.22	82	21.97	18.72
4	14	1.80	84	20.69	10.87
5	26	1.95	82	30.38	22.06
6	10	1.58	83	28.84	21.18
7	16	1.73	58	28.48	17.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.14	59	28.27	18.99
2	11	2.93	64	26.41	18.58
3	18	4.11	70	23.16	15.11
4	14	2.74	60	16.86	8.32
5	26	1.72	60	30.43	21.79
6	10	1.92	74	28.32	20.08
7	18	1.72	58	28.22	18.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.49	59	29.94	19.99
2	11	2.04	60	28.99	18.05
3	18	2.66	55	23.98	14.22
4	14	2.15	64	16.82	8.20
5	26	1.75	61	29.63	21.23
6	10	1.66	68	27.99	21.38
7	16	1.93	57	28.26	18.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.09	57	22.77	13.68
2	10	4.28	74	24.94	19.88
3	18	1.93	69	23.51	17.37
4	14	1.57	52	18.25	7.97
5	26	1.74	69	28.88	21.18
6	10	1.69	87	27.60	20.55
7	16	2.53	59	25.44	18.31

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.87	82	20.89	18.77
2	11	2.96	71	23.88	17.07
3	18	1.88	52	20.27	10.17
4	14	1.84	46	18.05	6.10
5	26	2.80	69	26.13	21.81
6	10	5.88	81	25.71	20.21
7	18	1.68	80	26.68	18.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.13	65	22.50	12.00
2	11	1.66	56	21.66	12.26
3	18	1.67	45	21.75	9.15
4	14	1.60	47	22.17	10.98
5	26	2.66	76	26.70	22.00
6	10	2.48	72	24.45	19.05
7	18	1.88	85	27.04	18.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.00	50	21.21	10.50
2	11	1.64	48	23.22	11.71
3	18	2.44	47	24.88	12.71
4	14	2.29	65	20.00	12.97
5	26	3.40	78	26.02	20.72
6	10	5.94	77	25.21	20.83
7	18	2.44	84	28.84	17.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	50	22.21	11.10
2	10	1.86	50	24.05	12.03
3	18	2.54	65	26.60	19.25
4	14	2.67	38	10.96	7.06
5	26	3.67	73	25.05	20.46
6	10	1.98	75	25.82	21.32
7	18	1.75	62	29.75	17.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.40	65	23.33	15.09
2	11	4.70	73	23.79	18.58
3	18	4.70	88	19.85	17.61
4	14	2.55	79	11.74	7.93
5	25	2.15	70	27.64	21.53
6	10	1.77	71	27.10	21.21
7	18	1.95	58	29.65	19.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.95	78	23.44	18.88
2	11	3.59	73	26.30	21.00
3	18	3.32	88	23.05	19.22
4	14	2.01	64	15.43	8.48
5	26	1.81	63	29.54	21.61
6	10	1.48	68	27.93	20.93
7	18	2.91	62	27.60	18.84

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	68	20.68	20.08
2	11	3.86	76	24.68	19.84
3	18	2.69	70	18.48	12.52
4	14	1.54	51	18.14	5.78
5	26	1.85	68	30.25	21.70
6	10	1.62	66	27.10	20.55
7	16	2.28	87	22.78	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	76	17.08	12.55
2	10	1.58	82	19.43	11.08
3	18	.57	47	17.96	5.89
4	14	1.54	65	18.08	9.92
5	26	1.74	62	27.11	19.26
6	10	1.62	57	22.10	15.10
7	16	2.10	67	22.58	12.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.82	47	17.43	6.99
2	11	1.55	45	16.68	4.64
3	18	1.57	59	17.65	9.35
4	14	1.56	48	21.30	6.80
5	26	1.66	60	24.50	13.20
6	10	1.54	43	23.10	5.94
7	16	1.76	58	23.15	11.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	48	18.92	2.49
2	11	1.98	46	20.14	4.22
3	18	1.62	47	22.80	10.73
4	14	1.78	50	20.15	8.48
5	26	1.77	46	25.70	13.02
6	10	1.50	46	25.16	11.94
7	16	2.25	68	22.70	13.05

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.03	58	16.10	5.99
2	11	1.52	48	15.85	3.58
3	18	1.50	48	15.67	4.16
4	14	2.05	61	14.16	6.30
5	26	1.96	51	26.27	15.12
6	10	1.05	60	23.65	15.55
7	16	2.60	69	24.23	15.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.07	59	11.55	-2.68
2	10	1.50	57	12.66	-1.03
3	18	1.57	48	14.25	0.70
4	14	1.60	52	17.19	7.09
5	26	2.30	73	20.44	12.83
6	10	2.46	62	21.43	13.43
7	16	1.88	51	24.92	15.08

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.88	80	14.77	-2.86
2	11	1.58	95	14.84	-0.25
3	18	1.81	38	15.70	1.57
4	14	1.57	44	18.75	6.78
5	26	2.67	70	17.98	11.80
6	10	3.71	74	18.04	11.05
7	16	1.98	84	23.57	19.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	96	20.10	4.10
2	11	1.98	38	17.41	2.82
3	18	1.89	54	19.13	2.74
4	14	1.88	40	22.14	7.88
5	26	4.08	60	19.01	15.12
6	10	3.82	80	15.94	12.21
7	16	1.75	47	23.50	11.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	42	20.88	8.77
2	11	4.16	47	19.33	7.46
3	18	2.03	44	21.26	7.80
4	14	1.70	38	29.88	8.88
5	26	4.14	70	20.44	16.56
6	10	2.85	75	18.33	14.55
7	16	1.82	42	24.16	8.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	48	21.31	9.21
2	10	2.92	57	19.77	10.99
3	18	2.08	48	20.58	8.97
4	14	1.70	37	23.90	7.69
5	26	5.43	83	21.85	18.73
6	10	1.93	68	22.38	15.98
7	16	1.84	36	25.72	8.70

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	45	15.88	3.94
2	11	1.66	48	17.87	5.50
3	18	1.53	42	20.85	7.21
4	14	1.66	39	22.81	7.79
5	26	2.29	73	23.87	17.51
6	10	3.10	67	22.99	16.21
7	16	1.45	38	26.86	10.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.89	48	13.77	2.77
2	11	1.51	58	14.48	0.35
3	18	1.98	48	17.09	5.08
4	14	1.67	43	23.66	9.68
5	26	2.09	69	21.97	16.46
6	10	2.08	68	22.38	15.88
7	16	1.88	43	27.28	13.01

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	88	14.10	8.22
2	11	1.80	66	19.26	6.79
3	18	1.84	56	17.15	1.51
4	14	1.84	45	19.75	7.85
5	26	2.38	64	20.20	12.88
6	10	5.77	70	18.44	12.66
7	18	1.81	48	27.25	15.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	84	17.77	8.44
2	10	1.50	46	16.80	4.88
3	18	1.35	49	18.97	6.13
4	14	1.83	48	18.17	5.83
5	26	2.20	64	20.38	12.26
6	10	5.91	61	19.27	11.21
7	18	2.04	51	28.66	15.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.55	87	10.21	9.22
2	11	3.30	64	16.71	9.18
3	18	2.08	47	17.18	5.85
4	14	2.51	59	18.18	8.75
5	26	3.23	64	20.62	12.94
6	10	2.55	49	20.55	9.38
7	18	2.01	44	28.19	15.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.04	78	10.32	12.55
2	11	3.59	71	17.31	11.71
3	18	2.06	53	17.52	7.58
4	14	8.33	77	14.78	9.79
5	26	2.45	58	22.15	12.26
6	10	2.05	43	20.91	7.05
7	18	2.21	57	24.64	15.13



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.43	86	10.32	13.77
2	11	2.83	69	18.47	12.62
3	13	2.44	48	19.33	8.26
4	14	3.05	59	11.09	7.41
5	25	2.28	53	22.90	12.65
6	10	2.05	42	22.32	8.82
7	18	2.63	61	23.71	15.39



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.19	73	19.89	13.77
2	10	2.96	55	21.72	12.32
3	18	2.73	53	16.63	8.11
4	14	1.77	65	8.40	2.18
5	26	2.28	50	24.58	13.45
6	10	2.56	42	22.60	9.10
7	16	3.03	70	20.55	14.37



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.12	57	16.21	10.56
2	11	1.55	51	15.26	5.14
3	18	1.70	47	12.95	1.84
4	14	2.16	80	9.12	1.62
5	26	2.77	61	23.86	13.00
6	10	3.87	51	20.65	10.18
7	16	2.29	66	18.76	12.14

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.98	46	13.77	0.22
2	11	1.51	46	11.30	-0.85
3	18	1.56	45	12.24	0.06
4	14	2.83	66	10.71	4.20
5	26	2.38	64	20.76	10.85
6	10	2.83	54	17.54	7.83
7	16	2.93	58	21.17	12.89

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.82	40	12.44	-1.22
2	11	1.61	48	12.77	0.75
3	18	1.82	40	15.97	0.70
4	14	4.86	72	12.97	7.81
5	26	2.23	54	18.45	8.65
6	10	2.78	58	16.99	7.58
7	16	2.46	66	21.69	12.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.27	43	15.27	3.10
2	10	1.68	48	15.33	4.55
3	17	2.06	57	16.63	7.32
4	14	3.90	86	14.60	7.71
5	26	1.75	50	20.29	9.31
6	10	2.48	55	19.38	10.14
7	16	3.61	70	20.58	16.65



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	45	15.89	4.39
2	11	2.73	43	17.77	4.99
3	13	3.68	43	18.63	5.64
4	14	4.19	73	14.99	10.03
5	26	3.51	43	21.19	9.73
6	10	2.73	68	21.60	9.96
7	16	4.31	77	23.28	16.59



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.56	59	20.55	5.32
2	11	2.48	51	19.99	2.22
3	18	4.14	54	18.73	7.77
4	14	5.06	64	15.76	10.01
5	26	1.99	51	22.64	11.77
6	10	2.53	53	21.38	12.02
7	16	2.62	77	21.07	18.76

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.42	88	21.77	8.44
2	11	3.98	88	20.75	5.94
3	18	6.43	80	17.89	15.91
4	14	2.42	89	14.44	8.28
5	26	2.28	82	29.22	12.85
6	10	2.74	77	19.94	15.66
7	18	1.89	70	22.83	16.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.98	56	18.77	9.86
2	10	6.48	75	16.48	11.88
3	18	4.55	79	15.94	10.11
4	14	1.64	48	11.89	1.82
5	26	3.53	71	22.66	16.81
6	10	3.04	75	20.48	15.86
7	18	1.77	61	22.54	14.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.88	78	17.45	13.21
2	11	6.75	84	14.74	11.06
3	18	1.85	81	10.05	2.77
4	14	1.64	48	11.85	1.07
5	26	2.47	64	21.81	14.26
6	10	1.77	48	10.32	4.88
7	18	1.84	58	18.75	8.71

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.75	91	12.66	11.10
2	11	1.51	60	10.69	3.22
3	18	1.75	57	10.11	1.68
4	14	1.78	84	13.42	2.21
5	26	1.71	62	18.62	8.43
6	10	1.37	47	14.10	2.81
7	18	1.93	50	17.60	6.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.11	61	10.60	3.09
2	11	1.51	46	13.58	2.01
3	18	1.64	59	14.71	0.69
4	14	3.40	60	10.43	2.81
5	26	1.70	42	18.06	5.70
6	10	1.50	41	16.40	3.27
7	18	1.18	60	16.52	8.29

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.93	43	9.21	-3.10
2	10	2.20	45	13.60	1.88
3	18	2.29	42	15.11	2.18
4	14	3.33	78	10.43	8.38
5	26	1.78	46	20.50	7.53
6	10	2.03	46	18.21	5.72
7	18	4.62	78	18.08	13.20

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	54	14.77	5.10
2	11	2.24	47	17.77	6.15
3	18	4.67	66	15.39	9.00
4	14	7.08	83	13.46	10.38
5	26	1.82	51	22.65	12.24
6	10	1.99	62	20.10	12.27
7	16	3.73	62	21.84	16.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.82	67	10.96	9.10
2	11	3.01	58	17.07	9.48
3	18	6.94	84	15.11	14.34
4	14	2.78	92	9.51	8.80
5	26	1.78	56	23.78	14.83
6	10	3.02	77	20.88	18.33
7	16	1.83	82	22.96	11.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.65	77	17.82	13.10
2	11	2.71	80	15.06	12.47
3	18	5.48	78	7.18	5.82
4	14	1.88	71	2.88	-1.88
5	26	2.82	72	22.32	16.84
6	10	1.75	68	18.18	10.55
7	16	1.57	80	16.56	8.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.04	55	9.21	0.94
2	10	1.79	60	7.43	-0.05
3	18	1.96	58	4.77	-1.60
4	14	1.68	64	-0.63	-4.79
5	26	2.42	62	17.23	9.71
6	10	1.97	63	9.93	3.44
7	16	1.86	66	11.30	5.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.84	58	4.44	-4.22
2	11	1.23	58	4.44	-3.17
3	18	3.08	63	3.51	-2.09
4	14	1.07	58	1.22	-6.46
5	26	2.91	62	15.00	5.70
6	10	3.45	70	6.66	1.44
7	16	1.64	52	8.29	-1.14

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	68	3.44	-1.66
2	11	4.09	65	4.18	-2.01
3	18	3.78	68	4.94	-1.84
4	14	1.60	49	0.78	-4.47
5	26	2.20	51	10.91	1.15
6	10	1.61	47	6.94	-3.71
7	16	1.53	47	9.51	-1.45

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.06	48	5.00	-8.88
2	11	1.00	50	7.67	-2.27
3	18	1.91	48	10.61	-0.77
4	14	1.80	61	9.48	-0.11
5	26	1.68	41	18.43	0.30
6	10	1.62	41	11.21	-1.68
7	18	1.67	48	18.48	1.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.87	60	13.44	1.99
2	10	2.20	50	18.05	2.71
3	18	2.48	45	11.29	-0.18
4	14	2.10	62	8.71	2.97
5	26	1.78	36	16.08	2.54
6	10	2.92	37	14.99	0.81
7	18	1.76	68	17.77	8.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.28	69	14.10	7.10
2	11	2.43	64	13.78	6.54
3	18	2.90	68	10.79	5.30
4	14	1.80	59	15.88	9.72
5	26	2.26	56	16.47	7.63
6	10	2.85	71	12.71	7.80
7	18	1.84	95	21.62	12.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.48	69	18.13	7.68
2	11	3.17	56	16.05	7.21
3	18	3.73	65	11.75	5.30
4	14	1.83	48	14.63	3.76
5	26	2.57	62	17.31	9.76
6	10	3.30	62	16.93	9.72
7	18	2.10	82	23.50	13.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	7.01	91	12.94	10.59
2	11	2.47	67	15.29	8.68
3	18	4.38	56	14.74	5.92
4	14	3.52	78	10.33	6.56
5	26	2.96	53	18.65	9.03
6	10	1.33	54	10.55	8.60
7	18	2.27	68	22.73	15.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.47	65	12.99	12.32
2	10	5.52	88	14.71	11.04
3	18	6.18	70	13.68	8.02
4	14	5.06	84	6.14	3.68
5	26	2.04	55	21.08	10.82
6	10	3.63	58	20.18	10.77
7	18	2.00	65	21.21	14.30

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	6.74	82	10.89	9.00
2	11	3.07	75	13.42	8.83
3	18	7.56	82	11.35	8.29
4	14	9.08	79	9.28	6.04
5	26	2.08	61	28.13	12.17
6	10	4.52	73	17.66	12.44
7	18	2.48	78	16.15	10.66

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.57	78	8.88	6.66
2	11	3.98	72	10.40	6.16
3	18	5.54	75	9.51	4.85
4	14	2.47	78	5.06	-0.38
5	26	2.19	53	20.48	10.67
6	10	5.40	64	15.10	8.27
7	18	6.66	81	14.78	11.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.08	88	10.21	2.86
2	11	1.86	63	8.38	2.16
3	18	2.88	75	5.79	1.23
4	14	1.70	86	4.20	-1.50
5	26	2.87	48	18.82	7.08
6	10	4.95	88	14.55	8.71
7	18	4.58	78	15.85	11.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.05	48	8.84	-4.05
2	10	1.50	50	8.94	-1.05
3	18	1.39	55	6.83	-0.38
4	14	2.49	70	5.98	0.91
5	26	1.88	44	16.76	4.18
6	10	2.25	43	13.82	1.49
7	18	4.58	81	13.67	10.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	93	12.48	9.10
2	11	3.01	52	11.81	2.11
3	18	3.99	61	10.93	3.02
4	14	5.97	80	6.94	3.45
5	26	1.90	44	19.53	6.60
6	10	3.31	56	16.63	7.48
7	18	3.52	78	17.32	12.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.45	87	11.09	5.99
2	11	2.56	65	13.48	6.06
3	18	2.50	78	5.73	2.25
4	14	4.16	68	-0.31	-6.74
5	26	3.27	71	21.55	16.02
6	10	1.81	68	14.21	7.71
7	18	1.59	52	13.12	9.43

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	42	11.10	-1.06
2	11	9.01	85	4.64	-4.54
3	18	5.50	58	-0.85	-7.88
4	14	1.54	80	0.87	-8.58
5	26	1.63	88	14.84	0.38
6	10	1.54	54	8.05	-7.10
7	16	1.81	46	19.05	0.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.12	44	2.44	-8.82
2	10	9.29	83	2.77	-8.60
3	18	2.08	47	5.82	-7.55
4	14	1.87	47	8.88	-4.16
5	26	1.80	36	11.76	-8.10
6	10	1.39	27	7.52	-10.80
7	16	2.04	58	10.19	1.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.82	86	1.88	-10.10
2	11	1.88	47	4.38	-8.26
3	18	2.11	57	7.88	-5.95
4	14	1.69	81	9.58	-0.06
5	26	1.63	38	12.65	-1.32
6	10	1.40	51	9.54	-6.35
7	16	2.61	62	10.62	5.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	48	8.43	-2.77
2	11	3.83	48	9.99	-2.87
3	18	2.89	34	10.11	-5.30
4	14	2.86	65	8.29	1.50
5	26	2.07	46	14.90	-2.05
6	10	1.75	38	13.27	-1.05
7	16	7.89	89	12.01	9.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	55	11.10	2.44
2	11	2.95	48	11.36	-2.67
3	18	9.27	84	10.02	7.12
4	14	6.32	85	6.76	4.20
5	26	3.15	61	17.75	10.01
6	10	3.05	77	14.27	10.49
7	16	3.71	82	15.63	12.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.21	63	13.33	8.93
2	10	2.38	78	14.32	9.82
3	18	5.58	69	11.78	10.08
4	14	3.18	81	8.54	3.52
5	26	3.55	62	19.58	16.23
6	10	1.55	68	18.45	12.38
7	16	1.66	59	17.38	8.78

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.61	88	10.66	9.77
2	11	1.75	65	14.54	8.55
3	18	2.24	88	11.85	8.01
4	14	6.10	84	8.10	5.45
5	26	1.88	62	22.60	16.90
6	10	2.58	88	18.71	12.05
7	18	2.73	82	20.86	12.53

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.79	62	14.21	6.86
2	11	6.20	58	15.89	7.06
3	18	1.75	65	12.34	6.01
4	14	1.83	73	2.17	-2.02
5	26	3.36	80	21.76	17.88
6	10	1.76	76	21.18	15.94
7	18	2.22	84	20.20	12.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	86	12.88	9.88
2	11	1.77	83	10.84	8.43
3	18	5.35	75	5.70	1.57
4	14	5.07	80	0.76	-2.20
5	26	2.86	67	22.66	16.02
6	10	5.02	88	18.77	16.85
7	18	4.41	84	18.38	15.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	58	9.94	1.08
2	10	2.70	66	9.60	4.05
3	18	10.29	94	5.40	5.03
4	14	9.30	85	-1.26	-3.43
5	26	5.01	76	21.76	17.17
6	10	3.34	80	21.68	17.93
7	18	2.13	88	11.38	5.03

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.72	91	13.66	12.21
2	11	4.68	81	13.22	9.89
3	18	1.75	69	1.35	-3.79
4	14	2.00	68	0.31	-5.11
5	26	1.73	69	21.86	14.76
6	10	1.74	56	8.66	0.49
7	18	1.52	58	12.80	2.56

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.63	51	9.66	-0.33
2	11	1.94	54	6.30	-2.77
3	18	1.86	58	5.27	-2.83
4	14	1.88	63	1.38	-4.99
5	26	1.60	49	14.07	1.96
6	10	1.84	42	11.71	-0.83
7	18	1.69	52	15.89	5.55

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	42	8.44	-6.10
2	11	1.68	50	7.11	-3.43
3	18	1.61	61	2.18	-4.66
4	14	1.64	62	-1.70	-8.21
5	26	1.03	47	16.30	6.48
6	10	2.78	55	10.99	1.68
7	18	2.66	87	11.62	2.74

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	46	6.38	-5.99
2	10	2.31	59	3.22	-4.77
3	18	1.68	57	0.03	-7.48
4	14	1.54	56	-0.71	-8.17
5	26	3.10	61	14.35	6.60
6	10	7.19	80	6.56	1.10
7	18	5.66	86	8.22	0.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	48	3.88	-8.22
2	11	2.73	52	3.88	-6.04
3	18	2.08	45	4.65	-8.29
4	14	1.84	58	7.05	-1.58
5	26	5.82	85	12.98	10.25
6	10	6.80	79	8.21	4.55
7	18	1.83	83	9.09	-1.54

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.95	64	5.83	0.00
2	11	1.84	58	6.40	-1.16
3	18	1.63	53	4.35	-3.56
4	14	1.54	54	0.71	-6.53
5	26	2.32	68	16.42	11.23
6	10	3.76	69	10.77	5.27
7	18	3.48	72	7.73	2.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.38	41	1.66	-10.44
2	11	1.04	49	2.35	-7.82
3	13	2.41	52	2.43	-5.57
4	14	1.91	57	5.71	-2.45
5	25	4.61	76	12.71	8.41
6	13	2.58	62	9.32	2.11
7	16	1.66	54	14.05	4.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.93	52	-1.78	-10.44
2	10	2.62	61	1.55	-5.38
3	18	3.44	56	6.13	-2.21
4	14	3.03	68	6.88	0.63
5	26	1.80	48	14.71	3.75
6	10	2.03	48	14.18	2.60
7	18	1.77	51	16.78	6.41

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	28	-0.80	-15.73
2	11	3.38	52	5.45	-3.83
3	18	2.68	56	13.75	4.99
4	14	1.65	83	4.48	-2.17
5	26	2.11	54	18.38	8.88
6	10	2.29	48	17.05	5.27
7	16	1.68	81	18.75	9.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	80	12.80	9.43
2	11	2.61	63	13.53	6.61
3	18	6.33	82	8.68	5.94
4	14	3.74	62	2.37	-4.83
5	26	5.35	80	18.76	15.87
6	10	5.10	80	17.10	15.43
7	16	2.41	97	12.11	9.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.66	66	11.88	8.77
2	11	2.52	73	10.95	5.95
3	18	2.89	70	5.51	-1.32
4	14	1.94	65	-3.68	-8.14
5	26	2.18	72	20.82	15.27
6	10	4.18	78	15.59	9.99
7	16	2.67	66	12.48	2.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.16	91	4.93	3.65
2	10	6.04	86	5.66	3.44
3	18	4.39	68	-3.85	-9.16
4	14	1.54	47	0.55	-6.18
5	26	3.29	73	14.31	9.06
6	10	2.15	58	1.00	-7.71
7	16	1.53	92	9.19	-6.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	47	-2.00	-11.99
2	11	1.04	54	0.70	-7.82
3	18	1.63	54	4.81	-3.75
4	14	1.57	49	6.06	-4.69
5	25	1.58	37	8.67	-5.72
6	10	1.51	34	3.18	-5.82
7	16	1.61	31	12.25	-4.54

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	45	2.66	-7.99
2	11	2.36	61	3.48	-3.73
3	18	1.74	58	2.46	-5.98
4	14	2.73	60	-1.46	-7.21
5	26	1.63	32	15.67	-1.06
6	10	1.58	37	12.55	-1.49
7	16	1.64	46	15.27	3.16

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	42	0.00	-10.48
2	11	2.72	60	0.90	-6.56
3	18	0.77	78	-0.70	-4.05
4	14	3.44	86	-0.89	-0.82
5	26	2.31	60	13.73	3.31
6	10	2.20	71	12.05	8.77
7	16	1.91	48	19.01	1.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.86	80	-1.11	-8.10
2	10	8.80	73	-1.33	-5.88
3	18	2.81	75	-0.85	-4.87
4	14	1.85	88	4.06	-9.86
5	26	4.22	68	8.82	0.40
6	10	1.85	80	5.85	-9.49
7	16	1.58	92	14.94	-2.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	42	0.77	-10.88
2	11	2.36	65	0.50	-7.62
3	18	4.26	68	2.48	-2.71
4	14	1.73	86	6.87	-0.17
5	26	1.77	40	9.37	-9.92
6	10	3.16	48	11.38	0.81
7	18	1.88	84	18.88	0.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	60	1.38	-5.43
2	11	3.17	73	4.31	-0.15
3	19	2.55	75	3.97	-5.46
4	14	1.90	75	0.71	-5.40
5	26	2.07	48	15.12	4.07
6	10	2.83	65	15.27	8.44
7	18	2.70	72	17.11	11.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.24	83	7.66	4.08
2	11	5.21	88	7.72	5.05
3	18	4.47	88	3.17	0.61
4	14	3.55	73	-0.67	-5.07
5	26	2.06	65	18.34	11.17
6	10	6.12	92	12.10	11.05
7	19	2.16	58	12.32	3.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	68	9.21	-2.21
2	10	2.39	79	3.86	0.22
3	19	3.44	74	1.10	-2.92
4	14	2.04	69	-0.71	-8.08
5	26	3.94	84	14.56	11.85
6	10	3.98	80	8.88	5.38
7	18	1.66	48	9.99	-9.47

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.78	84	0.65	-0.33
2	11	6.44	68	2.22	0.45
3	18	2.04	67	-0.12	-5.42
4	14	1.57	52	7.81	-2.85
5	26	4.21	80	9.78	6.32
6	10	2.54	69	5.27	-1.94
7	18	1.62	87	12.21	-2.42



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.74	65	1.88	0.88
2	11	7.48	79	1.66	-2.01
3	18	5.04	71	1.50	-5.33
4	14	2.18	54	-6.72	-11.81
5	26	3.10	52	9.41	-0.94
6	10	1.89	51	8.71	-1.18
7	18	1.91	32	15.69	-1.04



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.42	59	5.44	-1.88
2	11	5.91	72	-2.37	-5.66
3	18	5.12	62	-10.98	-14.88
4	14	1.54	54	-8.37	-14.37
5	26	5.20	65	5.12	-1.49
6	10	4.02	51	-5.99	-14.31
7	18	1.82	37	1.89	-12.11



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.78	68	-4.10	-9.77
2	10	4.54	63	-8.77	-14.31
3	18	4.03	59	-7.34	-13.98
4	14	1.85	49	-0.71	-9.56
5	26	1.78	37	-1.00	-13.90
6	10	1.72	42	-2.95	-14.55
7	18	1.77	38	8.37	-6.97

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	51	-4.77	-13.55
2	11	2.10	55	-2.62	-10.40
3	18	1.94	58	3.45	-4.62
4	14	1.60	49	6.62	-4.55
5	26	1.76	38	7.19	-6.37
6	10	1.85	50	7.60	-2.93
7	18	1.73	46	14.89	2.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.80	67	2.89	-3.10
2	11	3.77	68	3.58	-1.66
3	18	2.61	62	5.36	-1.69
4	14	1.78	51	4.75	-4.38
5	26	1.96	48	13.90	3.15
6	10	2.84	71	12.88	7.43
7	18	3.08	68	15.65	8.28

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	86	9.77	-5.43
2	11	1.83	66	6.85	-2.72
3	18	6.86	76	6.15	2.08
4	14	2.87	88	7.91	-0.85
5	26	2.02	63	15.76	5.88
6	10	4.21	78	14.71	10.21
7	18	2.70	85	17.79	10.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.12	80	4.88	1.84
2	10	0.88	68	6.27	0.84
3	15	2.57	81	0.50	-0.78
4	14	0.27	84	3.52	-0.05
5	26	2.21	66	17.88	8.77
6	10	4.78	78	15.27	10.44
7	18	2.18	88	18.67	12.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	84	1.11	-0.77
2	11	2.03	61	0.02	-3.00
3	18	0.57	80	2.71	-0.30
4	14	0.82	78	5.45	-0.25
5	26	2.77	64	16.44	5.03
6	10	4.50	74	15.49	9.99
7	18	4.22	78	17.21	12.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	81	-1.84	-4.10
2	11	2.08	65	4.39	-0.90
3	18	0.49	81	9.37	7.98
4	14	0.35	81	5.14	1.79
5	26	2.90	67	13.79	-.77
6	10	1.89	63	16.21	9.33
7	18	2.14	56	18.50	8.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.14	91	6.10	3.16
2	11	3.67	81	13.17	9.74
3	13	2.03	70	10.95	5.29
4	14	2.30	73	4.20	-0.71
5	25	5.13	74	17.40	12.60
6	10	4.98	89	14.71	12.99
7	13	4.58	95	18.67	4.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.32	87	13.32	11.10
2	10	5.58	87	15.27	13.05
3	13	3.04	63	9.58	6.69
4	14	4.14	62	3.88	-3.63
5	26	4.17	76	19.12	14.50
6	10	3.25	82	12.88	5.43
7	16	2.76	28	14.30	-4.33

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	74	15.46	8.77
2	11	1.62	80	10.26	2.52
3	18	1.63	55	8.51	0.09
4	14	1.80	63	8.84	-2.20
5	26	2.02	48	16.89	3.43
6	10	1.37	41	13.46	0.49
7	18	2.88	36	18.62	1.06

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	48	7.88	-2.43
2	11	1.84	52	7.72	-1.36
3	18	2.35	50	10.89	0.98
4	14	1.71	68	7.45	-0.81
5	26	1.75	41	17.26	3.48
6	10	1.89	42	14.44	1.88
7	18	1.80	56	17.14	8.01

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	90	8.44	-0.93
2	11	2.36	46	13.86	0.35
3	18	1.78	58	11.69	5.01
4	14	1.80	93	4.18	-0.03
5	26	2.26	65	16.24	8.97
6	10	1.84	53	18.10	8.58
7	18	2.13	66	18.00	8.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.72	51	10.00	0.00
2	10	1.80	58	7.60	-0.16
3	18	1.98	53	4.62	-4.13
4	14	1.63	49	3.93	-6.10
5	26	2.16	70	18.64	13.07
6	10	5.09	68	14.80	8.66
7	16	4.02	78	12.98	8.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.19	40	2.22	-10.22
2	11	2.26	69	3.58	-6.71
3	18	3.02	85	4.03	1.66
4	14	5.76	63	4.52	-2.81
5	26	2.65	67	13.47	7.29
6	10	3.56	82	13.99	10.99
7	16	1.43	67	14.75	8.32

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.20	65	8.99	4.66
2	11	6.17	69	7.72	5.95
3	18	2.90	76	1.29	-2.48
4	14	1.56	48	-0.19	-10.07
5	26	2.67	68	14.84	8.28
6	10	1.52	52	9.38	-0.49
7	18	1.55	91	13.98	8.69

CAPITA



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.87	88	4.00	-0.06
2	11	1.80	86	3.39	-1.00
3	18	2.04	80	3.32	-0.73
4	14	1.79	84	3.00	-1.31
5	26	1.80	45	14.05	1.46
6	10	1.87	45	9.44	-3.31
7	18	2.27	86	10.06	0.00

REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.02	88	2.00	-0.88
2	10	2.66	83	0.38	-0.22
3	18	2.82	79	1.01	-0.53
4	14	1.84	90	1.06	-0.140
5	26	2.05	73	14.70	0.04
6	10	4.17	82	7.96	6.90
7	18	1.71	47	10.60	-0.00

REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.00	72	4.00	0.44
2	11	2.01	80	0.00	-0.43
3	18	2.40	57	1.00	-0.00
4	14	0.01	00	-4.00	-0.08
5	26	1.75	54	12.20	2.00
6	10	1.00	48	7.00	-2.71
7	18	1.02	47	10.60	2.11



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.58	83	2.88	-0.32
2	11	4.39	88	3.50	-2.43
3	18	4.78	58	4.01	-4.54
4	14	4.69	65	-4.85	-8.21
5	26	2.14	51	12.80	2.05
6	10	2.22	48	10.77	-0.72
7	18	4.72	88	14.54	6.97



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.17	89	4.11	-3.32
2	11	3.53	82	4.99	-1.66
3	18	12.21	83	1.19	-1.71
4	14	5.09	83	-4.67	-12.97
5	26	2.21	55	14.05	4.05
6	10	3.08	68	11.05	4.00
7	16	1.00	57	9.89	1.70

CAPITA


REGION 1, QTR 1 1957
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 1, QTR 2 1957
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 1, QTR 3 1957
100 15
50
RH
BEXT
TEMP
0 0
JUL
AUG
SEP


REGION 1, QTR 4 1957
100 15
30
RH
BEXT
TEMP
-20
OCT
NOV
DEC


REGION 2, QTR 1 1957
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 2, QTR 2 1957
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 2, QTR 3 1957
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 2, QTR 4 1957
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


REGION 3, QTR 1 1957
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1957
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1957
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1957
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITA


REGION 4, QTR 1 1957
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1957
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1957
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1957
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


REGION 5, QTR 1 1957
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 5, QTR 2 1957
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 5, QTR 3 1957
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 5, QTR 4 1957
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


REGION 6, QTR 1 1957
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 6, QTR 2 1957
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 6, QTR 3 1957
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 6, QTR 4 1957
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 7, QTR 1 1957
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1957
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1957
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1957
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


EUS MEAN, QTR 1 1957
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


EUS MEAN, QTR 2 1957
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


EUS MEAN, QTR 3 1957
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


EUS MEAN, QTR 4 1957
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC